

SECTION 4.1
SHORT-STAY HOSPITAL UTILIZATION



MEDICARE

1966

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
SOCIAL SECURITY ADMINISTRATION
Office of Research and Statistics



PUBS
RA
412
.3
M433
1966 sect.4.1

DHEW Publication No. (SSA) 73-11704

Health Insurance for the Aged, 1966

Publications in this series include:

Section 2—ENROLLMENT (Published 1969)

Section 3—PARTICIPATING PROVIDERS (Published 1970)

3.1: Participating Hospitals

3.2: Participating Home Health Agencies

Section 4—INPATIENT HOSPITAL CARE (in preparation)

4.1: Short-stay Hospital Utilization

4.2: Short-stay Hospitals—Diagnoses and Procedures

4.3: Psychiatric Hospital Utilization

4.4: Other Long-stay Hospital Utilization

Section 5—OUTPATIENT HOSPITAL SERVICES

(in preparation)

Section 6—HOME HEALTH SERVICES (in preparation)

Section 7—PHYSICIANS' AND OTHER MEDICAL SERVICES

(in preparation)

Section 1—SUMMARY (Published 1971)

Persons on the ORS health insurance mailing list will be notified when the various sections are available for purchase through the Superintendent of Documents, U.S. Government Printing Office.

RA
412.3
.M433
1966
sect. 4.1

Medicare: Health Insurance for the Aged, 1966, Section 4.1: Short-Stay Hospital Utilization

CMS Library
C2-10-17
7500 Security Blvd.
Baltimore, Maryland 21244

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
SOCIAL SECURITY ADMINISTRATION • OFFICE OF RESEARCH AND STATISTICS
DHEW Publication No. (SSA) 73-11704

Library of Congress Catalog Card Number HEW 66-36

SUGGESTED CITATION

U.S. Social Security Administration, Office of Research and Statistics, *Medicare, Health Insurance for the Aged, 1966, Section 4.1: Short-stay Hospital Utilization*, Washington, D.C. 1973

United States
Government Printing Office
Washington: 1973

Foreword

WITH THE enactment of the health insurance program for the aged (Medicare), it became possible for the first time to organize a continuing information system to report the use of health care services by older Americans. Since Medicare began one of the basic tasks has been to process and pay claims for covered medical services submitted by or on behalf of the more than 19 million persons entitled to hospital insurance benefits and the 17.7 million persons enrolled for supplementary medical insurance benefits. From this operation come data on the amount, the kind, and the cost of such services used by the aged.

This report is the first in a series of publications designed to disseminate such data on a regular basis. It provides detailed statistical information on discharges from short-stay hospitals for persons insured under Medicare. Reports on the number and characteristics of participating providers, and of persons enrolled under Medicare have been issued earlier in this series. The reports are intended to give a comprehensive account of the amounts reimbursed under the program, the kinds of services paid for, and the variations in utilization and reimbursement by age, race, and sex of the beneficiary, as well as his place of geographic residence. Such data can provide new insights into the patterns of medical

care for persons aged 65 and over. A fuller understanding of present practice can contribute to improved health services not only for the aged but for the general population as well.

Many individuals in the Social Security Administration have assisted with the development of this series. The preparation of these reports is a major function of the ORS Division of Health Insurance Studies, under the supervision of Howard West, director, and Aaron Krute, deputy director, and involving a majority of its staff. Important contributions for the tabulation and presentation of the statistical content of this report were made by Irving Goldstein, Willard P. Hess, Robert J. Butler, and Theodosia P. Rasberry of the Statistical Processing and Procedures Branch of that division. Text preparation was the responsibility of George S. Chulis of the Program Statistics Branch. Special acknowledgment for computer services are made to the Division of Health Insurance Statistical Data, Bureau of Data Processing.

The general tables were produced by the "System for Automated Tabular Composition," a computer system, at the Social Security Administration headquarters in Baltimore, Maryland. They were set on Linotron equipment at the Government Printing Office in Washington, D.C.

JOHN J. CARROLL,

Assistant Commissioner for Research and Statistics

April 1973

Contents

	<i>Page</i>
Foreword	iii
The Statistical System of the Medicare Program	vi
Short-Stay Hospital Utilization	ix
Summary	ix
Source and Qualifications of the Data	x
Number and Rate of Discharges	xi
Days of Care	xiv
Average Length of Stay	xvi
Hospital Charges and Amounts Reimbursed	xx
Number of Persons with One or More Discharges	xxiii
Hospital Charges Not Reimbursable by Medicare	xxv
Reliability of Estimates	xxv
Provisions of the Law	xxx

General Tables

Notes	4.1-1
4.1.1 Discharges by region, division, and State: utilization, charges, and reimbursement for patients with surgery and without surgery	4.1-4
4.1.2 Discharges by age, race, and sex: utilization, charges, and reimbursement for patients with surgery and without surgery	4.1-7
4.1.3 Discharges by region, division, and State: discharge status, total days of care, and average length of stay for patients with surgery and without surgery	4.1-10
4.1.4 Discharges by age, race, and sex: discharge status, total days of care, and average length of stay for patients with surgery and without surgery	4.1-13
4.1.5 Discharges by type of hospital control and bed size: utilization, charges, and reimbursement for patients with surgery and without surgery	4.1-16
4.1.6 Discharges by discharge status and detailed length of stay: charges and reimbursement for patients with surgery and without surgery	4.1-20
4.1.7 Discharges by age, race, and sex: number and rate, by type of hospital control for patients with surgery and without surgery	4.1-23
4.1.8 Discharges by type of hospital control and bed size: length of stay for patients with surgery and without surgery	4.1-26
4.1.9 Discharges by type of hospital control and bed size: percentage distribution of length of stay for patients with surgery and without surgery	4.1-29
4.1.10 Discharges by age, race, and sex: mean and median length of stay, by type of hospital control for patients with surgery and without surgery	4.1-32
4.1.11 Discharges by type of training program, JCAH accreditation, and bed size of hospital: length of stay for patients with surgery and without surgery	4.1-35
4.1.12 Discharges by type of training program, JCAH accreditation, and bed size of hospital: percentage distribution of length of stay for patients with surgery and without surgery	4.1-37
4.1.13 Persons discharged by age, race, sex, and final discharge status: number of hospital stays, utilization, charges, and reimbursement	4.1-39
4.1.14 Persons discharged by age, race, and sex: number of hospital stays and nonreimbursable charges	4.1-42
4.1.15 Discharges by month: month of admission, total stay, total and daily usage rates, and length of stay for patients with surgery and without surgery	4.1-46
4.1.16 Discharges by population size groups of SMSA's and for each area of 500,000 population or more in 1960: utilization, charges, and reimbursement for patients with surgery and without surgery	4.1-47

The Statistical System

THIS PUBLICATION is a section of a statistical report series produced from Medicare program records. Presented on a calendar year basis, describing services rendered in the year, the series includes sections on enrollment, characteristics of providers, inpatient hospital care, outpatient hospital services, home health services, physicians' and other medical services, and overall summaries.

The primary objective of these reports is to provide data required to measure and evaluate program operation and effectiveness. Benefit payment operations furnish information about the amount and kind of hospital and medical care services used by persons aged 65 and over, as well as the expenditures for such services. The applications by hospitals, extended care facilities, home health agencies, and independent laboratories to participate in the program provide data on the characteristics of such providers of services. The claim number assigned to each individual serves as the link between the program services utilized and the demographic characteristics of each individual recorded in the health insurance entitlement master file.

The data-collection system has two inherent characteristics that determine the scope, detail, and flexibility of the available data. First, data are collected and maintained on an individual basis so that the beneficiary and his medical experience under the program form the basic unit. Second, records for each bill paid under the program and, for a sample of beneficiaries, records of diagnoses and surgical procedures are maintained on a centralized basis. Except for intermediary operating statistics such as those relating to workloads, costs, and the like, all program statistics are centrally prepared.

THE BASIC RECORDS

The statistical system is based on five related computer-tape records: the health insurance entitlement master file, provider record, hospital insurance (part A) utilization record, medical insurance (part B) payment record, and the record containing information from medical insurance bills for a 5-percent sample of supplementary medical insurance enrollees.

THE HEALTH INSURANCE ENTITLEMENT MASTER FILE

The health insurance entitlement master file identifies each aged person eligible for health insurance benefits and indicates whether he is entitled to hospital benefits, to supplementary medical insurance benefits, or to both of these benefits.

This record is used to create a health insurance card that is sent to each insured person. The card contains the individual's claim number (the number used for OASDI or railroad retirement programs). It indicates the entitlement of the individual for the two parts of the Medicare program.

The entitlement record provides the population data for each part of the program and therefore serves as the base for the computation of a variety of utilization rates, limited only by its demographic content.

PROVIDER RECORD

Every hospital, home health agency, extended care facility, and independent laboratory must apply for participation in the hospital insurance program in order to be reimbursed for services provided. Data included on the application forms have been recorded in the central provider record and are updated as facilities are recertified periodically, as new ones apply for participation, or as some leave the program. When the information in this provider file is combined with utilization data, it serves to relate the characteristics of facilities and agencies that provide care to the kinds and amounts of service used by persons insured under Medicare.

UTILIZATION RECORD FOR HOSPITAL INSURANCE

The administration of the hospital insurance program requires that two items of information be known about each person at the time of his admission to a hospital—his entitlement under the program and the extent to which he has used the benefits available to him under the "benefit period" concept.

When the patient is admitted to a hospital, the admission section of the inpatient hospital admission and billing form is completed by the hospital and forwarded through its intermediary to the Social Security Administration for recording in the central record. As soon as the record is checked, normally in less than 24 hours, the intermediary is informed of the patient's benefit status and of the number of days remaining during the "benefit period."

This information is then forwarded to the hospital. At discharge, the hospital completes the billing section of the form and sends it to the intermediary for payment. When approval for payment has been made, the intermediary forwards the claim to the Social Security Administration for inclusion in the central record.

As part of this process, information on diagnoses and surgical procedures are coded for a 20-percent

of the Medicare Program

sample of beneficiaries based on specific combinations of digits in the health insurance claim number. Copies of admission and billing forms are handled in a comparable manner by home health agencies and extended care facilities. The outpatient billing form is also transmitted to the Social Security Administration for recording in the central record after the bill is approved for payment by the intermediary.

All the information on utilization experience in hospital and extended care facilities that is needed to administer the "benefit period" provision is recorded in the central record. This information includes stays in certain nonparticipating institutions that meet the definition of a hospital or extended care facility under the law, and days of care not covered or reimbursable under the program.

Each admission and billing form contains both the beneficiary's claim number and the provider's identification number. The resulting tape record can be readily matched to the beneficiary files and the provider files. By this process, a statistical tape record is created for the sample of insured persons that contains all the available information needed for tabulation from the three files related to Part A utilization.

PAYMENT FOR MEDICAL INSURANCE

Payment or reimbursement under the SMI program is made only after receipt by the carriers (intermediaries involved in Part B of the Medicare program) of bills having allowed charges exceeding \$50 during a calendar year period.

For the insured population, carriers need to know from a central source that the deductible has been met; thereafter, during the remainder of the calendar year, the only additional information required from the Social Security Administration for reimbursement or payment purposes is whether the person is still enrolled under the SMI program.

For administration and operation of the program, the Social Security Administration must have accurate and complete information on the amounts paid by the carriers for physician services and for other services and supplies under this part of the program. To meet these needs, carriers furnish a payment record consisting of tape, punched card, or other machine-readable record of each bill paid. A "bill" is defined as a request for payment from or on behalf of a beneficiary as the result of services provided by a single physician or supplier.

The payment record also contains selected items of information needed to supply an efficient basis for drawing samples of the bills. These items provide a

sampling frame that may be used to draw additional samples designed to obtain specific information not furnished reliably by the basic sample of enrolled persons under the medical insurance program.

THE MEDICAL INSURANCE SAMPLE

Although the payment record provides a rapid method for summarizing payment data and a sampling frame for efficiently drawing additional samples of bills, it does not provide specific data on diagnoses, procedures, and related charges.

Basic statistics on the utilization of physician and other services covered under the supplementary medical insurance program are derived from bills paid by intermediaries to or on behalf of a continuous 5-percent sample of all enrolled persons. Intermediaries have been given specific combinations of digits of the health insurance claim number to be used in selecting the 5-percent sample, which is a sub-sample of the 20-percent sample used for hospital insurance program data.

Bills are submitted either directly on an SSA request for payment form, or on the SSA form in combination with the physician's billing form. Both methods are designed to provide information on the date and place of each service, the procedure carried out or service provided, the condition treated (diagnosis), and the physician's or supplier's charge for the specific service.

All of the bills of persons in the 5-percent sample to or for whom payment is made under the program, including those used to meet the annual \$50 deductible, are included in the sample and coded. However, data are not available through these procedures for persons in the sample who do not meet the \$50 deductible. Such data are collected by means of the Current Medicare Survey, with data made available in a separate report series.¹

For hospital-based physicians who have authorized the provider to collect the fee for their services, the provider billing for patient services by physicians form is used. This form is completed for each patient. It includes descriptive information on the date and place of each service, the diagnoses, procedures, and the charges. These bills are received centrally for the 5-percent sample of persons enrolled for supplementary medical insurance.

¹ Jack Scharff, "Current Medicare Survey: The Medical Insurance Sample," *Social Security Bulletin*, April 1967.

Symbols		
Quantity zero	—
Quantity more than 0 but less than 0.05	0.0
Figure subject to relatively large variability	. . .	*
Not applicable
Not available	---

Short-Stay Hospital Utilization 1966

Summary

THE HOSPITAL INSURANCE (HI) part of the Medicare program, effective July 1, 1966, provides payment for a large part of hospital costs for the population aged 65 and over. This report describes the frequency of, and charges for, short-stay hospital use in the first 6 months of the Medicare program by characteristics of the beneficiary, characteristics of the hospital, and selected variables relating to the hospital stay. A subsequent report will describe utilization for specific discharge diagnoses and selected surgical procedures. A brief summary of the major observations extracted from these tables follows.

During July-December 1966 there were over 2.3 million discharges from short-stay hospitals for persons 65 years and older insured under the hospital insurance (HI) part of Medicare.

The 2.3 million discharges represented the experience of about 1.9 million individuals, some of whom had more than one stay in a short-stay hospital during July-December 1966: about 80 percent were in hospitals once during the 6-month period, 16 percent were hospitalized twice, and 5 percent 3 times or more. In approximately 9 of every 10 episodes of hospitalization, the patient was discharged alive.

These discharges used 31.1 million days of hospital care; charges for nearly 93 percent, or 28.8 million of these days, were paid for in full or in part by HI reimbursement. On the date the program began, July 1, 1966, some persons 65 years and over were already in hospitals; they represented 5 percent of the discharges in the first 6 months of the program. With days of care prior to July 1 included for all discharges between July-December 1966, the mean length of stay was 13.2 days and the median 9.7. The annual rates of utilization during this period were 243 discharges and 3,220 days of care per 1,000 persons enrolled. These figures were obtained by doubling the observed 6-month rate, which does not adjust for seasonality in use of hospitals.

Surgery was performed during hospitalization for over 760,000 or 33 percent of all discharges.¹ These discharges accounted for 10.9 million days of care, or 35 percent of the total. The mean length of stay for this group was 14.2 days, while for discharges without surgery, it was 12.8 days.

Total hospital charges for discharges between July and December 1966 were \$1.3 billion or, on the average, \$42 per day, and \$559 per discharge. Of this amount, 79 percent was reimbursed under the HI program. Charges were higher for discharges with surgical treatment during hospitalization—averaging \$51 per day and \$718 per discharge. For discharges without surgery, the average charge was \$38 per day, and \$482 per discharge.

On the average, each person with one or more short-stay hospital discharges in 1966 under Medicare was responsible for \$66 in nonreimbursable charges. This figure ranged from an average of \$56 for persons with one discharge to an average of \$129 for persons with three or more discharges.

Hospital utilization and length of stay increased sharply with advancing age. Utilization rates rose from 190 discharges and 2,279 days of care per 1,000 enrollees aged 65-66 to 332 discharges and 5,071 days of care per 1,000 enrollees aged 85 and older. The average length of hospital stay increased from 12.0 days for persons 65-66 years to 15.3 days for persons 85 or older.

There were differences in the patterns of hospitalization between men and women. Women averaged longer hospital stays (13.7 days) than men (12.8 days). However, men used services at a greater rate than women. For men, the annual rates were 264 discharges and 3,366 days of care per 1,000 enrolled compared to 228 discharges and 3,113 days of care per 1,000 enrolled for women.

¹ Operative procedures defined as surgery in *Current Procedural Terminology*, First Edition, published by the American Medical Association in 1966 include procedures, involving incision, excision, amputation, introduction, endoscopy, repair, destruction, suture, or manipulation.

Persons of other races than white averaged longer hospital stays (14.1 days) than white persons (13.1 days), but discharge rates were considerably higher among white persons than for persons of other races. The annual discharge rates were 250 discharges per 1,000 enrolled white persons and 167 discharges per 1,000 enrollees of other races. A corresponding disparity existed for days of care wherein white persons used short-stay hospital care at an annual rate of 3,274 days per 1,000 persons enrolled compared to 2,346 days for persons of other races.

There were wide geographic differences in short-stay hospital utilization in the United States. Among the nine United States divisions, the annual discharge rate varied from a high of 297 per 1,000 enrolled in the West North Central and Mountain divisions to a low of 214 per 1,000 enrolled in the Middle Atlantic. A similar wide variation occurred in utilization of days of care where the high was 3,897 days per 1,000 enrollees in the West North Central and the low was 2,679 days per 1,000 enrollees in the Pacific division. The mean length of hospital stay ranged between a high of 15.9 days in the Middle Atlantic and a low of 10.6 days in the West South Central division. There were also wide variations geographically in hospital charges per day and per discharge.

Mean length of stay increased steadily as hospital size increased from 10.6 days for discharges in hospitals with less than 25 beds to 17.9 days for hospitals with 1,000-1,999 beds. The distribution of Medicare discharges among voluntary, proprietary, and State and local government hospitals was roughly proportionate to the number of beds available under each type of hospital control.

Source and Qualifications of the Data

The data in this report were derived from bills for inpatient services submitted for Medicare payment by short-stay hospitals for a 20-percent sample of the insured population. When a beneficiary is admitted to a hospital, the hospital sends a notice of admission which is ultimately recorded in Social Security Administration files. Similarly, the hospital bills are also recorded in these files. Upon receipt of a discharge bill, a discharge record is created consolidating information about the hospitalization. The discharge record can consist of one or more bills depending on the length of stay and hospital billing procedures.

Information from the billing forms is matched to the master "Provider of Services" file maintained by the Social Security Administration. This file contains detailed information about the characteristics of each

short-stay hospital participating under Medicare. The bill data are also matched to the "Health Insurance Eligibility" file, which identifies all persons eligible for Medicare benefits and includes demographic information about each person. The final set of records, consisting of bill data, characteristics of the hospital, and demographic information about the person hospitalized is then used in the preparation of tabulations included in this report.²

The 20-percent sample on which the data in this report are based includes bills for all persons whose HI claim number ends in certain preselected numerical digits. The published data are inflated estimates derived from the sample counts. The estimates are prepared using a ratio-estimation weighting technique that is described in detail in "Reliability of Estimates" shown elsewhere in this report.

There is a lag between the time a person is discharged from a hospital and the time this discharge is posted to Social Security Administration records. The processing time for most discharges is comparatively short. However, the time lag increases for claims involving special problems. The data in this report include all discharges from short-stay hospitals in July-December 1966 that were received and recorded as of January 3, 1969. An estimate made 18 months after this date, in July 1970, indicated that over 98 percent of the 1966 short-stay hospital discharges were included in the publication file.

Reimbursement to hospitals under hospital insurance is based on the reasonable cost of furnishing services. The final amount of reimbursement due under Medicare is established through an audit of a cost statement submitted by the hospital. The reimbursement amounts shown in these tables are based on interim reimbursement rates established to reflect costs as closely as possible. Most short-stay hospitals were reimbursed using formulas which estimated average per diem costs for room and board and ancillary services. Preliminary information from audited cost reports for 1966 indicates that final reimbursements are about 5 percent higher than the amounts paid on an interim basis.³

Changes in the residence of beneficiaries are recorded as they are reported in health insurance eligibility files. The State of residence for each discharge reflects the residence information in the eligibility file at the time the hospital discharge record was matched to it.

² For more detailed information about bill records and files see "The Statistical System of the Medicare Program" on page vi of this report.

³ See Robert J. Myers, "Hospitalization and Average Daily Hospital Costs for Persons Aged 65 and Over as Indicated by Data under the Hospital Insurance Program and from the American Hospital Association," *Actuarial Note No. 70*, U.S. Social Security Administration, Washington, D.C., April 1970.

Days of care figures relate to hospitalizations with a discharge in the last half of 1966. These figures probably slightly understate total 1966 days of care paid for by Medicare for this period because they exclude days of persons admitted in 1966, but discharged after the end of the calendar year. Days of care before July 1, 1966, are included in total days of care but excluded as covered days of care.

Also with respect to days of care, it was necessary to partially estimate the number of days in hospital *prior to* July 1, 1966 because of a misunderstanding about reporting. Instructions called for hospitals to enter onto billing forms the *actual* date of admission for eligible persons already in the hospital on July 1, 1966. However, an examination of bills indicated that July 1, 1966, the date coverage started, rather than the *actual* date of admission was entered with unexpected frequency, resulting in an understatement of days of care prior to July 1. Consequently, a systematic procedure was developed to estimate admission dates for these bills based on available information about the distribution of length of stay among persons 65 years and over.

Number and Rate of Discharges

It should be noted that the period covered by this report, July-December 1966, was a time of pervasive change of the pre-Medicare pattern of short-stay hospital utilization by persons aged 65 and over. The Medicare program provided comprehensive hospital coverage to a segment of the population that had been largely without hospital insurance. The National Center for Health Statistics estimated that just over half of the population aged 65 and older were covered by some form of hospital insurance during the year July 1962-June 1963.⁴ A survey conducted by the Social Security Administration in December 1962 of a sample of aged persons was in close agreement. It found that 51 percent of persons 65 and over had hospital insurance.⁵ It should be noted that the benefits available under the hospital insurance policies possessed by most aged persons at that time were not as extensive as those provided under Medicare. For example, another study based on the Social Security Administration survey found that about half the aged patients who had been hospitalized in 1962 were responsible for payment of 25 percent or more of their total hospital bills after

insurance payment had been made.⁶ With the advent of Medicare, virtually all persons 65 and over acquired hospital insurance.⁷ A recent study gathered data from a number of sources to evaluate both the initial impact and the effects of Medicare during its first 5 years on hospital use by the aged.⁸ This report clearly shows a significant increase in hospital use by persons aged 65 and over with the advent of the Medicare program on July 1, 1966. It was the starting point for an upward surge in hospital utilization by the elderly which continued until 1969. Hospital utilization by older persons leveled off at that point but not before a significant alteration in the balance of hospital usage between the aged and the remainder of the population had occurred.⁹ A report from the Hospital Discharge Survey estimated that between 1965 and 1967, the short-stay hospital discharge rate increased 10 percent, mean length of stay increased from 13.0 to 14.1 days, and the days of care utilization rate increased 19 percent for persons 65 years and older.¹⁰

There were over 2.3 million discharges to persons with Medicare coverage during July-December 1966, the first 6 months of the program, giving an annual rate of 243 discharges per 1,000 enrolled (HI) persons. Surgery was performed for over 760,000, or roughly 1 in every 3 discharges.

Approximately 1 of every 10 Medicare hospitalizations, including over 240,000 discharges, ended with the death of the patient. Over 5 percent, or 126,000, of the July-December 1966 discharges were for persons admitted to short-stay hospitals prior to the start of the program on July 1, 1966.

Data from the Current Medicare Survey indicates that a total of 180,000 Medicare beneficiaries were in hospitals of all types, i.e., short-stay, psychiatric and other long-stay on July 1 when the program began.¹¹ This survey estimates hospital utilization based on a 0.5 percent sample of admission notices received by the Social Security Administration.

⁴ See Paul Ahmed, "Health Insurance of the Aged: Quality of Coverage," *Research and Statistics Note No. 3*, Office of Research and Statistics, U.S. Social Security Administration, February 1965.

⁷ The only persons excluded in 1966 were certain retired Federal employees, aliens, and persons convicted of crimes against the security of the United States. See "Provisions of the Law."

⁸ See Julian Pettingill "Trends in Hospital Use by the Aged," *Social Security Bulletin*, Vol. 35, P. 3, July 1972.

⁹ *Ibid.*

¹⁰ See "Vital and Health Statistics," Series 13, Number 9, *Utilization of Short-Stay Hospitals, United States—1967*, National Center for Health Statistics, Washington, D.C.

¹¹ See Sara Jane Godshall, Current Medicare Survey Report 10, *Hospital Insurance Sample*, U.S. Social Security Administration, Office of Research and Statistics, October 8, 1969.

⁴ See "Vital and Health Statistics" Series 10, Number 11, *Health Insurance Coverage, United States, July 1962-June 1963*, National Center for Health Statistics, Washington, D.C.


⁵ See Louis S. Reed, "The Extent of Health Insurance Coverage in the United States," *Research Report Number 10*, Office of Research and Statistics, U.S. Social Security Administration (Washington, D.C.: U.S. Government Printing Office, 1965).

Age, Race, Sex

The annual rate of discharges increased markedly with advancing age, from 190 discharges per 1,000 enrolled at aged 65-66 to 332 discharges per 1,000 enrollees aged 85 and over (table A). Nearly 1.1 million discharges were recorded for men compared to just under 1.3 million for women. However, short-stay hospital discharge rates were 16 percent higher on the average for men than for women during this period. The average annual rate for men was 264 discharges per 1,000 enrollees and for women, 228 per 1,000. Rates were consistently higher for men at every age (table A and figure 1).

White persons accounted for over 2.1 million or 92 percent of all short-stay discharges (table 4.1.2), and

Figure 1. Annual rate of short-stay hospital discharges per 1000 enrolled persons by age, race, and sex, July–December 1966.



persons of all other races for 122,000 discharges, representing 5 percent of the total. The remaining 3 percent were discharges of persons whose race was unknown. An earlier report of Medicare utilization in 1966 suggested that most persons whose race is unknown are probably white since their pattern of utilization as a group closely resembles that of white persons.¹² Discharge rates for short-stay hospitals were substantially greater for white persons (250 per 1,000 enrollees) than for persons of all other races (167 per 1,000 enrollees) (table A). The differences in these rates between races were observed for both sexes. The annual discharge rates per 1,000 enrolled persons for white men (271) and women (233) were 47 percent and 53 percent higher, respectively, than the rates for men (184) and women (152) of other races. Higher discharge rates from short-stay hospitals for whites occurred at every age for both men and women, but different patterns emerged between the sexes. These patterns are illustrated by the following data derived from Table A.

Age	Ratio of rate for white persons to rate for persons of other races	
	Men	Women
65 years and over	1.47	1.53
65-66	1.27	1.53
67-68	1.43	1.54
69-70	1.48	1.56
71-72	1.60	1.41
73-74	1.60	1.48
75-79	1.49	1.52
80-84	1.44	1.51
85 and over	1.42	1.56

¹² U.S. Social Security Administration, Office of Research and Statistics, *Medicare: Health Insurance for the Aged, 1966, Section 1: Summary—Utilization and Reimbursement by Person* (Washington, D.C.: U.S. Government Printing Office, 1971).

Table A—Annual rate of short-stay hospital discharges per 1,000 enrolled persons under hospital insurance, by age, race, and sex, July–December 1966

Age	Total				White				Other races			
	All persons ¹	Men	Women	Percent difference ²	All persons	Men	Women	Percent difference ²	All persons	Men	Women	Percent difference ²
65 years and over	243	264	228	15.8	250	271	233	16.3	167	184	152	21.1
65-66	190	208	175	18.9	196	214	181	18.2	142	168	118	42.4
67-68	204	223	189	18.0	210	229	194	18.0	142	160	126	27.0
69-70	213	228	201	13.4	219	235	207	13.5	145	159	133	19.5
71-72	225	239	213	12.2	231	247	218	13.3	155	154	155	-0.6
73-74	245	268	228	17.5	252	277	234	18.4	165	173	158	9.5
75-79	271	297	253	17.4	278	305	259	17.8	185	205	170	20.6
80-84	310	349	285	22.5	319	357	292	22.3	217	248	194	27.8
85 and over	332	379	306	23.9	342	388	315	23.2	231	274	202	35.6

¹ Includes persons of unknown race.

² Rate for women used as denominator.

For men, the ratio of discharge rates between whites and other races increased steadily from 1.27 for men aged 65-66 to 1.60 at ages 73-74. After age 74 the gap in discharge rates narrows to 1.42 for men aged 85 or more. In contrast, except for age group 71-72 (1.41), the ratio of discharge rates for white women and women of other races remains in a narrow range between 1.48 and 1.56 in each age category.

A greater proportion of discharges for men (35 percent) than women (31 percent) involved surgical treatment (table 4.1.2). Similarly, proportionately more white persons (33 percent) than persons of other races (31 percent) experienced surgically treated discharges. By age, the highest percentage of discharges with surgery, 38 percent, occurred at ages 65-66. The percentage of discharges with surgery declined steadily with advancing age to a low point of 23 percent at ages 85 and over.

Geographic Distribution

Among the four regions of the United States, the discharge rate was highest in the North Central States, 262 discharges per 1,000 enrolled persons (table 4.1.1) and lowest in the Northeast (217). It should be noted that geographic differences reflect, to some extent, the uneven distributions of hospital beds and of enrolled persons by age, race, and sex throughout the country. For example, over 60 percent of persons of other races enrolled for hospital insurance under Medicare in 1966 resided in the South.¹³ Similarly, an earlier report on participating hospitals noted wide geographic differences in available beds.¹⁴

Geographic division	Number of discharges (in thousands)	Annual rate of discharges per 1,000 enrolled persons under hospital insurance
All areas	2,350	243
United States	2,339	246
Northeast	551	217
New England	141	225
Middle Atlantic	410	214
North Central	735	262
East North Central	455	244
West North Central	279	297
South	702	256
South Atlantic	307	238
East South Central	147	243
West South Central	248	294
West	351	246
Mountain	94	297
Pacific	257	232

¹³ U.S. Social Security Administration, Office of Research and Statistics, *Medicare: Health Insurance for the Aged, 1966, Section 2: Persons Enrolled in the Health Insurance Program* (Washington, D.C.: U.S. Government Printing Office, 1969).

¹⁴ U.S. Social Security Administration, Office of Research and Statistics, *Medicare: Health Insurance for the Aged, 1966, Section 3.1: Participating Hospitals* (Washington, D.C.: U.S. Government Printing Office, 1970).

Among the nine United States divisions, the rate of 297 discharges per 1,000 enrolled persons in the Mountain division matched the West North Central rate as the highest in the United States. The lowest rate, 214 discharges per 1,000 enrolled, occurred in the Middle Atlantic division.

Hospital Characteristics

Most participating short-stay hospital beds are in voluntary hospitals. Discharges for persons aged 65 and over are roughly proportionate to the distribution of adult beds by hospital control, as shown below:

Type of hospital control	Discharges		Adult beds ¹	
	Number (in thousands)	Percent	Number	Percent
All hospitals . .	2,350	100.0	756,931	100.0
Voluntary	1,692	72.0	512,488	67.7
Church	654	27.8	---	---
Other	1,038	44.2	---	---
Government . . .	480	20.4	193,865	25.6
Proprietary	178	7.6	50,578	6.7

¹ Number of beds by type of control based on unpublished SSA data as of July 1967, the earliest period for which data were tabulated.

Voluntary hospitals account for a slightly greater proportion of discharges than of adult beds, while government hospitals had a larger percentage of beds than discharges.

On the average, of every ten Medicare short-stay discharges, seven were from hospitals with less than 300 beds, two were from hospitals with 300-499 beds, and one was from a hospital with 500 or more beds. Compared to the distribution of beds, small hospitals (less than 100 beds) accounted for more, and large hospitals (500 or more beds) accounted for less than their proportionate shares of Medicare discharges.

Hospital bed size	Discharges		Adult beds ¹	
	Number	Percent	Number	Percent
All hospitals . .	2,350	100.0	756,931	100.0
Less than 100 beds . .	684	29.0	177,345	23.4
100-299	980	41.7	302,802	40.0
300-499	444	18.9	151,767	20.1
500 beds or more	242	10.4	125,017	16.5

¹ Number of beds by bed-size based on unpublished SSA data as of July 1967, the earliest period for which data were tabulated.

Days of Care

The 2.3 million discharges from short-stay hospitals in July-December 1966 used 31.1 million days of care for an annual rate of 3,220 days of care per 1,000 enrolled persons. Nearly 93 percent, or 28.8 million days, were covered in whole or in part by reimbursement under the hospital insurance program. During July-December 1966, Medicare covered up to 90 days of hospitalization in a benefit period. A benefit period began on the first day a person was admitted to a hospital and ended with the first period of 60 consecutive days that he was not an inpatient in a hospital or extended care facility. Noncovered hospital days were days before July 1, 1966, or days after benefits had been exhausted, or days after a patient's illness had progressed to the point where full inpatient hospital services were no longer necessary. The part of the Medicare law that provided post-hospitalization extended care benefits did not go into effect until January 1, 1967.

Discharges with surgical treatment accounted for 10.9 million, or 35 percent, of all days of care and nonsurgical hospital stays for the balance, 65 percent or 20.2 million days.

Age, Race, Sex

As with discharges, the annual rate of use of days of care showed a strong upward trend with age. It increased steadily from a rate of 2,279 days of care per

1,000 enrollees aged 65-66 to 5,071 days of care per 1,000 enrollees at ages 85 and over (table B).

The difference between annual rates for days hospitalized for men and women was greatest (19 percent) at ages 65-66. This difference by sex then diminished steadily to a low point of 5 percent at ages 71-72, after which the differences in rates by sex stabilized at 10 to 12 percent. In all cases rates for men were higher.

The use of short-stay hospital days of care by race followed almost the same pattern as utilization measured by discharges. Whites used 91 percent of all days of care, persons of other races accounted for 6 percent, and the remaining 3 percent were used by persons for whom race was not reported. The annual rates of days of care per 1,000 persons enrolled averaged 40 percent higher for white persons than for persons of other races. White men used days of care at a rate of 31 percent higher than the rate for men of other races. Among women, the difference in rates was even greater with a 49 percent higher rate for white women than women of other races.

Among persons of other races, the pattern of differences between annual utilization rates by sex was very pronounced (table B). The wide differences in rates observed at ages 65-66 (53 percent) diminished to a minimum at ages 71-72 (4 percent). At ages 73-74 and beyond the differences increased with advancing age. There are two distinct patterns apparent for the population of persons of other races. Between ages 65-72, the rates for days of care for women increased at a faster rate than for men. After age 72, the rates for men increased at a faster rate than the corresponding rates for women. This pattern is illustrated in figure 2.


Table B—Annual rate of short-stay hospital days of care per 1,000 enrolled persons under hospital insurance, by age, race, and sex, July-December 1966

Age	All persons				White				Other races			
	Total ¹	Men	Women	Percent difference ²	Total	Men	Women	Percent difference ²	Total	Men	Women	Percent difference ²
Total, 65 years and over. .	3,220	3,366	3,113	8.1	3,274	3,429	3,157	8.6	2,346	2,616	2,123	23.2
65-66.	2,279	2,491	2,101	18.6	2,326	2,525	2,160	16.9	1,928	2,345	1,532	53.1
67-68.	2,455	2,623	2,319	13.1	2,498	2,665	2,362	12.8	1,990	2,234	1,774	25.9
69-70.	2,644	2,761	2,553	8.1	2,699	2,807	2,613	7.4	2,051	2,336	1,803	29.6
71-72.	2,854	2,928	2,797	4.7	2,911	2,995	2,847	5.2	2,132	2,181	2,092	4.3
73-74.	3,177	3,381	3,025	11.8	3,239	3,450	3,078	12.1	2,349	2,490	2,236	11.4
75-79.	3,719	3,930	3,570	10.1	3,798	4,015	3,641	10.3	2,634	2,907	2,424	19.9
80-84.	4,472	4,793	4,262	12.5	4,565	4,885	4,346	12.4	3,105	3,614	2,724	32.7
85 and over.	5,071	5,441	4,867	11.8	5,209	5,556	5,000	11.1	3,347	3,838	3,008	27.6

¹ Includes persons of unknown race.

² Rate for women used as denominator.

Figure 2. Annual rate of short-stay hospital days of care per 1000 enrolled persons by age, race, sex, July—December 1966.



Days of care involving surgery were distributed differently by sex; over 38 percent of days for men were for discharges with surgical treatment compared to 33 percent for women. For both white persons and persons of other races, 35 percent of days of care used were for discharges with surgery. By age, a similar pattern to that noted for discharges was observed for days of care. The percentage of days of care for surgically treated discharges was highest at ages 65-66 (40 percent) and declined steadily to ages 85 and over (27 percent).

Age, sex, and race	Percent days of care for discharges with surgery	Percent days of care for discharges without surgery
All persons, 65 years and over	35.0	65.0
65-66	40.0	60.0
67-68	39.7	60.4
69-70	38.1	61.9
71-72	37.7	62.3
73-74	36.4	63.6
75-79	34.0	66.0
80-84	30.5	69.5
85 and over	27.1	72.9
Men	38.2	61.8
Women	32.5	67.5
White	35.1	64.9
Other races	35.4	64.6

Geographic Distribution

The geographic distribution of days of care per 1,000 persons enrolled is similar to the pattern shown previously for discharges. As with discharges, the North Central region showed the highest rate of days of care used, 3,607 per 1,000 enrollees. The West showed the lowest rate of utilization, 2,860 days per 1,000 enrolled, replacing the Northeast which showed the lowest discharge rate. This shift in the relative position of the two regions reflects the much lower length of stay in the West (see table F). Among United States divisions the highest utilization rate occurred in the West North Central area (3,897 days per 1,000 enrollees) and the lowest rate occurred in the Pacific division (2,679 days):

Geographic division	Number of days of care (in thousands)	Annual rate of days of care per 1,000 enrolled persons
All areas	31,112	3,220
United States	30,961	3,256
Northeast	8,528	3,360
New England	2,010	3,223
Middle Atlantic	6,518	3,404
North Central	10,116	3,607
East North Central	6,448	3,461
West North Central	3,667	3,897
South	8,236	3,005
South Atlantic	3,883	3,008
East South Central	1,716	2,840
West South Central	2,638	3,119
West	4,076	2,860
Mountain	1,104	3,497
Pacific	2,972	2,679

Hospital Characteristics

The percentage distribution of days of care for persons aged 65 and over among hospitals according to type of control and adult bed-size is similar to the distribution shown for discharges (pages xi and xii). It follows therefore that the days of care distribution also approximates the distributions of beds as shown below:

Type of hospital control	Days of care		Adult beds ¹	
	Number (in thousands)	Percent	Number	Percent
All hospitals	31,112	100.0	756,931	100.0
Voluntary	22,769	73.2	512,488	67.7
Church	8,589	27.6	---	---
Other	14,180	45.6	---	---
Government	6,291	20.2	193,865	25.6
Proprietary	2,052	6.6	50,578	6.7

¹ Number of beds by type of control, based on unpublished SSA data as of July 1, 1967.

Proportionately, voluntary hospitals account for about 5 percent more days of care than adult beds, while government hospitals account for 5 percent less days of care than adult beds.

Bed size	Days of care		Adult beds ¹	
	Number (in thousands)	Percent	Number	Percent
All hospitals	² 31,112	100.0	756,931	100.0
Less than 100 beds	7,997	25.7	177,345	23.4
100-299	12,904	41.5	302,802	40.0
300-499	6,316	20.3	151,767	20.1
500 or more	3,887	12.5	125,017	16.5

¹ Number of beds by type of control, based on unpublished SSA data as of July 1, 1967.

² Total includes 8,300 days of care for hospitals of unknown bed-size.

Hospitals with less than 100 beds accounted for slightly more days of care than their proportionate share of beds, while hospitals with 500 or more beds accounted for proportionately less days of care than adult beds.

Monthly Utilization

The number of days of care, annual rate of days of care, and daily bed usage rates are shown for each month in the last half of 1966 in table C. Utilization generally increased from month to month during this period. The daily bed usage rate is a measure of hospital utilization that shows, on the average, the number of persons out of every 1,000 enrollees who are occupying hospital beds on any given day in the period. (See Notes for precise definition of rate.)

Table C.—Number and annual rate of short-stay hospital days of care and daily bed usage rate by month of discharge under hospital insurance, July-December 1966

Month of discharge in 1966	Days of care for discharges in month (in thousands)	Annual rate of days of care per 1,000 enrolled	Daily bed usage rate per 1,000 enrolled
Total	31,112	3,220	8.8
July	4,467	2,756	7.6
August	5,170	3,185	8.7
September	5,145	3,271	9.0
October	5,460	3,355	9.2
November	5,383	3,414	9.4
December	5,487	3,364	9.2

Average Length of Stay

The mean length of hospital stay was 13.2 days for HI beneficiaries discharged from short-stay hospitals during July-December 1966 and the median for the same period was 9.7 days. Inpatient hospital days prior to the start of the program were included in the length of stay but were not covered by reimbursement under Medicare. These figures confirm earlier data obtained from a smaller nationwide sample of short-stay hospital discharges for all of 1966 for which the estimated mean length of stay was 13.4 days for persons aged 65 and older.¹⁵ It is possible that the small difference arises from seasonal variation in patterns of hospital stays.

Data have also been published from the Current Medicare Survey which estimates covered rather than total days of care under Medicare. The Survey reported a mean of 12.4 covered days per discharge during July-December 1966.¹⁶ This is virtually identical with the estimate of 12.3 covered days per discharge published in this report (table 4.1.1).

Length of hospitalization varies with the condition being treated and whether or not surgery is performed. Section 4.2 of the annual series will examine short-stay hospital utilization in terms of specific discharge diagnoses and surgical procedures while the present report distinguishes only discharges reported with and without surgery. Persons with surgery during hospitalization averaged 14.2 days of stay per discharge.¹⁷ The mean for nonsurgical discharges was 12.8 days.

Surgical cases clearly represent a higher proportion of long-stay cases. This pattern is illustrated when discharges are grouped into weekly length of stay intervals (table D). Over 27 percent of the discharges with stays of 7 days or less involved surgery compared to nearly 40 percent of discharges for 36-42 days.

An earlier report presented preliminary data on the length of stay for short-stay discharges between July 1966-June 1967.¹⁸ That report used the discharge ratio to examine the pattern of discharges by length of stay.

¹⁵ See "Monthly Vital Statistics Report," Volume 20, Number 2, *Utilization of Short-Stay Hospitals, 1966 and 1967*, Hospital Discharge Survey, May 13, 1971, National Center for Health Statistics, Washington, D.C.

¹⁶ See Robert M. Gibson, "Current Medicare Survey Report, *Hospital Insurance Sample*," Office of Research and Statistics, CMS-21, U.S. Social Security Administration, Office of Research and Statistics, June 23, 1972.

¹⁷ See footnote 1.

¹⁸ See Aaron Krute, "Use of Hospital Services Under Medicare: Length of Stay of Patients Discharged from Short-Stay Hospitals, July 1966-June 1967," *Health Insurance Statistics*, HI-10, U.S. Social Security Administration, Office of Research and Statistics, January 30, 1969.

Table D.—Number and percent of short-stay hospital discharges under hospital insurance, by length of stay intervals and surgical status, July-December 1966

Length of stay in days	All discharges		With surgery		Without surgery	
	Number (in thousands)	Percent	Number (in thousands)	Percent	Number (in thousands)	Percent
Total	2,350	100.0	767	32.6	1,583	67.4
7 days or less	978	100.0	266	27.2	712	72.8
8-14	679	100.0	242	35.6	437	64.4
15-21	312	100.0	118	37.8	194	62.2
22-28	157	100.0	60	38.2	98	61.8
29-35	83	100.0	31	37.3	51	62.7
36-42	48	100.0	19	39.6	29	60.4
43 or more	92	100.0	31	33.7	61	66.3

The discharge ratio is defined as the ratio of the number of discharges on a specific day to the number not yet discharged and staying longer in the period described, and multiplied by 100. It measures the movement of hospital patients in relation to the length of stay. When the discharge ratios were computed and charted for the discharges in this report, similar results to those demonstrated in the earlier report occurred (figure 3). Assuming that the discharge ratio plotted by length of stay would be a smooth curve if determined by the nature of the illness alone, the peaks occurring at the seventh, fourteenth, twenty-first, and twenty-eighth day represent higher than expected numbers of discharges (figure 3). The data may reflect the practice adopted by many hospitals of reviewing hospitalized cases on a weekly basis. However, data from the Professional Activity Study of the Commission on Professional and

Hospital Activities indicates that the same pattern existed prior to Medicare. Thus the pattern exhibited by the data may represent some basic orientation by physicians and others to use hospitals in discrete time segments, i.e., in weekly terms.¹⁹


Age, Race, Sex

The mean and median length of hospital stay per discharge increased with age (table E). The mean rose from 12.0 days at ages 65-66 to 15.3 days for persons 85 and over. The increase in median length of stay was smaller, from 9.0 days at ages 65-66 to 10.5 days at ages 85 and over, suggesting that the increase in the mean arises from a large number of very long stays at older ages. The increase in mean length of stay with age was observed for discharges with and without surgery.

Women averaged nearly one day of hospitalization longer for each episode of hospitalization than men. Longer mean lengths of stay for women occurred at every age except at ages 65-66 where the stays were equal; the difference between lengths of stay by sex widened with advancing age. This pattern also applied to discharges with or without surgery.

Persons of all other races were hospitalized on the average a full day longer than white persons (Table E). The difference by sex was not observed for both race groups. White women averaged longer stays than white men, 13.5 days and 12.6 days, respectively; but for persons of other races, men averaged 14.2 days per discharge and women 13.9 days. The mean length of stay for men of other races remained fairly constant with increasing age. This is the only race/sex category that did not show a definite upward trend in length of stay with advancing age. It is also the smallest race/sex group comprising just over 3 percent of the population eligible for Medicare in 1966.²⁰ This group accounted

Figure 3. Discharge ratio for short-stay hospital discharges by days in hospital, July—December 1966.



¹⁹Ratio of the number of discharges on a specific day to the number not yet discharged, multiplied by 100.

¹⁹Vergil N. Slee, M.D., and Raymond W. Cunningham, "Discharge Pattern for Patients 65 and Older: Pre- and Post-Medicare," *PAS Reporter*, Commission on Professional and Hospital Activities, Vol. 9, No. 2, January 25, 1971.

²⁰See footnote 13.

Table E—Mean length of stay for short-stay hospital discharges under hospital insurance, by age, race, and sex, July-December 1966

Age	All persons			White			Other races		
	Total	Men	Women	Total	Men	Women	Total	Men	Women
65 years and over . .	13.2	12.8	13.7	13.1	12.6	13.5	14.1	14.2	13.9
65-66.....	12.0	12.0	12.0	11.9	11.8	11.9	13.6	14.0	13.0
67-68.....	12.0	11.8	12.3	11.9	11.6	12.2	14.0	13.9	14.1
69-70.....	12.4	12.1	12.7	12.3	12.0	12.6	14.2	14.7	13.6
71-72.....	12.7	12.2	13.1	12.6	12.1	13.1	13.8	14.2	13.5
73-74.....	13.0	12.6	13.3	12.8	12.5	13.2	14.3	14.4	14.1
75-79.....	13.7	13.2	14.1	13.7	13.2	14.1	14.2	14.2	14.3
80-84.....	14.4	13.8	14.9	14.3	13.7	14.9	14.3	14.6	14.1
85 and over.....	15.3	14.4	15.9	15.2	14.3	15.9	14.5	14.0	14.9

for just under 3 percent of all discharges. The mean length of stay for white women increased rather sharply from 11.9 days at ages 65-66 to 15.9 days at ages 85 and over. For women of other races the increase with age was much smaller, from 13.0 days at age 65-66 to 14.9 days at ages 80-84 (figure 4).

Geographic Distribution

Geographically, there were large variations in the length of stay for short-stay hospital discharges (table F). Among the nine United States divisions there was a difference of more than 5 days between the

average hospital stay for residents of the Middle Atlantic division, 15.9 days, and of the West South Central division, where the average stay was 10.6 days.

There is an interesting pattern relating to the length of stay for surgical and nonsurgical discharges within divisions (table F). For the Middle Atlantic and Pacific divisions there was only .3 of a day difference in mean length of stay for discharges with and without surgery. In contrast, surgical stays averaged nearly 2½ days longer than nonsurgical stays in the East South Central and West South Central divisions. Bringing the proportion of total discharges with surgery into the comparison, the two regions with virtually no difference in

Figure 4. Mean length of stay per discharge in short-stay hospitals by age, race, and sex, July-December 1966.




Table F—Mean length of stay and percentage of discharges requiring surgery for discharges from short-stay hospitals under hospital insurance, by divisions, July-December 1966

Geographic division	Mean length of stay in days				Percent of discharges treated surgically
	Total	With surgery	Without surgery	Difference	
All areas . . .	13.2	14.2	12.8	1.4	32.6
United States .	13.2	14.2	12.8	1.4	32.7
Northeast	15.5	15.9	15.3	.6	35.6
New England .	14.3	15.3	13.8	1.5	34.8
Middle Atlantic	15.9	16.1	15.8	.3	35.9
North Central . . .	13.8	14.8	13.3	1.5	32.1
East North Central	14.2	15.1	13.7	1.4	33.8
West North Central	13.1	14.3	12.6	1.7	29.4
South	11.7	13.3	11.1	2.2	29.3
South Atlantic	12.6	13.7	12.1	1.6	33.6
East South Central	11.7	13.5	11.1	2.4	25.9
West South Central	10.6	12.4	10.0	2.4	26.2
West	11.6	11.9	11.5	.4	35.9
Mountain . . .	11.8	12.3	11.5	.8	31.9
Pacific	11.6	11.7	11.4	.3	37.4

surgical and nonsurgical length of stay showed the highest proportion of surgically treated discharges. In the Middle Atlantic and Pacific areas, 36 percent and 37 percent, respectively, of all discharges involved surgical treatment. Conversely, the two regions with the greatest difference in mean length of stay between surgical and nonsurgical discharges showed the lowest percentages of surgically treated discharges. Approximately only 1 in 4 discharges involved surgery in the East South Central and West South Central regions.

Hospital Characteristics

There was a direct, and very pronounced, relationship between the mean and median length of stay and the size of the hospital measured in adult beds (table G). The mean length of stay increased steadily with increasing bed-size from 10.6 days per discharge in hospitals with under 25 beds to 17.9 days per discharge in hospitals with 1,000-1,999 beds. The median length of stay exhibited a similar pattern. (table 4.1.8).

Table G.—Mean length of stay for short-stay hospital discharges under hospital insurance, by adult bed size of hospital and surgical status, July-December 1966

Bed size of hospital	Mean length of stay		
	All discharges	With surgery	Without surgery
All hospitals	13.2	14.2	12.8
Less than 25 beds.	10.6	11.8	10.4
25-49.	11.1	12.9	10.7
50-99.	12.2	13.3	11.9
100-149.	12.7	13.7	12.2
150-199.	13.0	13.5	12.8
200-249.	13.6	13.9	13.4
250-299.	13.7	14.0	13.5
300-399.	14.0	14.5	13.7
400-499.	14.5	14.8	14.3
500-749.	15.5	15.6	15.4
750-999.	16.3	16.7	15.9
1,000-1,999.	17.9	18.3	17.7
2,000 or more.	16.4	22.3	14.4

The same relationship was apparent between bed size and length of stay for discharges with and without surgical treatment (table G). However, the overall variation in length of stay was much greater for discharges with surgery. The mean length of stay for surgically treated discharges nearly doubled from 11.8 days in hospitals with 25 or fewer beds to 22.3 days per discharge in hospitals with 2,000 or more beds. It should be noted here that larger hospitals are generally better equipped than small ones. The increase in length of stay with hospital size

probably reflects, at least in part, the fact that more persons with serious illnesses requiring specialized treatment and facilities are admitted to the larger hospitals.

Distributing discharges according to selected length of stay intervals and broad bed size categories clearly illustrates the relationship of bed size to length of stay. In hospitals with less than 100 beds nearly 1 of every 2 discharges are for stays of 7 days or less (table H). The proportion of discharges in the 7 days or less category decreases sharply as bed size increases. In hospitals with 500 or more beds only 1 in 3 discharges has a stay of 7 days or less. There is a direct relationship between bed size and the distribution of discharges as length of stay increases. In the three remaining length of stay categories, the percentage of discharges increased steadily with each increase in bed size.

Table H.—Percentage of short-stay hospital discharges under hospital insurance, by adult bed size and length of stay intervals, July-December 1966

Bed size	Total	Length of stay intervals				
		7 days or less	8-14 days	15-21 days	22-28 days	More than 28 days
All hospitals	100.0	41.6	28.9	13.3	6.7	9.5
Less than 100 beds.	100.0	48.9	27.4	10.7	5.1	7.5
100-299	100.0	40.8	29.6	13.7	6.7	9.3
300-499	100.0	36.5	30.2	15.1	7.9	10.4
500 or more	100.0	32.6	29.3	15.9	8.8	13.4

Using the same bed size and length of stay intervals, Table J shows the influence of surgery on the distribution of short-stay discharges. Fewer than 1 in 5 discharges (19 percent) with surgery occur in hospitals with less than 100 beds while more than 1 in 3 discharges without surgery (34 percent) occur in these same hospitals. Greater relative proportions of surgical discharges than nonsurgical discharges occur in each of the larger hospital bed size categories.

The distribution of discharges by selected length of stay intervals clearly demonstrates the longer hospital stays associated with surgery (table J). Nearly 45 percent of discharges without surgery involved stays of 7 days or less compared to 35 percent of surgical stays. Each of the succeeding longer length of stay intervals, however, show relatively greater percentages of surgical discharges than nonsurgical discharges.

There were variations in mean length of stay according to the accreditation status and training affiliation status of the short-stay hospital in which the stay occurred.

Table J.—Percentage of short-stay hospital discharges under hospital insurance, by adult bed size, length of stay intervals, and surgical status, July-December 1966

Surgical status and bed size	Total	Length of stay intervals				
		7 days or less	8-14 days	15-21 days	22-28 days	More than 28 days
With surgery:						
All hospitals . . .	100.0	34.8	31.6	15.4	7.8	10.6
Less than 100 beds	18.5	7.3	6.0	2.5	1.2	1.6
100-299	44.9	16.2	14.3	6.8	3.5	4.4
300-499	23.2	7.4	7.4	3.7	2.0	2.6
500 or more . . .	13.3	3.9	4.0	2.3	1.2	2.0
Without surgery:						
All hospitals . .	100.0	44.9	27.6	12.3	6.2	9.0
Less than 100 beds	34.2	17.7	9.0	3.5	1.6	2.5
100-299	40.1	17.6	11.4	5.1	2.7	3.5
300-499	16.8	6.6	4.9	2.4	1.2	1.8
500 or more . . .	8.9	3.2	2.4	1.3	.7	1.3

Under the provisions of the Medicare law, accreditation by the Joint Commission on Accreditation of Hospitals (JCAH) was deemed equivalent to meeting all conditions for participation under Medicare other than the utilization review and equal rights requirements.

Hospitals accredited by JCAH accounted for over 1.9 million, or 83 percent, of total short-stay discharges under Medicare in 1966. The mean length of stay in these hospitals was 13.5 days, slightly higher than the overall mean of 13.2 days for all discharges.

More marked differences in mean length of stay were observed when short-stay hospitals were classified according to the nature of medical training carried on in

Accreditation, affiliation, and training program	Mean length of stay			Percent of total discharges
	Total	With surgery	Without surgery	
Hospital accredited by JCAH	13.5	14.2	13.1	82.9
Hospitals with major medical school affiliation	14.9	15.3	14.6	20.9
Hospitals with approved intern program.	14.4	14.9	14.1	16.8
Hospitals with approved resident program only	13.3	13.0	13.5	2.9

the institution. Hospitals with comprehensive medical training programs showed considerably longer average lengths of stay. Short-stay hospitals with major affiliation to a medical school averaged 14.9 days per stay, more than a day and a half longer than the mean for all hospitals (13.2). Hospitals not affiliated with a medical school, but having an approved intern training program had average stays of 14.4 days, considerably above the national average but below hospitals with full medical school affiliation. Hospitals without medical school affiliation or intern training, but with a program for training medical residents averaged 13.3 days per stay. Somewhat surprisingly, this category of hospitals showed a longer mean length of stay for nonsurgical discharges (13.5) than for surgical discharges (13.0). However, less than 3 percent of all discharges occurred in these hospitals and reliability testing indicated that this difference was not statistically significant. The longer lengths of stay associated with hospitals with medical training programs may reflect the teaching emphasis of these institutions, as well as the fact that a greater proportion of more serious and difficult cases are referred to these institutions.

Hospital Charges and Amounts Reimbursed

Hospital charges for short-stay hospital discharges under Medicare in 1966 totaled over \$1.3 billion, 79 percent of which was reimbursed by the program (over \$1 billion). In the hospital insurance program, the patient is responsible for payment of certain charges including the deductible amount, coinsurance payments, if applicable, and for any charges for services specifically excluded by the law. In 1966, the amount of the deductible was the first \$40 in hospital charges. Coinsurance payments were \$10 per day, applying to the 61st-90th days of hospital stay in a spell of illness. Days of care after benefits were exhausted and private duty nursing are two common examples of noncovered services for which the patient must pay. By law, Medicare reimburses hospitals for the reasonable cost of inpatient hospital services. (See "Provisions of the Law" for further information.) Reimbursement amounts shown in these tables are based on interim reimbursement rates. Available information from audited cost reports for 1966 indicates that final reimbursements are about 5 percent higher than the amounts paid on an interim basis.^{2 1}

Mean hospital charges for HI beneficiaries were \$42 per day and \$559 per discharge for short-stay hospital discharges. These figures include both room and board charges and ancillary service charges. An earlier report examined short-stay hospital charge patterns under

^{2 1} See footnote 3.

Medicare between July 1, 1966, and June 30, 1967, and showed room and board and ancillary charges separately.²² For stays involving surgery, mean charges were \$51 per day and \$718 per discharge; and for stays without surgical treatment, \$38 per day and \$482 per discharge.

Mean charges per day were inversely related to the length of hospital stay. Mean charges per day decreased steadily from \$51 per day for stays of 7 days or less to \$32 per day for stays of 43 days or longer (table K). As would be expected, mean charges per discharge rose steadily with increasing length of stay. Stays of 7 days or less averaged \$213 in hospital charges while stays of 43 or more days averaged \$2,082.

Mean charges per day for discharges with surgery ranged from \$60 for stays of 7 days or less to \$41 for stays with 43 or more days. Mean charges per day for nonsurgical discharges followed the same pattern but were considerably lower, averaging a high of \$48 for stays of 7 or less days to a low of \$28 for stays of 43 or more days.

Discharges of 7 days or less with surgery showed mean charges of \$263 compared to \$194 for discharges without surgery. Mean charges in both categories rose steadily with length of stay and discharges of 43 or more days averaged \$2,517 when surgery was involved and \$1,858 when no surgery was performed.

Stays of 43 or more hospital days made up less than 4 percent of all discharges but accounted for nearly 15 percent of hospital charges under hospital insurance.

The Current Medicare Survey earlier reported overall hospital charge figures of over \$1.3 billion in total, \$555 per discharge, and \$44 per day during July-December 1966.²³ The comparatively small differences between

those figures and the figures cited in this report are probably due mainly to sampling error.

Age, Race, Sex

Mean charges per day decreased steadily with increasing age (table L), from \$45 at ages 65-66 to \$37 per day at ages 85 and over. The same pattern was exhibited for discharges with or without surgery. Mean charges per day also generally decrease with increasing length of stay (table 4.1.6). The pattern of decreasing charges per day as age increases probably reflects the longer stays experienced by each successive age group. Mean charges per day were higher for men (\$44) than for women (\$41) (table L). Mean charges per day were higher for whites (\$42) than for persons of other races (\$40). These differences in mean charges per day between the sexes and races also applied to discharges with and without surgery. Lower mean charges per day for women and persons of other races may also be a reflection of their longer lengths of stay.

Mean charges per discharge followed different trends for discharges with and without surgery (table L). Mean charges per discharge with surgery rose steadily with increasing age. For discharges without surgery, mean charges per discharge rose at a slower rate up to ages 75-79 and then receded somewhat.

Mean charges per discharge were slightly higher for men (\$566) than for women (\$554). However, women showed higher mean charges than men for discharges without surgery, \$487 to \$476. Mean charges per discharge were identical for white persons and persons of other races, \$557. However, persons of other races showed higher mean charges for surgically treated discharges.

The percentage of hospital charges reimbursed by Medicare increased with age from 77 percent at ages 65-66 to 82 percent at ages 85 and over. The percentage

²²See "Selected Data on Charge Patterns in Short-Stay General Hospitals under Medicare," *Health Insurance Statistics*, HI-31, U.S. Social Security Administration, Office of Research and Statistics, Sept. 30, 1971.

²³See footnote 16.

Table K.—Mean charges per discharge and per day for short-stay hospital discharges under hospital insurance, by length of stay intervals and surgical status, July-December 1966

Length of stay	Total			With surgery			Without surgery		
	Mean charge per day	Mean charge per discharge	Percent of hospital charges	Mean charge per day	Mean charge per discharge	Percent of hospital charges	Mean charge per day	Mean charge per discharge	Percent of hospital charges
All discharges	\$42	\$559	100.0	\$51	\$718	100.0	\$38	\$482	100.0
7 days or less	51	213	15.9	60	263	12.7	48	194	18.1
8-14	45	477	24.6	53	556	24.4	41	432	24.8
15-21	44	775	18.4	52	924	19.7	39	685	17.4
22-28	43	1,053	12.6	51	1,255	13.6	38	929	11.9
29-35	41	1,308	8.2	49	1,566	8.9	36	1,151	7.7
36-42 days	40	1,546	5.6	48	1,865	6.3	35	1,344	5.2
43 or more	32	2,082	14.6	41	2,517	14.3	28	1,858	14.9

Table L.—Mean charges per day and per discharge and percent of charges reimbursed for short-stay hospital discharges under hospital insurance by age, sex, race, and surgical status, July-December 1966

Age, sex, and race	Mean charge per day			Mean charge per discharge			Percent of charges reimbursed
	All discharges	With surgery	Without surgery	All discharges	With surgery	Without surgery	
All persons, 65 years and over	\$42	\$51	\$38	\$559	\$718	\$482	78.9
65-66	45	53	40	544	671	468	77.4
67-68	45	53	40	545	680	465	77.5
69-70	44	52	39	552	690	475	77.9
71-72	44	52	39	562	707	483	77.9
73-74	43	51	39	561	715	482	78.5
75-79	42	50	37	571	736	495	79.5
80-84	39	48	35	565	775	487	80.4
85 and over	37	45	34	562	813	487	82.0
Sex							
Men	44	53	39	566	734	476	77.9
Women	41	49	37	554	703	487	79.9
Race							
White	42	51	38	557	713	481	78.8
Other races	40	47	35	557	766	464	81.2

reimbursed was slightly higher for women than for men and slightly higher for persons of other races than for white persons. Higher percentages reimbursed probably indicate that in longer stays the \$40 deductible and other nonreimbursed charges represent a smaller proportion of total hospital charges.

Geographic Distribution

As shown in the table below, there was a \$19 difference in mean charges per day between the geographic divisions having the highest and lowest charges.

Geographic division	Mean charges per day	Mean charges per discharge	Percent of charges reimbursed
All areas	\$42	\$559	78.9
United States	42	560	79.0
Northeast	47	731	75.6
New England	47	670	80.9
Middle Atlantic	47	753	74.0
North Central	39	532	80.6
East North Central	41	577	80.6
West North Central	35	458	80.7
South	37	438	77.8
South Atlantic	39	489	77.5
East South Central	36	415	76.4
West South Central	36	387	79.1
West	51	596	84.0
Mountain	43	509	79.1
Pacific	54	628	85.5

Mean charges per day were \$54 in the Pacific division compared to \$35 in the West North Central. Mean charges per discharge of \$753 in the Middle Atlantic division nearly doubled the \$387 recorded for the West South Central division. In terms of reimbursement, a high of 86 percent of hospital charges were reimbursed in the Pacific division; a low of 74 percent reimbursement occurred in the Middle Atlantic area.

Hospital Characteristics

Mean charges per day, mean charges per discharge, and percentage of charges reimbursed varied considerably by bed size of hospital (table M). Mean charges per day climbed steadily from \$29 per day in hospitals with less than 25 beds to \$54 per day in hospitals with 750-999 beds and dropped off in very large hospitals. A similar pattern in mean daily charges emerged for discharges with and without surgery.

As noted earlier, both mean length of stay and mean charges per day rise with increasing bed size. Mean charges per discharge, which are directly dependent on length of stay and daily charges, also increased noticeably with increasing bed size of hospital. The larger hospitals are generally better equipped and attract more difficult cases. Some indication of this can be found by examining the proportion of discharges by bed size involving surgery. Discharges with surgical treatment increased from 12 percent of the total in hospitals with 25 or less beds to 44 percent in hospitals with 1,000-1,999 beds (table 4.1.5).

Table M.—Mean charges per day and per discharge and percent of charges reimbursed for short-stay hospital discharges under Medicare, by bed size of hospital and surgical status, July-December 1966

Hospital bed size	Mean charges per day			Mean charges per discharge			Percent of charges reimbursed
	All discharges	With surgery	Without surgery	All discharges	With surgery	Without surgery	
All hospitals	\$42	\$51	\$38	\$559	\$718	\$482	78.9
Less than 25 beds.	29	40	28	311	477	287	80.2
25-49.	31	40	29	347	521	312	79.6
50-99.	35	45	32	431	595	380	80.0
100-149.	39	46	35	491	629	431	79.8
150-199.	42	49	38	553	665	491	78.4
200-249.	45	52	41	611	721	546	77.8
250-299.	46	52	42	625	727	559	79.0
300-399.	47	53	43	663	770	593	78.5
400-499.	47	53	43	686	784	617	79.3
500-749.	50	56	45	772	874	695	78.5
750-999.	54	62	47	880	1,042	756	76.4
1,000-1,999.	49	56	44	883	1,019	776	77.1
2,000 or more.	42	45	41	692	1,001	586	92.0

It should be noted that there were only six²⁴ short-stay hospitals with 2,000 or more beds participating in Medicare in 1966. Less than 1 percent of all 1966 short-stay Medicare discharges occurred in these hospitals. Since the data are based on a relatively small number of discharges from a few hospitals, the figures in this category are subject to greater sampling error. The following table shows mean charges and percentage of charges reimbursed by type of hospital control.

Type of hospital control	Mean charges per day	Mean charges per discharge	Percent of charges reimbursed
All hospitals	\$42	\$559	78.9
Voluntary	44	595	78.1
Church	44	574	78.5
Other.	45	608	77.9
Government	35	455	84.0
Proprietary	44	503	76.1

Mean charges per day and per discharge were considerably lower in State and local government hospitals than in hospitals under other types of control.

Number of Persons With One or More Discharges

The 2.3 million short-stay hospital discharges during July-December 1966 were distributed among 1,857,000

persons. Approximately 80 percent of persons hospitalized had one stay, 16 percent had two stays and 5 percent experienced three or more stays (table N).

Table N.—Number and percentage of persons discharged from short-stay hospitals under hospital insurance and number of stays, July-December 1966

Number of stays	Persons served			Discharge status		
	Number (in thousands)	Percent of total	Percent of population at risk	Total	Percent discharged alive	Percent discharged dead
All stays.	1,857	100.0	9.4	100.0	87.6	12.4
Persons with one stay . . .	1,480	79.7	7.5	100.0	88.6	11.4
Persons with two stays . .	293	15.8	22.3	100.0	84.6	15.4
Persons with three stays or more . . .	84	4.5	34.0	100.0	81.0	19.0

When discharges are expressed as a percentage of the population at risk it is apparent that a person who was hospitalized and discharged had a greater probability of hospital readmission in the same 6-month period than the average member of the population.

The population at risk for persons with one stay is the entire eligible Medicare population. There were an estimated 19.6 million persons eligible under Hospital Insurance during all, or part, of July-December 1966. The population at risk for two hospital discharges are persons discharged alive from their first stay. Similarly, only persons discharged alive from their second stay

²⁴ See U.S. Social Security Administration, Office of Research and Statistics, *Medicare: Health Insurance for the Aged, 1966, Section 3.1: Participating Hospitals* (Washington, D.C.: U.S. Government Printing Office, 1970).

were at risk for three or more stays. Under 8 percent of the eligible population experienced one stay; over 22 percent of persons discharged alive from their first stay were hospitalized again in the same 6-month period and 34 percent of persons discharged alive from their second stay experienced one or more subsequent hospitalizations.

As might be expected, the probability of survival decreased with repeated hospitalizations. The proportion of persons discharged dead increased from 11 percent for the first stay to 19 percent for three or more stays (table N).

The annual rate of persons discharged was 192 persons per 1,000 enrollees (table O). Breaking this rate into components by number of stays, 153 persons per 1,000 enrolled experienced one discharge, 30 persons per 1,000 enrolled had two discharges, and 9 persons per 1,000 enrolled had three or more discharges. The annual rate of persons with one or more discharges should be interpreted carefully. The annual rate formula, in effect, doubles six months' experience to arrive at a yearly rate. The assumption implicit in the formula is that each person discharged during a six-month period is equal to two persons discharged over a year. In fact, the data for the 6 months covered by this report indicates that a person who had been discharged once has a greater chance of readmission than a second person's chances to be admitted for the first time. Since

persons with one, two, three, etc. hospitalizations are all counted as one person served, doubling 6-months' experience probably causes some overstatement in the rate of persons served.

The annual rate of persons discharged increased steadily with age (table O). Men were discharged at a 12 percent higher rate than women, based on 205 discharges per 1,000 men and 183 discharges per 1,000 women. The annual rate of white persons discharged (197) was 46 percent higher than the rate for persons of other races (135). Similar differences were observed by sex and race in the one stay, two stays, and three or more stay categories.

Mean days of care per person with one or more hospitalizations rose steadily with increasing age (table O). This pattern was followed for persons with one stay and two stays, but mean days of care for persons with three or more stays remained fairly steady with increasing age. Mean days of care were higher for women and white persons than for men and persons of other races, respectively, in every stay category. This undoubtedly reflects the longer mean lengths of stay per discharge noted earlier for women and white persons.

The second and third hospitalizations for a person appeared to average the same length of stay as the first hospitalization. Persons with one stay averaged 13.4 days. Persons with two stays averaged 26.6 hospital days, almost exactly twice as long. Persons with three or more stays averaged 40.8 days, just over three times as

Table O.—Number and annual rate of persons discharged, mean days of care, and mean charges for persons with one or more hospital stays under hospital insurance by age, sex, and race, July-December 1966

Age, sex, and race	Persons with one stay or more				Persons with one stay				Persons with two stays				Persons with three stays or more			
	Persons	Annual rate per 1,000 enrolled	Mean days per person	Mean charges per person	Persons	Annual rate per 1,000 enrolled	Mean days per person	Mean charges per person	Persons	Annual rate per 1,000 enrolled	Mean days per person	Mean charges per person	Persons	Annual rate per 1,000 enrolled	Mean days per person	Mean charges per person
All persons																
65 years and over	1,857	192	16.8	\$ 708.	1,480	153	13.4	\$ 564.	293	30	26.6	\$1,150.	84	9	40.8	\$1,709.
65 and 66	208	152	14.9	679.	168	122	11.9	538.	31	24	24.4	1,131.	9	7	39.5	1,810.
67 and 68	205	161	15.2	689.	164	129	12.0	539.	32	25	24.7	1,143.	9	7	40.0	1,792.
69 and 70	205	168	15.7	699.	164	134	12.5	552.	32	26	25.0	1,142.	9	8	40.0	1,758.
71 and 72	202	177	16.2	712.	161	141	12.9	565.	31	28	26.0	1,173.	9	8	38.8	1,699.
73 and 74	197	193	16.5	714.	157	153	13.2	567.	31	30	25.9	1,158.	10	9	39.8	1,704.
75 to 79	409	214	17.4	723.	325	170	14.0	578.	66	34	27.4	1,161.	19	10	42.0	1,743.
80 to 84	267	244	18.3	719.	211	193	14.8	579.	44	40	28.6	1,153.	12	11	42.0	1,594.
85 and over	162	264	19.2	705.	130	213	15.8	581.	26	41	30.3	1,119.	7	10	42.7	1,533.
Sex																
Men	840	205	16.5	729.	658	160	13.0	573.	139	34	25.8	1,162.	43	11	39.6	1,738.
Women	1,016	183	17.0	690.	822	148	13.8	557.	153	28	27.4	1,139.	41	7	42.0	1,678.
Race																
White	1,697	197	16.7	707.	1,350	156	13.3	562.	269	31	26.4	1,146.	78	9	40.6	1,708.
All other races	98	135	17.4	689.	80	109	14.3	562.	15	20	27.9	1,129.	4	5	42.9	1,695.

long on the average (table O). This arithmetic progression of hospital days with successive stays is roughly approximated at all ages and among men, women, white persons, and persons of other races.

Mean charges per person with one or more hospitalizations rise moderately with increasing age up to ages 75-79 and then fall off slightly among the very elderly (table O). Mean charges per person are slightly higher for men than women in every stay category. For persons with one stay, mean charges per person are identical for white persons and persons of other races (\$562). Charges per person are slightly higher for whites in the two stay and three or more stay categories. Following the same pattern described for days of stay for second and third hospitalizations, a second hospital stay virtually doubled mean charges per person (\$564 to \$1,150), and three or more stays trebled mean charges per person (\$1,709).

Hospital Charges Not Reimbursable by Medicare

Medicare patients were responsible for payment of \$122 million in 1966 for short-stay hospital services not reimbursable under Health Insurance. This amount represented over 9 percent of the \$1.3 billion total of hospital charges. Nonreimbursable charges under the program included the inpatient hospital deductible, coinsurance payments, blood deductible payments, and charges for services excluded by law. The inpatient hospital deductible was \$40 in 1966. Coinsurance

payments were \$10 per day applying to the 61st-90th days in a benefit period. Under the blood deductible provisions, the patient had to replace or pay for the first three pints of whole blood furnished in a benefit period. Some examples of charges excluded from payment by law include days of care after benefits were exhausted, the difference between private and semi-private room charges where a private room was not medically necessary, television rentals, and telephone rentals.

Persons with one or more hospital stays were responsible for an average of \$66 in nonreimbursable charges. (table P). This amount increased from \$56 for persons with one stay to \$129 for persons with three or more stays. Dividing nonreimbursable charges by type, the deductible represented 66 percent, excluded services made up 29 percent, the blood deductible equalled 4 percent, and coinsurance 1 percent.

Reliability of Estimates

Data in this report are estimates, based on discharges for a 20-percent sample of the population enrolled for hospital insurance. Instead of a fixed weighting scheme based on the sampling fraction, a ratio estimation procedure was employed to reduce overall sampling variability in the estimates. Enrollment data were utilized to provide ratios by State, sex, and age categories in the population to the same categories included in the sample. These weights were then assigned to the individual utilization records and applied uniformly in subsequent tabulations.

Table P.—Nonreimbursed charges for discharges from short-stay hospitals under Medicare by type of charge and number of stays, July-December 1966

Number of hospital stays	Total	Type of nonreimbursable charges			
		Inpatient deductible	Coinsurance	Blood deductible	Other
Persons with one stay or more:					
Total charges (in thousands)	\$121,801	\$79,974	\$2,198	\$4,533	\$35,096
Percentage of charges	100.0	65.7	1.8	3.7	28.8
Charges per person discharged	\$66	\$43	\$1	\$2	\$19
Persons with one stay:					
Total charges (in thousands)	\$82,603	\$58,440	\$807	\$2,757	\$20,600
Percentage of charges	100.0	70.7	1.0	3.3	24.9
Charges per person discharged	\$56	\$39	\$1	\$2	\$14
Persons with two stays:					
Total charges (in thousands)	\$28,399	\$16,627	\$726	\$1,215	\$9,832
Percentage of charges	100.0	58.5	2.5	4.3	34.6
Charges per person discharged	\$97	\$57	\$2	\$4	\$34
Persons with three or more stays:					
Total charges (in thousands)	\$10,796	\$4,907	\$665	\$561	\$4,665
Percentage of charges	100.0	45.5	6.2	5.2	43.2
Charges per person discharged	\$129	\$58	\$8	\$7	\$56

Since the data are estimated from a sample of beneficiaries, they may differ from the figures that would have been obtained if the data had been tabulated from the entire universe of beneficiaries. The amount of this sampling variability can be approximated from the standard error tables. (Estimates of sampling variability are, of course, not applicable to 100 percent data, such as the enrollment figures.) In addition to sampling variability, the results are subject to errors of reporting and processing, as in any large data collecting operation.

The standard error is primarily a measure of sampling variability—that is, of the variations that occur by chance because a sample rather than the whole universe was used. As approximated for this report, the standard errors shown do not reflect the effect of systematic biases (if any) in the data. The chances are about 68 out of 100 that an estimate from the sample would differ from the result for the entire universe, with the same methods used, by less than one standard error. The chances are about 95 out of 100 that the difference would be less than twice the standard error, and about 99 out of 100 that the difference would be less than two and one-half times the standard error.

To approximate standard errors of numbers not presented directly in tables Q through AA simple linear interpolation may be used. For example, table 4.1.1 shows an estimate of \$173,407,000 in total charges for the State of New York. Using linear interpolation in table T gives \$1,067,000 as the approximate standard error for \$173,407,000 total charges. Thus the chances are 68 out of 100 that the true total charges lies between \$172,340,000 and \$174,474,000.

To approximate standard errors of numbers not presented directly in tables Q through AA, double linear interpolation may be needed. As an illustration, Delaware shows \$659 per discharge for 4,000 discharges. Interpolating first to determine the standard error of \$659 for 1,000 discharges gives \$41.36. Similarly, interpolating for a base of 10,000 discharges gives \$13.59. The second part of the double interpolation is completed by interpolating between those derived values for the discharge base of 4,000. This yields the final estimated standard error of \$30.25 which should be rounded to \$30.00. Thus the chances are 95 out of 100 that the true charges per discharge lie between \$599 and \$719.

Table Q.—Approximate standard error of estimated number of discharges

[In thousands, 2 chances out of 3]

Estimated number of discharges	Standard error
1	0
5	0
10	0
25	0
50	1
100	1
150	1
200	1
250	1
500	2
750	2
1,000	2
2,000	3
3,000	4
4,000	5

Table R.—Approximate standard error of estimated number of persons using services

[In thousands, 2 chances out of 3]

Estimated number of persons	Standard error
1	0
5	0
10	0
25	0
50	0
100	1
150	1
200	1
250	1
500	1
750	2
1,000	2
2,000	3
3,000	3
4,000	3

Table S.—Approximate standard error of days of care, total days of care and covered days of care

[In thousands, 2 chances out of 3]

Estimated days of care	Standard error, total days	Standard error, covered days
1	0	0
5	1	1
10	1	1
50	2	2
100	3	3
200	5	4
300	6	5
400	7	6
500	8	7
750	9	9
1,000	11	10
1,500	14	13
2,000	16	15
2,500	18	17
3,000	20	18
5,000	26	24
7,000	31	29
10,000	38	34
15,000	46	42
20,000	52	48
25,000	57	52
30,000	61	55

Table T.—Approximate standard error of hospital charges, total charges and reimbursement under Medicare

[In thousands, 2 chances out of 3]

Estimated hospital charges	Standard error total charges	Standard error reimbursement by hospital insurance
\$25	\$10	\$9
50	14	12
100	20	18
500	44	40
1,000	63	58
2,000	91	83
3,000	113	103
5,000	148	135
10,000	216	198
50,000	531	489
100,000	789	726
200,000	1,168	1,072
500,000	1,905	1,712
1,000,000	2,552	2,171
1,500,000	2,754	2,089

Table U.—Approximate standard error of covered days per discharge or total days per discharge

[2 chances out of 3]

Days per discharge	Base of the rate (number of discharges in thousands)												
	1	5	10	25	50	100	150	200	250	500	750	1,000	2,000
8	0.7	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0
97	.3	.2	.2	.1	.1	.1	.1	.1	0	0	0	0
108	.4	.3	.2	.1	.1	.1	.1	.1	0	0	0	0
118	.4	.3	.2	.1	.1	.1	.1	.1	0	0	0	0
129	.4	.3	.2	.1	.1	.1	.1	.1	0	0	0	0
139	.4	.3	.2	.1	.1	.1	.1	.1	0	0	0	0
14	1.0	.4	.3	.2	.1	.1	.1	.1	.1	0	0	0	0
15	1.0	.5	.3	.2	.2	.1	.1	.1	.1	.1	0	0	0
16	1.1	.5	.3	.2	.2	.1	.1	.1	.1	.1	0	0	0
17	1.1	.5	.4	.2	.2	.1	.1	.1	.1	.1	0	0	0
18	1.2	.5	.4	.2	.2	.1	.1	.1	.1	.1	0	0	0
19	1.2	.5	.4	.2	.2	.1	.1	.1	.1	.1	0	0	0
20	1.3	.6	.4	.3	.2	.1	.1	.1	.1	.1	.1	0	0
21	1.3	.6	.4	.3	.2	.1	.1	.1	.1	.1	.1	0	0
22	1.4	.6	.4	.3	.2	.1	.1	.1	.1	.1	.1	0	0
23	1.4	.6	.5	.3	.2	.1	.1	.1	.1	.1	.1	0	0
24	1.5	.7	.5	.3	.2	.2	.1	.1	.1	.1	.1	0	0
25	1.5	.7	.5	.3	.2	.2	.1	.1	.1	.1	.1	.1	0
26	1.6	.7	.5	.3	.2	.2	.1	.1	.1	.1	.1	.1	0
27	1.6	.7	.5	.3	.2	.2	.1	.1	.1	.1	.1	.1	0
28	1.7	.8	.5	.3	.2	.2	.1	.1	.1	.1	.1	.1	0
29	1.7	.8	.6	.4	.3	.2	.1	.1	.1	.1	.1	.1	0
30	1.8	.8	.6	.4	.3	.2	.2	.1	.1	.1	.1	.1	0

Table V.—Approximate standard error of percent distribution of discharges

[2 chances out of 3]

Percent	Base of the percentage (number of discharges in thousands)													
	1	5	10	25	50	100	150	200	250	500	750	1,000	2,000	3,000
1	0.7	0.3	0.2	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0
2	1.0	.4	.3	.2	.1	.1	.1	.1	.1	0	0	0	0	0
5	1.5	.7	.5	.3	.2	.2	.1	.1	.1	.1	.1	0	0	0
10.....	2.1	.9	.7	.4	.3	.2	.2	.2	.1	.1	.1	.1	0	0
15.....	2.5	1.1	.8	.5	.4	.3	.2	.2	.2	.1	.1	.1	.1	0
20.....	2.8	1.3	.9	.6	.4	.3	.2	.2	.2	.1	.1	.1	.1	.1
25.....	3.0	1.4	1.0	.6	.4	.3	.3	.2	.2	.1	.1	.1	.1	.1
30.....	3.2	1.4	1.0	.6	.5	.3	.3	.2	.2	.1	.1	.1	.1	.1
35.....	3.4	1.5	1.1	.7	.5	.3	.3	.2	.2	.2	.1	.1	.1	.1
40.....	3.4	1.5	1.1	.7	.5	.3	.3	.2	.2	.2	.1	.1	.1	.1
45.....	3.5	1.6	1.1	.7	.5	.4	.3	.2	.2	.2	.1	.1	.1	.1
50.....	3.5	1.6	1.1	.7	.5	.4	.3	.3	.2	.2	.1	.1	.1	.1

Table W.—Approximate standard error of percent distribution of days of care

[2 chances out of 3]

Percent	Base of percentage (total days of care in thousands)													
	1	5	10	25	50	100	200	500	750	1,000	2,000	3,000	5,000	10,000
1	3.1	1.4	1.0	0.6	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0	0
2	4.4	2.0	1.4	.9	.6	.4	.3	.2	.2	.1	.1	.1	.1	0
5	6.8	3.1	2.2	1.4	1.0	.7	.5	.3	.3	.2	.2	.1	.1	.1
10.....	9.4	4.2	3.0	1.9	1.3	.9	.7	.4	.4	.3	.2	.2	.1	.1
15.....	11.2	5.0	3.5	2.2	1.6	1.1	.8	.5	.4	.4	.3	.2	.2	.1
20.....	12.5	5.6	4.0	2.5	1.8	1.3	.9	.6	.5	.4	.3	.2	.2	.1
25.....	13.6	6.1	4.3	2.7	1.9	1.4	1.0	.6	.5	.4	.3	.3	.2	.2
30.....	14.3	6.4	4.6	2.9	2.0	1.5	1.0	.7	.5	.5	.3	.3	.2	.2
35.....	14.9	6.7	4.7	3.0	2.1	1.5	1.1	.7	.6	.5	.4	.3	.2	.2
40.....	15.3	6.9	4.9	3.1	2.2	1.6	1.1	.7	.6	.5	.4	.3	.2	.2
45.....	15.6	7.0	4.9	3.1	2.2	1.6	1.1	.7	.6	.5	.4	.3	.2	.2
50.....	15.7	7.0	5.0	3.2	2.2	1.6	1.1	.7	.6	.5	.4	.3	.2	.2

Table X.—Approximate standard error of hospital charges per discharge

[2 chances out of 3]

Hospital charge per discharge	Base of rate (number of discharges in thousands)												
	1	10	25	50	100	150	200	250	500	750	1,000	2,000	3,000
\$50	\$12	\$4	\$2	\$2	\$1	\$1	\$1	\$1	\$1	\$1	\$0	\$0	\$0
100	16	5	3	2	2	1	1	1	1	1	1	0	0
200	22	7	5	3	3	2	2	2	1	1	1	1	1
300	26	9	6	4	3	3	2	2	2	1	1	1	1
400	30	10	7	5	4	3	3	2	2	2	1	1	1
500	35	11	8	6	4	3	3	3	2	2	1	1	1
600	39	13	8	6	5	4	3	3	2	2	2	1	1
700	43	14	9	7	5	4	4	3	2	2	2	1	1
800	48	16	10	7	5	5	4	4	3	2	2	1	1
900	52	17	11	8	6	5	4	4	3	2	2	1	1
1,000.....	57	19	12	9	6	5	5	4	3	2	2	1	1
1,500.....	82	26	17	12	9	7	6	6	4	3	3	2	1
2,000.....	108	34	22	16	11	9	8	7	5	4	4	2	2
3,000.....	164	52	33	23	16	13	12	10	7	6	5	3	2
5,000.....	281	88	55	39	28	23	20	18	14	12	10	6	5

Table Y.—Approximate standard error of hospital charges per day

[2 chances out of 3]

Hospital charge per day	Base of rate (total days of care in thousands)										
	10	50	100	200	300	500	750	1,000	2,000	3,000	5,000
\$20	\$2	\$1	\$1	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
30	2	1	1	0	0	0	0	0	0	0	0
40	2	1	1	1	0	0	0	0	0	0	0
50	3	1	1	1	1	0	0	0	0	0	0
60	3	1	1	1	1	0	0	0	0	0	0
70	4	2	1	1	1	1	0	0	0	0	0
80	4	2	1	1	1	1	1	0	0	0	0
90	5	2	2	1	1	1	1	1	0	0	0
100	6	3	2	1	1	1	1	1	0	0	0
110	6	3	2	1	1	1	1	1	0	0	0
120	7	3	2	2	1	1	1	1	1	0	0
130	8	3	2	2	1	1	1	1	1	0	0
140	8	4	3	2	2	1	1	1	1	1	0
150	9	4	3	2	2	1	1	1	1	1	0
160	10	4	3	2	2	1	1	1	1	1	0

Table Z.—Approximate standard error of total days of care per 1,000 enrolled

[2 chances out of 3]

Estimated days of care per 1,000 enrolled	Base of rate (number of persons enrolled in thousands)										
	25	50	100	250	500	750	1,000	2,500	5,000	10,000	20,000
500	41.9	29.8	21.2	13.6	9.8	8.0	7.0	4.6	3.3	2.4	1.7
600	46.1	32.7	23.3	15.0	11.7	8.9	7.7	5.1	3.7	2.6	1.9
700	49.7	35.4	25.2	16.2	11.6	9.6	8.4	5.5	4.0	2.9	2.0
800	53.2	37.9	27.0	17.4	12.5	10.3	9.0	5.9	4.3	3.1	2.2
900	56.5	40.2	28.7	18.5	13.3	11.0	9.6	6.3	4.6	3.3	2.3
1,000	59.6	42.5	30.3	19.5	14.1	11.6	10.2	6.6	4.8	3.4	2.4
1,500	73.3	52.3	37.4	24.1	17.4	14.4	12.8	8.3	6.0	4.2	3.0
2,000	84.9	60.6	43.4	28.1	20.3	16.8	14.7	9.6	6.9	4.8	3.4
2,500	95.2	58.0	48.8	31.6	22.9	19.0	16.6	10.8	7.7	5.2	3.9
3,000	104.6	74.8	53.7	34.9	25.3	20.9	18.3	11.9	8.4	5.7	4.3
4,000	121.3	86.9	62.5	40.5	29.5	24.4	21.4	13.8	9.5	6.6	4.9
5,000	136.1	97.6	70.3	45.8	33.2	27.5	24.1	15.4	10.4	7.4	5.5
6,000	149.6	107.4	77.4	50.5	36.6	30.3	26.5	16.8	11.3	8.0	6.0
8,000	173.7	124.9	90.2	58.9	42.7	35.3	30.8	19.0	12.8	9.1	6.8
10,000	195.2	140.5	101.6	66.5	48.1	39.7	34.4	20.7	14.0	9.9	7.4

Table AA.—Approximate standard error of discharges per 1,000 enrolled

[2 chances out of 3]

Estimated discharges per 1,000 enrolled	Base of rate (number of persons enrolled in thousands)										
	25	50	100	250	500	750	1,000	2,500	5,000	10,000	20,000
10	1.4	1.0	0.7	0.4	0.3	0.3	0.2	0.1	0.1	0.1	0.1
20	2.0	1.4	1.0	.6	.4	.4	.3	.2	.1	.1	.1
30	2.4	1.7	1.2	.8	.5	.4	.4	.2	.2	.1	.1
40	2.8	2.0	1.4	.9	.6	.5	.4	.3	.2	.1	.1
50	3.2	2.2	1.6	1.0	.7	.6	.5	.3	.2	.2	.1
100	4.5	3.2	2.2	1.4	1.0	.8	.7	.5	.3	.2	.2
150	5.5	3.9	2.7	1.7	1.2	1.0	.9	.6	.4	.3	.2
200	6.3	4.5	3.2	2.0	1.4	1.2	1.0	.6	.5	.3	.2
250	7.1	5.0	3.5	2.2	1.6	1.3	1.1	.7	.5	.4	.3
300	7.7	5.5	3.9	2.5	1.8	1.4	1.2	.8	.6	.4	.3
350	8.4	5.9	4.2	2.7	1.9	1.6	1.3	.9	.6	.4	.3
400	8.9	6.3	4.5	2.9	2.0	1.7	1.4	.9	.7	.5	.3
450	9.5	6.7	4.8	3.0	2.2	1.8	1.5	1.0	.7	.5	.3
500	10.0	7.1	5.0	3.2	2.3	1.9	1.6	1.0	.7	.5	.4
550	10.5	7.4	5.3	3.4	2.4	2.0	1.7	1.1	.8	.5	.4

Provisions of the Law

THE HEALTH INSURANCE program for the aged, commonly called Medicare, was enacted on July 30, 1965, as title XVIII of the Social Security Act, and became effective on July 1, 1966. The program, a part of the 1965 amendments (Public Law 89-97), makes available two separate but coordinated insurance coverages—hospital insurance, covering nearly all persons aged 65 and over, and supplementary medical insurance, covering those persons in this age group who enroll voluntarily and pay the premium.

Hospital Insurance Program

The hospital insurance program (part A of Medicare) pays for a large portion of the costs of hospital and related post-hospital services. It is financed on a self-supporting basis through a tax on a portion of current earnings, paid by employees, employers, and self-employed persons. The proceeds of this tax are placed in the hospital insurance trust fund, from which reimbursements for benefits and administrative expenses incurred under the program are paid. The trust fund is reimbursed from general tax revenues for the costs of providing coverage for persons who qualify for hospital insurance but who are not eligible for monthly social security or railroad retirement benefits.

Benefits

The program covers the cost of covered services in a participating hospital for up to 90 days in a “benefit period” (a period beginning with the first day of hospitalization and ending 60 days after discharge from a hospital or an extended-care facility). Of the 90 days, full payment is made for the first 60 days of hospitalization after a deductible of \$40 has been paid. For each of the remaining 30 days in the benefit period, the patient pays a coinsurance amount of \$10 a day. The program provides the same benefits for services rendered in a nonparticipating hospital during a medical emergency.

Inpatient tuberculosis and psychiatric hospital services are also covered. However, there is a lifetime limit of 190 days of care in a psychiatric hospital. Where an individual is a patient in a tuberculosis or psychiatric hospital at the time he becomes entitled to hospital insurance, the number of days he was such an inpatient

in the 90-day period immediately prior to his eligibility are counted against his 90 days of entitlement in that benefit period.

Covered hospital services include hospital room and board in accommodations containing from two to four beds, nursing services except for private-duty nursing, drugs and biologicals, and all those services ordinarily furnished by a hospital to its inpatients. Coverage under the hospital insurance program does not include the services of physicians (including radiologists, anesthesiologists, pathologists, and physiatrists) except for those services provided by interns or residents in training under approved teaching programs in a hospital.

The cost of the first three pints of blood furnished a patient during a benefit period is a deductible amount unless the patient arranges for replacement. Charges for any additional blood are covered under the program.

Outpatient hospital diagnostic benefits.—These benefits cover the cost of tests and related services that are ordinarily furnished by a participating hospital to its outpatients for the purpose of diagnostic study. Such services are covered subject to a \$20 deductible and 20-percent coinsurance for diagnostic services furnished the beneficiary by the same hospital during a 20-day period.

Post-hospital home health care benefits.—These benefits cover the cost of visiting nurse services and related home health services for as many as 100 visits in a year following the patient's discharge from a hospital or extended-care facility, provided he has been confined for at least 3 days in a hospital. A home health plan must be developed by a physician and implemented within 14 days after the patient's discharge from the hospital or extended-care facility.

Supplementary Medical Insurance Program

The supplementary medical insurance program (part B of Medicare) provides coverage of physicians' services, additional home health services, and a variety of other health services. Individuals 65 years of age and over may enroll in the program regardless of whether they are eligible for social security retirement benefits. The insured's monthly premiums are matched by the Federal Government and paid into the supplementary medical insurance trust fund, which reimburses carriers for

benefits and administrative expenses incurred under the program.

Benefits

The SMI program pays for 80 percent of the allowed charges for physicians' services and other medical services after the patient has met a deductible of \$50 during a calendar year. The only dollar limit is that for treatment of mental illness outside a hospital, the maximum payment in any year, after the \$50 deductible has been met, being the lesser of \$250 or 50 percent of the allowed charges.

To preclude the possibility of having to meet a deductible twice in a short period of time, a "carryover" provision was instituted. Accordingly, covered expenses that are incurred in the last quarter of the year and counted toward the deductible in that year are also credited toward the deductible for the following year.

Covered under the program are such benefits as physicians' services, including home, hospital, and office visits; services and supplies, including drugs and biologicals that cannot be self-administered, that are furnished as a part of a physician's professional service, most commonly in his office, and either rendered without charge or included in the physician's bills; diagnostic X-ray tests, diagnostic laboratory tests, and other diagnostic tests; X-ray, radium, and radioactive isotope therapy, including materials and the services of technicians; surgical dressings, splints, casts, and other devices used for reduction of fractures and dislocations; rental of durable medical equipment, including iron lungs, oxygen tents, hospital beds, and wheelchairs used in the patient's home (including an institution used as his home); ambulance service in cases where the use of other methods of transportation is contraindicated by the individual's condition; prosthetic devices (other than dental) that replace all or part of an internal organ, including replacement of such devices; leg, arm, back, and neck braces, and artificial legs, arms, eyes, including replacement if required because of a change in the patient's physical condition; and 100 home health visits during a calendar year—these visits being independent of those provided under the hospital insurance program.

Eligibility

The hospital insurance program.—Almost all persons aged 65 and over are eligible for benefits under the hospital insurance program. Included are those persons in this age group who are entitled to monthly social security cash benefits or payments from the railroad retirement system, regardless of whether they have applied for these cash benefits. During the period under consideration, a person was eligible for hospital insurance protection even though he did not qualify for either social security cash benefits or a railroad retire-

ment annuity if (1) he had attained age 65 by July 1, 1966, (2) he would become 65 years of age before 1968, or (3) he would attain age 65 after 1967 with not less than 3 quarters of social security coverage, whenever acquired, for each calendar year elapsing after 1965 and before the year in which he would attain age 65; however, hospital insurance protection could not go into effect until the individual attained age 65. These three classes of individuals were "deemed insured" under a special transitional provision.

Federal employees who retired from the Federal service after July 1, 1960, and who had the opportunity to be covered under the Federal Employees Health Benefits Act of 1959, are ineligible for hospital insurance benefits, as are aliens with less than 5 years of continuous residence in the United States, and those persons convicted of crimes against the security of the United States.

Hospital insurance protection can be retroactive for as many as 12 months from the time an individual files his application for enrollment. For example, an individual may apply 11 months after he attains age 65 and still be entitled to benefits from the month he attained age 65.

Supplementary medical insurance.—Persons entitled to benefits under the hospital insurance program (part A) and retired Federal employees who are not eligible for those benefits may voluntarily participate in the SMI program.

Enrollment.—An eligible person may enroll during the initial enrollment period, which begins with the third month preceding the one in which an individual attains age 65 and ends 3 months later, a total period of 7 months. If he enrolls during the 3 months prior to the month in which he attains age 65, his coverage is effective with the month in which he attains age 65; if he enrolls during the month he attains age 65, his coverage begins the following month; if he enrolls in any of the 3 months after he attains age 65, his coverage begins from 2 to 3 months after enrollment, depending on how long he waited before enrolling.

A general enrollment period was set between October 1 and December 31, 1967, for those who did not enroll in the regular enrollment period, with comparable periods set to occur in every odd-numbered year. A person who enrolls during a general enrollment period may receive benefits starting on the first of July following the general enrollment period. An eligible individual must enroll within 3 years after the close of the first enrollment period in which he was entitled to enroll in order to become a beneficiary.

An initial general enrollment period was set up at the beginning of the program for people who had attained age 65 before March 1, 1966. This enrollment period began September 1, 1965, and ended on May 31, 1966, for coverage to begin with the initiation of the program on July 1, 1966.

A State may enroll otherwise eligible individuals who receive cash payments under public assistance programs if the State requests such a State-Federal enrollment agreement to be established and pays the necessary premiums.

Enrollment terminates with the beginning of the month following the month of death. In general, railroad retirement beneficiaries and individuals entitled to monthly cash social security benefits may terminate their enrollment earlier by notifying the Social Security Administration in writing during a general enrollment period of the desire to withdraw from the program. Other enrolled persons may terminate their coverage by withholding payment of premiums or by notifying the Social Security Administration in writing of the desire to withdraw from the program. An individual who previously has terminated his enrollment may re-enroll only in a general enrollment period beginning within 3 years of the date his previous enrollment had terminated. Reenrollment, however, is allowed only once.

Financing the Program

Hospital Insurance.—The hospital insurance program is financed on a long-range, self-supporting basis through a separate schedule of increasing tax rates on the first \$6,600 of earnings in employment covered under the Social Security Act with the same rate for employees, employers, and self-employed persons. The earnings base will be raised in 1968 to \$7,800. This rate was 0.35 percent in 1966, 0.50 percent for 1967, and is scheduled to increase until it is 0.90 percent in 1987 and thereafter. The proceeds of this tax and that collected from the railroad retirement system are placed in a hospital insurance trust fund¹¹ from which reimbursements for all benefits and administrative expenses incurred under the hospital insurance program are paid. The hospital insurance trust fund is reimbursed from general tax revenues for the costs of providing coverage for the almost 2½ million persons who qualify for hospital insurance but who are not entitled to monthly social security or railroad retirement benefits, that is, those “deemed insured.”

Supplementary Medical Insurance.—Premiums are paid into the Federal supplementary medical insurance trust fund¹² by those persons enrolled for supplementary medical insurance (or on their behalf), and a matching amount is paid from general revenues by the Federal Government.

The premiums of persons receiving social security cash benefits, railroad retirement, or Federal civil service annuities are deducted from their monthly benefit checks. Persons not receiving monthly benefits are billed quarterly for premiums by the Social Security Administration or Railroad Retirement Board and have a 90-day grace period in which to make payment. Premiums may be paid for as long as a year in advance, and for individuals financially unable to make quarterly payments, arrangements can be made for monthly payments.

The premium rate of the supplementary medical insurance program may be adjusted annually if medical costs rise. The law requires that the rate be set at an amount that will generate income to the fund sufficient to cover benefit payments and administrative costs incurred during the year. The monthly premium was \$3 beginning with July 1966.

States are permitted to enter into agreements with the Secretary, based on a request made before January 1, 1970, to buy in—that is, to pay the medical insurance premiums for public assistance recipients aged 65 or over who were receiving money payments under an approved public assistance plan and for all aged persons eligible to receive medical assistance under an approved Title XIX plan.

Administration of the Program

Hospital Insurance.—Under the hospital insurance plan, groups or associations of providers, on behalf of their members, may nominate a national, State, or other public or private agency or organization to serve as intermediary in the claims process. A member of an association is free, however, to receive payment from an approved intermediary other than its association's nominee, if approved by the Secretary and agreeable to the intermediary selected. In addition, a provider may deal directly with the Social Security Administration.

The Secretary may enter into an agreement with a nominated organization if he finds this to be consistent with effective and efficient administration of the hospital insurance program. The intermediary makes payments to providers for covered items and services on the basis of reasonable cost determinations and assists in the application of safeguards against unnecessary utilization of covered services. The agreement may also call for (1) furnishing consultative services to assist providers to establish and maintain necessary fiscal records and otherwise qualify as providers of services, (2) serving as a center for communicating with providers, and (3) making audits of provider records. Generally speaking, the Social Security Administration utilizes the services of the hospital insurance intermediary in making payments for home health and other provider

¹¹ See *The 1966 Annual Report of the Board of Trustees of the Federal Hospital Insurance Trust Fund*, House Document No. 393, 89th Congress, 2nd Session (Washington, D.C.: U.S. Government Printing Office, 1966).

¹² See *The 1966 Annual Report of the Board of Trustees of the Federal Supplementary Medical Insurance Trust Fund*, House Document No. 394, 89th Congress, 2nd Session (Washington, D.C.: U.S. Government Printing Office, 1966).

services allowed under the supplementary medical insurance program.

Payment may be made for a beneficiary for covered emergency inpatient hospital services or covered emergency outpatient hospital diagnostic services where the hospital is not a participating facility and agrees not to charge the beneficiary for covered services. Such a hospital may be outside the United States if it is more accessible than the nearest hospital in the United States adequately equipped to treat the patient.

Requests for payment for covered services must be signed by the beneficiary (or someone for him, if he is unable to do so). Payments are made on the basis of reasonable costs for these services to participating providers of services, that is, hospitals, extended-care facilities, and home health agencies, who have been certified for participation.

In some instances, hospitals may bill for physician services rendered to inpatients. In these cases, interim payment is made from the HI trust fund. Subsequently, funds are transferred from the SMI trust fund to the HI trust fund to cover the cost of these services.

The intermediary selected by the provider reviews the claims for payment and pays the provider. Actual payment is made on the basis of an interim rate established between the provider and the intermediary. Final settlement for each provider's operating year is made on the basis of a cost report submitted by the provider, and subject to an independent audit.

No payments can be made to Federal providers of services except for emergency services, unless this provider serves as a community institution. In addition, payment cannot be made to a provider for those services it is obligated to render at public expense under Federal law or contract.

Supplementary Medical Insurance.—Under the medical insurance program, the Secretary of Health, Education, and Welfare may enter into contracts with carriers for the performance of specified administrative functions. The carriers' principal function is to determine whether physicians' charges are allowable (reasonable) and to make payment.

The Federal government is prohibited from exercising supervision or control over the practice of medicine, the manner in which medical services are provided, and the administration or operation of medical facilities. The patient is free to choose any qualified institution, agency, or person offering him services. The responsibility for his treatment and the control of his care remains with his physician and the hospital, facility, or agency furnishing him services. The individual may keep or obtain any other health insurance he desires.

The carrier selected by the Secretary of Health, Education, and Welfare to serve as an intermediary determines the allowed charges for bills submitted for each medical care service covered by the program and pays 80 percent of the charge.

The allowed charge for the service may be paid to the patient, or the patient may assign the bill for collection to the physician or other supplier of the service if he is willing to accept the assignment. In the former situation, the patient first pays the bill and submits the receipted bill to the carrier and is reimbursed, and, in the latter, the physician or other supplier submits the bill and is reimbursed. When the payment is made directly to the physician (or supplier) on assignment, the allowed charge determined by the carrier is the total charge. In both situations, the patient is responsible for the first \$50 of the charges for the services he receives during a calendar period and the amount of the bill over 80 percent of the allowed charges.

The law instructs the carrier to consider the following criteria in determining the "allowed" charge:

- (1) the customary charge for the service generally made by the physician or other person furnishing such services; and

- (2) the prevailing charge in the locality by other physicians and suppliers for similar services.

The law also specifies that the "allowed" or reasonable charge cannot be higher than the charge applicable for a similar service rendered under comparable circumstances to the carriers' own policy holders or subscribers.

Carriers also have the authority and responsibility to determine, in a given case, whether a claim is for a covered service and to deny claims for noncovered or excluded items or services. In addition, carriers are to assist in the application of safeguards against the furnishing of unnecessary services to eligible individuals.

Most services covered by the medical insurance program are rendered on a fee-for-service basis. However, services furnished under group practice prepayment plans are normally rendered in return for predetermined premium payments. In recognition of the need for special adaptation of the Medicare payment procedures for services rendered by group practice prepayment plans, the law provides that an organization which furnishes medical and other health services (or arranges for their availability) on a prepayment basis, may elect to be paid 80 percent of the reasonable cost of services in lieu of 80 percent of the allowed charge for such services.

General Tables

General Tables

Notes

Short-stay hospital: General and special hospitals certified as participating facilities under Medicare and reporting average stays of less than 30 days.

Personal characteristics:

Age: Completed years at last birthday in month of admission to hospital.

Race: White, all other races, or race unknown as entered into the Health Insurance Entitlement (HIE) master file from basic records completed by the primary beneficiary. Race unknown, whether or not specifically indicated in a table, is included in the "all persons" or equivalent totals.

Sex: As designated in the HIE master file.

Geographic classifications: Based on the address to which the enrollee's cash benefit check is being mailed or the mailing address recorded in the HIE master file at the time the bill is processed by the Social Security Administration regardless of the reference date of the table.

All areas: Consists of the United States, Guam, Puerto Rico, Virgin Islands, other outlying areas, and foreign countries.

United States: Consists of the 50 States, the District of Columbia, and residence unknown.

Other outlying areas: Consists of American Samoa, the Canal Zone, Canton Island, Caroline Island, Mariana Islands, Marshall Islands, Midway Islands, and Wake Island.

SMSA: Standard metropolitan statistical area as classified by the Bureau of the Budget.¹ Except in New England, each SMSA includes a county that contains a central city of at least 50,000 inhabitants. In addition, contiguous counties are included in the SMSA if they meet certain criteria of economic and social integration with the central city. In New England, an SMSA consists of towns and cities, rather than counties. However, the mailing address of beneficiaries in the Health Insurance Eligibility file is coded only for State and county. Therefore, for New England, the SMSA was replaced by the metropolitan State economic area (SEA), which is defined in terms of whole counties.

¹ Office of Statistical Standards, Bureau of the Budget, *Standard Metropolitan Statistical Areas* (Washington, D.C.: U.S. Government Printing Office, 1967).

Hospital control:

Voluntary-church: Hospitals whose governing authority is a non-profit religious organization. For "Catholic" hospitals, this organization can be either a national or international nursing order, or the local ecclesiastical authority, i.e., the local bishop.

Voluntary-other: Hospitals whose governing authority is a non-profit organization other than a religious one.

Proprietary: Hospitals whose governing authority is an individual, partnership, or profit-making corporation.

Government: Hospitals whose governing authority is a unit of government. The unit may be a State, county, or city, or a city and county government jointly, or a hospital district established by a State agency. Federal hospitals are excluded by law from unqualified participation in the program. Except under special circumstances, they are authorized only to furnish emergency services.

Hospital affiliation and accreditation:

Accreditation by JCAH: The Joint Commission on Accreditation of Hospitals (JCAH) evaluates hospitals for conformance to standards of accreditation. The Medicare law provides that accreditation by the Joint Commission was deemed equivalent to meeting all conditions for participation other than Title VI requirements relating to equal rights and statutory requirements for utilization review.

Affiliation with a medical school: A number of licensed medical schools maintain and staff component hospitals to provide the full complement of clinic training. In addition, other major hospitals have established affiliation agreements with medical schools where the hospitals have been selected by medical schools to serve as "major units" in the schools teaching programs. These two categories of hospitals are characterized as "affiliated."

Nonaffiliated, approved intern program: Includes nonaffiliated hospitals with intern programs approved by any one of the following: American Medical Association, American Dental Association, or the American Osteopathic Association.

Nonaffiliated, approved resident program: Includes nonaffiliated hospitals offering approved residencies in the clinical divisions of medicine, surgery, and other special fields to provide advanced training in preparation for the practice of a specialty following internship.

Bed size: Number of adult beds regularly available for use by inpatients. This excludes bassinets and pediatric beds.

Surgery: Includes any operative procedures recorded on the patient's billing form defined as surgery in the First Edition of the Current Procedural Terminology manual published by the American Medical Association. This includes procedures involving incision, excision, amputation, introduction, endoscopy, repair, destruction, suture, or manipulation.

Discharge: The formal release of an inpatient from a hospital. All discharges including those for persons who died during their hospitalization are included.

Days of care: A day during which inpatient hospital services were furnished to a person eligible for HI benefits under Medicare who was discharged during the period July 1-December 31, 1966.

Covered day of care: A day of care which was covered in full or in part by HI Medicare benefits. This excludes days of care prior to the start of the program on July 1, 1966, days of care prior to the person's entitlement to HI benefits, and days of care after exhaustion of benefits.

Reimbursement: The money amount paid to the hospital that has been determined to be the reasonable

cost for services furnished. This excludes money amounts for which the patient is responsible such as deductibles, coinsurance, and charges for noncovered services.

Length of stay: The number of days of care for a discharge. The day of discharge is not counted as a day of care. A hospitalization of less than one day, i.e., the patient is admitted and discharged on the same day, is counted as one day.

Hospital charges: The hospital's charges for room, board, and ancillary services as recorded on the billing form.

Annual rates per 1,000 enrollees: A ratio of the total number of discharges, days of care, or persons served multiplied by 1,000 to the number of persons entitled to benefits on October 1, 1966. Since the data in this report relate to a 6-month period (184 days) the number of events was multiplied by the fraction 365/184. The effect of the annual rate formula is to double the 6-months experience.

Daily bed-usage rate: The ratio of the total number of inpatient days of care used by discharged patients during the period July 1-December 31, 1966, inclusive, multiplied by 1,000, to the product of the number of days in the period and the number of persons entitled to HI benefits during this period. This is a measure of hospital utilization that shows, on the average, the number of persons out of every 1,000 HI enrollees occupying hospital beds on any given day in the period.

Table 4.1.1 DISCHARGES BY REGION, DIVISION, AND STATE: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

[See NOTES preceding General Tables]

Area of residence	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Annual rate per 1,000 enrolled popula- tion	Total (in thousands)	Annual rate per 1,000 enrolled popula- tion	Covered days			Amount			Reimbursed by hospital insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
ALL DISCHARGES												
All areas	2,350	243.2	31,112	3,220.4	28,792	12.3	92.5	\$1,314,182	\$559	\$42	\$1,037,467	78.9
United States	2,339	246.0	30,961	3,256.1	28,649	12.2	92.5	1,310,290	560	42	1,034,529	79.0
Northeast	551	217.0	8,528	3,359.6	7,797	14.2	91.4	402,977	731	47	304,699	75.6
North Central	735	262.0	10,116	3,607.0	9,299	12.7	91.9	390,576	532	39	314,867	80.6
South	702	256.2	8,236	3,005.3	7,798	11.1	94.7	307,287	438	37	238,984	77.8
West	351	246.2	4,076	2,859.9	3,751	10.7	92.0	209,286	596	51	175,842	84.0
Northeast:												
New England	141	225.4	2,010	3,223.0	1,854	13.2	92.2	94,217	670	47	76,240	80.9
Middle Atlantic	410	214.3	6,518	3,404.1	5,943	14.5	91.2	308,760	753	47	228,459	74.0
North Central:												
East North Central	455	244.4	6,448	3,460.6	5,926	13.0	91.9	262,550	577	41	211,569	80.6
West North Central	279	296.9	3,667	3,896.7	3,372	12.1	92.0	128,026	458	35	103,298	80.7
South:												
South Atlantic	307	238.0	3,883	3,008.2	3,655	11.9	94.2	150,194	489	39	116,351	77.5
East South Central	147	242.9	1,716	2,840.0	1,631	11.1	95.1	60,923	415	36	46,517	76.4
West South Central	248	293.5	2,638	3,119.1	2,511	10.1	95.2	96,170	387	36	76,116	79.1
West:												
Mountain	94	296.5	1,104	3,497.0	1,027	11.0	93.1	47,585	509	43	37,656	79.1
Pacific	257	231.9	2,972	2,678.7	2,724	10.6	91.7	161,702	628	54	138,186	85.5
New England:												
Maine	16	268.7	199	3,402.6	184	11.7	92.4	7,177	456	36	5,795	80.7
New Hampshire	9	236.4	121	3,084.5	111	11.9	91.6	4,253	460	35	3,539	83.2
Vermont	7	285.2	93	3,870.1	84	12.2	90.3	3,458	503	37	2,690	77.8
Massachusetts	69	220.1	1,032	3,294.4	943	13.7	91.4	49,205	714	48	40,581	82.5
Rhode Island	10	199.7	148	2,938.1	142	14.1	96.0	7,612	755	51	6,190	81.3
Connecticut	30	214.8	417	3,015.5	390	13.2	93.7	22,512	759	54	17,445	77.5
Middle Atlantic:												
New York	203	211.4	3,305	3,433.8	2,978	14.6	90.1	173,407	852	52	129,305	74.6
New Jersey	65	197.2	948	2,866.5	890	13.6	93.9	47,357	726	50	33,649	71.1
Pennsylvania	142	227.9	2,264	3,644.4	2,075	14.7	91.6	87,997	621	39	65,505	74.4
East North Central:												
Ohio	113	231.9	1,623	3,327.6	1,497	13.2	92.2	64,672	572	40	51,486	79.6
Indiana	55	226.7	770	3,194.8	708	13.0	91.9	27,133	496	35	22,053	81.3
Illinois	134	249.3	1,942	3,609.7	1,779	13.3	91.6	80,234	598	41	64,501	82.9
Michigan	88	240.5	1,233	3,356.3	1,156	13.1	93.7	56,784	643	46	44,115	77.7
Wisconsin	65	284.3	879	3,841.3	786	12.1	89.4	33,727	518	38	27,414	81.3
West North Central:												
Minnesota	61	306.8	800	3,997.4	735	12.0	91.9	32,114	523	40	26,983	84.0
Iowa	52	298.8	680	3,875.8	625	11.9	91.9	21,760	415	32	17,075	78.5
Missouri	72	264.5	970	3,554.7	913	12.7	94.1	35,291	489	36	27,352	77.5
North Dakota	13	401.5	164	5,027.7	152	11.4	92.4	5,386	411	33	4,404	81.8
South Dakota	14	357.7	171	4,308.7	150	10.6	87.7	5,158	364	30	4,126	80.0
Nebraska	26	286.3	343	3,820.4	314	12.2	91.3	11,317	440	33	9,298	82.2
Kansas	40	309.1	540	4,128.5	485	12.0	89.9	17,001	421	32	14,060	82.7
South Atlantic:												
Delaware	4	192.4	60	2,803.6	56	13.6	93.0	2,702	659	45	2,095	77.6
Maryland	26	190.3	372	2,769.2	352	13.7	94.4	19,130	748	51	14,263	74.6
District of Columbia	6	182.6	101	2,978.5	93	14.9	91.5	4,950	797	49	3,842	77.6
Virginia	40	235.8	560	3,311.6	520	13.0	92.8	20,455	513	37	14,646	71.6
West Virginia	28	285.9	357	3,700.4	333	11.1	93.2	11,622	422	33	8,671	74.6
North Carolina	49	254.8	620	3,249.9	576	12.9	92.9	18,781	386	30	15,063	80.2
South Carolina	19	209.9	244	2,725.7	232	12.4	95.3	7,607	405	31	5,938	78.1
Georgia	40	235.0	424	2,487.2	405	10.1	95.5	15,047	375	35	11,225	74.6
Florida	96	250.6	1,144	2,975.5	1,090	11.3	95.2	49,901	518	44	40,608	81.4
East South Central:												
Kentucky	45	276.4	524	3,191.7	492	10.9	94.0	17,213	380	33	13,697	79.6
Tennessee	47	258.2	562	3,102.7	534	11.4	94.9	20,697	442	37	16,008	77.3
Alabama	35	229.4	408	2,679.0	389	11.2	95.5	15,412	442	38	11,134	72.2
Mississippi	20	184.5	222	2,082.1	216	11.0	97.4	7,600	386	34	5,678	74.7
West South Central:												
Arkansas	32	288.3	334	2,991.8	321	10.0	96.0	10,833	337	32	8,802	81.3
Louisiana	31	216.6	312	2,198.9	297	9.7	95.2	11,610	377	37	9,668	83.3
Oklahoma	47	337.8	504	3,590.7	483	10.2	96.0	19,103	403	38	15,124	79.2
Texas	138	305.2	1,488	3,293.5	1,410	10.2	94.7	54,625	396	37	42,523	77.8
Mountain:												
Montana	13	382.0	157	4,621.4	135	10.4	86.0	5,269	405	33	3,899	74.0
Idaho	9	281.5	94	2,887.8	88	9.6	93.5	3,757	410	40	2,990	79.6
Wyoming	5	357.6	63	4,232.7	57	10.8	91.1	2,116	399	34	1,669	78.9
Colorado	29	321.4	353	3,939.1	333	11.5	94.2	16,124	559	46	12,448	77.2
New Mexico	9	271.2	93	2,909.4	90	10.3	95.8	3,874	445	41	3,163	81.6
Arizona	17	266.2	215	3,326.7	202	11.7	94.0	10,612	618	49	8,633	81.3
Utah	9	244.2	92	2,615.5	88	10.3	95.9	3,944	460	43	3,246	82.3
Nevada	3	220.9	37	2,855.8	35	12.3	95.3	1,888	668	52	1,608	85.2
Pacific:												
Washington	39	254.1	382	2,483.1	359	9.2	94.0	19,363	495	51	16,176	83.5
Oregon	26	245.4	271	2,563.4	256	9.9	94.4	12,935	499	48	10,455	80.8
California	187	225.2	2,243	2,709.1	2,039	10.9	90.9	126,052	676	56	108,810	86.3
Alaska	1	277.7	10	3,604.7	9	12.0	92.2	520	658	51	443	85.2
Hawaii	5	260.0	66	3,429.4	61	12.3	93.2	2,832	567	43	2,302	81.3
Other areas:												
Guam	—	129.2	1	2,325.4	1	*	*	29	*	*	25	*
Puerto Rico	10	140.4	138	1,921.7	131	13.0	95.0	3,302	328	24	2,492	75.5
Virgin Islands	—	229.4	4	3,394.4	4	13.9	93.7	119	428	29	102	85.4
All other areas	—	—	—	—	—	—	—	—	—	—	—	—

Table 4.1.1 DISCHARGES BY REGION, DIVISION, AND STATE: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables]

Area of residence	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Annual rate per 1,000 enrolled popu- lation	Total (in thousands)	Annual rate per 1,000 enrolled popu- lation	Covered days			Amount			Reimbursed by hospital insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
WITH SURGERY												
All areas	767	79.4	10,892	1,127.5	10,503	13.7	96.4	\$550,935	\$718	\$51	\$428,240	77.7
United States	764	80.3	10,841	1,140.2	10,454	13.7	96.4	549,413	719	51	427,074	77.7
Northeast	196	77.2	3,117	1,227.8	2,987	15.2	95.8	169,829	866	54	122,408	72.1
North Central	236	84.1	3,501	1,248.2	3,368	14.3	96.2	163,056	691	47	131,439	80.6
South	206	75.1	2,730	996.1	2,658	12.9	97.4	123,976	602	45	95,267	76.8
West	126	88.3	1,493	1,047.8	1,440	11.5	96.4	92,509	736	62	77,925	84.2
Northeast:												
New England	49	78.0	744	1,193.0	714	14.7	95.9	40,279	828	54	32,456	80.6
Middle Atlantic	147	77.0	2,372	1,239.1	2,273	15.4	95.8	129,550	879	55	89,952	69.4
North Central:												
East North Central	154	82.8	2,335	1,253.4	2,249	14.6	96.3	112,556	729	48	91,060	80.9
West North Central	82	86.7	1,165	1,238.0	1,118	13.7	96.0	50,500	619	43	40,378	80.0
South:												
South Atlantic	103	79.6	1,411	1,093.0	1,370	13.3	97.2	65,334	636	46	50,376	77.1
East South Central	38	63.4	517	855.3	503	13.1	97.4	22,805	595	44	16,476	72.2
West South Central	65	76.7	803	949.0	785	12.1	97.8	35,837	553	45	28,415	79.3
West:												
Mountain	30	93.6	364	1,154.6	354	12.0	97.3	19,350	655	53	14,693	75.9
Pacific	96	86.7	1,129	1,017.5	1,086	11.3	96.2	73,159	760	65	63,232	86.4
New England:												
Maine	4	76.0	67	1,138.3	64	14.4	96.5	2,935	659	44	2,405	81.9
New Hampshire	3	77.8	42	1,073.6	41	13.5	97.9	1,774	583	42	1,502	84.7
Vermont	2	83.8	31	1,276.0	29	14.1	92.9	1,376	681	45	1,076	78.2
Massachusetts	24	75.0	375	1,197.1	357	15.2	95.3	20,562	875	55	17,142	83.4
Rhode Island	4	79.9	58	1,143.0	57	14.1	98.8	3,268	810	57	2,670	81.7
Connecticut	12	84.0	172	1,244.3	165	14.2	96.2	10,364	892	60	7,662	73.9
Middle Atlantic:												
New York	73	75.5	1,194	1,241.0	1,137	15.6	95.2	72,331	995	61	51,029	70.5
New Jersey	24	71.6	352	1,063.6	342	14.4	97.3	19,587	826	56	13,139	67.1
Pennsylvania	51	82.1	826	1,329.6	793	15.6	96.0	37,632	738	46	25,784	68.5
East North Central:												
Ohio	39	79.4	600	1,229.0	580	15.0	96.7	27,534	711	46	21,004	76.3
Indiana	20	81.0	293	1,213.6	280	14.4	95.8	12,113	620	41	10,007	82.6
Illinois	45	82.7	698	1,298.1	668	15.0	95.6	34,433	774	49	28,999	84.2
Michigan	30	82.5	440	1,198.3	429	14.2	97.6	24,119	796	55	19,001	78.8
Wisconsin	21	92.8	305	1,330.4	292	13.7	95.8	14,356	676	47	12,050	83.9
West North Central:												
Minnesota	19	95.0	264	1,319.1	253	13.3	95.9	13,018	685	49	11,196	86.0
Iowa	15	84.3	212	1,207.9	202	13.7	95.4	8,335	564	39	6,726	80.7
Missouri	23	83.1	342	1,252.1	331	14.6	96.9	14,775	652	43	10,992	74.4
North Dakota	3	96.2	43	1,328.3	43	13.5	98.0	1,855	590	43	1,376	74.2
South Dakota	4	101.2	51	1,279.1	48	11.9	94.3	2,067	515	41	1,687	81.6
Nebraska	7	81.6	104	1,159.0	100	13.6	95.6	4,470	610	43	3,334	74.6
Kansas	11	81.3	149	1,143.8	142	13.4	95.3	5,979	563	40	5,067	84.8
South Atlantic:												
Delaware	2	73.2	23	1,061.6	22	14.2	97.8	1,141	731	50	886	77.7
Maryland	11	80.3	165	1,229.8	161	14.9	97.2	9,585	888	58	7,095	74.0
District of Columbia	3	75.5	40	1,180.5	39	15.0	96.2	2,321	904	58	1,716	74.0
Virginia	13	75.3	194	1,146.9	188	14.8	96.9	8,421	662	43	5,613	66.7
West Virginia	8	80.1	115	1,188.6	112	14.5	97.6	4,438	575	39	3,083	69.5
North Carolina	15	78.8	206	1,077.6	198	13.2	96.5	7,860	523	38	6,453	82.1
South Carolina	5	55.3	70	778.6	68	13.7	97.5	2,747	556	39	2,193	79.8
Georgia	11	65.8	137	801.8	132	11.8	96.8	5,868	523	43	4,471	76.2
Florida	36	93.8	462	1,201.4	451	12.5	97.5	22,953	636	50	18,866	82.2
East South Central:												
Kentucky	11	70.1	151	917.6	146	12.7	96.7	6,264	545	42	5,057	80.7
Tennessee	13	72.8	181	998.6	176	13.4	97.4	8,118	615	45	5,853	72.1
Alabama	9	59.8	124	812.1	120	13.2	97.2	5,637	620	46	3,728	66.1
Mississippi	5	42.5	62	577.6	61	13.5	99.2	2,787	614	45	1,838	66.0
West South Central:												
Arkansas	7	66.0	93	836.1	91	12.3	97.3	3,739	508	40	2,730	73.0
Louisiana	7	52.0	94	660.0	91	12.3	97.2	4,206	569	45	3,279	78.0
Oklahoma	12	82.4	140	1,000.3	138	11.9	98.2	6,759	585	48	5,499	81.4
Texas	39	85.3	475	1,051.7	465	12.1	97.9	21,133	548	44	16,908	80.0
Mountain:												
Montana	4	104.5	42	1,241.6	40	11.3	94.8	1,945	547	46	1,508	77.5
Idaho	2	74.5	27	832.5	26	10.8	96.4	1,434	591	53	1,169	81.6
Wyoming	1	90.7	16	1,076.6	16	11.6	97.7	717	533	45	564	78.6
Colorado	9	103.4	123	1,370.3	121	13.0	98.1	6,715	725	55	4,710	70.1
New Mexico	3	82.9	34	1,051.5	32	12.2	95.9	1,606	603	48	1,345	83.8
Arizona	6	92.1	72	1,123.1	71	11.9	97.6	4,292	722	59	3,198	74.5
Utah	3	93.3	36	1,022.7	35	10.7	98.0	1,783	545	50	1,480	83.0
Nevada	1	83.4	14	1,100.4	14	12.9	98.1	858	803	61	719	83.8
Pacific:												
Washington	13	86.6	137	893.2	133	10.0	97.1	8,399	630	61	7,098	84.5
Oregon	9	88.2	104	988.1	102	11.0	97.9	5,781	621	55	4,873	84.3
California	72	86.7	862	1,040.9	825	11.5	95.7	57,584	802	67	50,110	87.0
Alaska	—	71.0	2	801.0	2	*	*	147	*	*	122	*
Hawaii	2	82.6	23	1,192.8	23	14.3	99.4	1,248	786	54	1,029	82.4
Other areas:												
Guam	—	34.0	—	798.9	—	*	*	8	*	*	7	*
Puerto Rico	3	40.6	45	624.7	44	15.0	97.6	1,235	424	28	937	75.9
Virgin Islands	—	90.4	2	1,263.5	2	*	*	55	*	*	46	*
All other areas	—	—	—	—	—	*	*	—	*	*	—	*

Table 4.1.1 DISCHARGES BY REGION, DIVISION, AND STATE: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables]												
Area of residence	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Annual rate per 1,000 enrolled popu- lation	Total (in thousands)	Annual rate per 1,000 enrolled popu- lation	Covered days			Amount			Reimbursed by hospital insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
WITHOUT SURGERY												
All areas	1,583	163.8	20,220	2,092.9	18,289	11.6	90.5	\$763,247	\$482	\$38	\$609,227	79.8
United States	1,575	165.7	20,120	2,116.0	18,195	11.6	90.4	760,877	483	38	607,456	79.8
Northeast.....	355	139.8	5,412	2,131.9	4,811	13.6	88.9	233,148	657	43	182,292	78.2
North Central	499	177.9	6,615	2,358.8	5,931	11.9	89.7	227,521	456	34	183,428	80.6
South	496	181.1	5,506	2,009.2	5,140	10.4	93.3	183,311	369	33	143,717	78.4
West	225	157.9	2,582	1,812.0	2,311	10.3	89.5	116,778	519	45	97,917	83.8
Northeast:												
New England	92	147.4	1,266	2,030.1	1,141	12.4	90.1	53,938	587	43	43,784	81.2
Middle Atlantic	263	137.3	4,145	2,165.0	3,670	14.0	88.5	179,210	682	43	138,508	77.3
North Central:												
East North Central	301	161.6	4,113	2,207.3	3,677	12.2	89.4	149,994	498	36	120,509	80.3
West North Central	198	210.2	2,502	2,658.7	2,254	11.4	90.1	77,526	392	31	62,919	81.2
South:												
South Atlantic	205	158.4	2,472	1,915.2	2,285	11.2	92.4	84,860	415	34	65,975	77.7
East South Central	108	179.5	1,199	1,984.7	1,128	10.4	94.1	38,118	352	32	30,041	78.8
West South Central	183	216.8	1,836	2,170.2	1,727	9.4	94.1	60,334	329	33	47,701	79.1
West:												
Mountain	64	202.9	739	2,342.4	673	10.5	91.0	28,235	441	38	22,963	81.3
Pacific	161	145.2	1,843	1,661.2	1,639	10.2	88.9	88,543	550	48	74,954	84.7
New England:												
Maine	11	192.7	133	2,264.3	120	10.6	90.3	4,242	376	32	3,390	79.9
New Hampshire	6	158.7	79	2,010.8	69	11.2	88.2	2,480	399	32	2,038	82.2
Vermont	5	201.3	63	2,594.1	56	11.5	89.0	2,081	429	33	1,614	77.5
Massachusetts	45	145.1	657	2,097.3	585	12.9	89.1	28,643	630	44	23,439	81.8
Rhode Island	6	119.7	91	1,795.1	85	14.1	94.3	4,344	718	48	3,520	81.0
Connecticut	18	130.7	245	1,771.2	225	12.5	91.9	12,148	672	50	9,783	80.5
Middle Atlantic:												
New York	131	135.9	2,110	2,192.8	1,841	14.1	87.2	101,075	773	48	78,277	77.4
New Jersey	42	125.6	597	1,802.8	548	13.2	91.9	27,770	668	47	20,510	73.9
Pennsylvania	91	145.8	1,438	2,314.9	1,281	14.1	89.1	50,365	556	35	39,721	78.9
East North Central:												
Ohio	74	152.5	1,024	2,098.6	917	12.3	89.6	37,138	499	36	30,482	82.1
Indiana	35	145.7	478	1,981.2	428	12.2	89.5	15,020	427	31	12,046	80.2
Illinois	90	166.5	1,244	2,311.6	1,111	12.4	89.3	45,801	511	37	37,502	81.9
Michigan	58	158.0	793	2,158.0	726	12.5	91.6	32,665	563	41	25,115	76.9
Wisconsin	44	191.5	575	2,510.9	495	11.3	86.0	19,371	442	34	15,364	79.3
West North Central:												
Minnesota	42	211.9	536	2,678.3	482	11.4	89.9	19,096	450	36	15,787	82.7
Iowa	38	214.5	468	2,668.0	423	11.2	90.3	13,424	357	29	10,349	77.1
Missouri	49	181.4	628	2,302.6	582	11.8	92.7	20,516	415	33	16,361	79.7
North Dakota	10	305.3	121	3,699.4	109	11.0	90.4	3,531	354	29	3,028	85.7
South Dakota	10	256.5	120	3,029.6	102	10.0	84.9	3,091	304	26	2,438	78.9
Nebraska	18	204.7	239	2,661.3	214	11.6	89.5	6,847	372	29	5,964	87.1
Kansas	30	227.9	390	2,984.7	342	11.5	87.8	11,022	370	28	8,992	81.6
South Atlantic:												
Delaware	3	119.2	37	1,742.0	33	13.2	90.1	1,561	615	42	1,209	77.4
Maryland	15	110.0	207	1,539.4	191	12.9	92.2	9,545	645	46	7,168	75.1
District of Columbia	4	107.1	61	1,798.0	54	14.8	88.4	2,629	722	43	2,125	80.8
Virginia	27	160.5	366	2,164.7	332	12.2	90.6	12,034	443	33	9,032	75.1
West Virginia	20	205.8	242	2,511.8	221	11.1	91.2	7,184	362	30	5,589	77.8
North Carolina	34	176.0	415	2,172.3	378	11.3	91.2	10,921	325	26	8,610	78.8
South Carolina	14	154.6	174	1,947.1	164	11.9	94.4	4,860	351	28	3,745	77.1
Georgia	29	169.2	287	1,685.4	273	9.5	94.9	9,179	318	32	6,755	73.6
Florida	60	156.7	682	1,774.1	639	10.6	93.6	26,948	447	39	21,742	80.7
East South Central:												
Kentucky	34	206.4	373	2,274.1	347	10.2	92.9	10,949	323	29	8,640	78.9
Tennessee	34	185.4	381	2,104.2	357	10.6	93.7	12,579	374	33	10,156	80.7
Alabama	26	169.6	284	1,866.8	269	10.4	94.8	9,775	379	34	7,405	75.8
Mississippi	15	142.0	160	1,504.4	155	10.2	96.7	4,814	318	30	3,840	79.8
West South Central:												
Arkansas	25	222.3	241	2,155.6	230	9.3	95.6	7,094	286	29	6,072	85.6
Louisiana	23	164.6	219	1,538.9	206	8.8	94.4	7,404	317	34	6,389	86.3
Oklahoma	36	255.4	363	2,590.4	346	9.6	95.1	12,344	345	34	9,625	78.0
Texas	99	219.9	1,013	2,241.7	945	9.5	93.3	33,491	337	33	25,615	76.5
Mountain:												
Montana	9	277.6	115	3,379.9	95	10.1	82.7	3,324	352	29	2,391	71.9
Idaho	7	207.0	67	2,055.3	62	9.2	92.3	2,324	345	35	1,821	78.4
Wyoming	4	266.9	47	3,156.1	42	10.5	88.8	1,399	353	30	1,105	79.0
Colorado	20	218.1	230	2,568.7	212	10.8	92.1	9,409	481	41	7,738	82.2
New Mexico	6	188.4	60	1,858.0	57	9.4	95.7	2,268	375	38	1,818	80.1
Arizona	11	174.1	142	2,203.6	131	11.7	92.1	6,320	563	44	5,435	86.0
Utah	5	150.9	56	1,592.8	53	10.0	94.6	2,161	408	39	1,766	81.7
Nevada	2	137.5	22	1,755.5	21	11.9	93.5	1,030	585	46	889	86.3
Pacific:												
Washington	26	167.5	245	1,589.8	226	8.8	92.2	10,964	426	45	9,078	82.8
Oregon	17	157.2	166	1,575.3	153	9.2	92.2	7,154	431	43	5,582	78.0
California	115	138.5	1,381	1,668.1	1,214	10.6	87.9	68,468	597	50	58,700	85.7
Alaska	1	206.7	8	2,803.7	7	12.2	90.1	373	634	47	320	85.9
Hawaii	3	177.3	43	2,236.5	39	11.3	89.9	1,584	465	37	1,274	80.4
Other areas:												
Guam	—	95.2	1	1,526.4	1	*	*	21	*	*	18	*
Puerto Rico	7	99.8	93	1,297.0	87	12.2	93.7	2,068	289	22	1,555	75.2
Virgin Islands	—	138.9	3	2,130.8	2	*	*	64	*	*	56	*
All other areas	—	—	—	—	—	—	—	—	—	—	—	—

Table 4.1.2 DISCHARGES BY AGE, RACE, AND SEX: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

(See NOTES preceding General Tables)

Age, race, and sex	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Annual rate per 1,000 enrolled popu- lation	Total (in thousands)	Annual rate per 1,000 enrolled popu- lation	Covered days			Amount			Reimbursed by hospital insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
ALL DISCHARGES												
All Persons												
Total, 65 years and over	2,350	243.2	31,112	3,220.4	28,792	12.3	92.5	\$1,314,182	\$559	\$42	\$1,037,467	78.9
65 and 66 years	263	190.1	3,156	2,278.8	2,945	11.2	93.3	143,341	544	45	110,994	77.4
67 and 68 years	260	203.9	3,127	2,454.8	2,930	11.3	93.7	141,610	545	45	109,788	77.5
69 and 70 years	260	212.7	3,233	2,644.3	3,003	11.5	92.9	143,656	552	44	111,873	77.9
71 and 72 years	256	224.5	3,259	2,853.8	3,040	11.9	93.3	143,970	562	44	112,125	77.9
73 and 74 years	251	245.3	3,252	3,177.2	3,038	12.1	93.4	140,852	561	43	110,627	78.5
75 to 79 years	518	271.0	7,111	3,718.9	6,560	12.7	92.2	295,690	571	42	234,987	79.5
80 to 84 years	339	310.2	4,885	4,471.6	4,469	13.2	91.5	191,523	565	39	153,966	80.4
85 years and over	202	331.7	3,088	5,071.2	2,808	13.9	90.9	113,541	562	37	93,106	82.0
Men, 65 years and over												
65 and 66 years	1,083	263.7	13,827	3,365.7	12,852	11.9	93.0	613,197	566	44	477,565	77.9
67 and 68 years	131	208.0	1,573	2,491.1	1,465	11.2	93.2	73,852	562	47	56,614	76.7
69 and 68 years	127	222.7	1,497	2,622.8	1,405	11.1	93.9	70,456	554	47	54,057	76.7
69 and 70 years	122	227.8	1,483	2,761.1	1,389	11.4	93.6	69,287	566	47	53,296	76.9
71 and 72 years	118	239.1	1,446	2,928.4	1,355	11.5	93.6	67,282	570	47	51,578	76.7
73 and 74 years	118	268.4	1,480	3,380.7	1,383	11.8	93.4	67,147	571	45	52,125	77.6
75 to 79 years	235	297.1	3,105	3,930.4	2,879	12.3	92.7	135,576	578	44	106,287	78.4
80 to 84 years	150	348.5	2,066	4,792.9	1,899	12.6	91.9	84,733	564	41	67,244	79.4
85 years and over	82	379.1	1,177	5,441.3	1,078	13.1	91.6	44,864	547	38	36,365	81.1
Women, 65 years and over												
65 and 66 years	1,266	228.1	17,285	3,113.0	15,940	12.6	92.2	700,985	554	41	559,902	79.9
67 and 68 years	132	175.1	1,583	2,100.9	1,480	11.2	93.5	69,489	527	44	54,381	78.3
67 and 68 years	133	188.7	1,631	2,318.5	1,525	11.5	93.5	71,153	536	44	55,731	78.3
69 and 70 years	138	200.8	1,750	2,552.8	1,614	11.7	92.2	74,369	540	42	58,578	78.8
71 and 72 years	138	213.3	1,813	2,796.9	1,686	12.2	93.0	76,687	555	42	60,547	79.0
73 and 74 years	134	227.9	1,772	3,025.1	1,655	12.4	93.4	73,706	552	42	58,502	79.4
75 to 79 years	284	252.6	4,007	3,570.0	3,681	13.0	91.9	160,114	565	40	128,700	80.4
80 to 84 years	189	285.3	2,819	4,262.2	2,570	13.6	91.2	106,791	566	38	86,722	81.2
85 years and over	120	305.6	1,911	4,867.2	1,730	14.4	90.5	68,676	572	36	56,742	82.6
White												
Total, 65 years and over	2,153	249.5	28,252	3,274.4	26,158	12.2	92.6	1,199,797	557	42	945,335	78.8
65 and 66 years	243	195.9	2,882	2,326.0	2,691	11.1	93.4	131,747	543	46	101,774	77.2
67 and 68 years	241	209.9	2,871	2,498.1	2,694	11.2	93.8	130,871	543	46	101,230	77.4
69 and 70 years	241	219.4	2,968	2,698.7	2,758	11.4	92.9	132,589	550	45	103,024	77.7
71 and 72 years	238	230.6	3,005	2,911.1	2,803	11.8	93.3	133,571	561	44	103,788	77.7
73 and 74 years	234	252.1	3,000	3,238.7	2,803	12.0	93.4	130,299	558	43	102,221	78.5
75 to 79 years	479	278.2	6,538	3,797.8	6,029	12.6	92.2	272,599	569	42	216,324	79.4
80 to 84 years	306	318.6	4,378	4,565.4	4,010	13.1	91.6	172,403	564	39	138,473	80.3
85 years and over	171	342.2	2,609	5,209.2	2,370	13.8	90.9	95,719	558	37	78,501	82.0
Men, 65 years and over												
65 and 66 years	1,007	271.1	12,738	3,429.0	11,842	11.8	93.0	568,438	564	45	441,836	77.7
65 and 66 years	121	214.0	1,424	2,524.6	1,329	11.0	93.3	67,521	559	47	51,618	76.4
67 and 68 years	118	229.1	1,376	2,664.7	1,294	10.9	94.0	65,279	552	47	50,013	76.6
69 and 70 years	114	234.9	1,360	2,807.1	1,275	11.2	93.7	64,067	563	47	49,126	76.7
71 and 72 years	111	246.9	1,343	2,994.6	1,259	11.4	93.7	63,027	569	47	48,193	76.5
73 and 74 years	111	276.5	1,379	3,449.9	1,288	11.7	93.4	62,838	569	46	48,691	77.5
75 to 79 years	220	305.1	2,900	4,014.8	2,687	12.2	92.6	127,224	577	44	99,578	78.3
80 to 84 years	140	357.3	1,909	4,885.1	1,755	12.6	92.0	78,623	563	41	62,326	79.3
85 years and over	73	388.0	1,047	5,556.3	956	13.1	91.3	39,859	545	38	32,291	81.0
Women, 65 years and over												
65 and 66 years	1,146	233.2	15,514	3,157.4	14,317	12.5	92.3	631,360	551	41	503,499	79.7
65 and 66 years	122	180.9	1,458	2,160.0	1,362	11.2	93.4	64,226	526	44	50,156	78.1
67 and 68 years	123	194.2	1,495	2,362.1	1,400	11.4	93.7	65,593	534	44	51,217	78.1
69 and 70 years	127	207.1	1,608	2,613.4	1,483	11.6	92.2	68,522	538	43	53,898	78.7
71 and 72 years	127	218.1	1,662	2,847.0	1,544	12.1	92.9	70,544	554	42	55,594	78.8
73 and 74 years	123	233.6	1,621	3,078.4	1,516	12.3	93.5	67,461	548	42	53,530	79.3
75 to 79 years	259	258.8	3,638	3,640.9	3,342	12.9	91.9	145,375	562	40	116,746	80.3
80 to 84 years	166	292.0	2,470	4,345.7	2,255	13.6	91.3	93,780	565	38	76,148	81.2
85 years and over	98	314.6	1,562	4,999.9	1,414	14.4	90.5	55,860	568	36	46,209	82.7
All Other Races												
Total, 65 years and over	122	166.5	1,717	2,345.8	1,602	13.1	93.3	67,839	557	40	55,112	81.2
65 and 66 years	17	142.2	231	1,928.2	215	12.6	93.0	9,690	570	42	7,753	80.0
67 and 68 years	15	142.1	208	1,989.5	192	12.9	92.2	8,507	573	41	6,831	80.3
69 and 70 years	14	144.7	205	2,050.5	192	13.2	93.4	8,480	585	41	6,843	80.7
71 and 72 years	14	154.6	190	2,131.9	178	13.0	94.1	7,630	555	40	6,154	80.7
73 and 74 years	12	164.6	175	2,348.6	166	13.5	94.7	7,187	587	41	5,758	80.1
75 to 79 years	24	184.9	339	2,634.3	318	13.4	93.9	13,153	553	39	10,783	82.0
80 to 84 years	16	216.9	224	3,104.7	208	13.3	93.0	8,122	519	36	6,716	82.7
85 years and over	10	231.1	146	3,347.1	134	13.3	91.8	5,070	502	35	4,274	84.3
Men, 65 years and over												
65 and 66 years	61	183.6	867	2,615.5	810	13.3	93.5	35,053	576	40	28,224	80.5
65 and 66 years	10	167.6	137	2,345.2	127	13.0	92.6	5,792	593	42	4,603	79.5
67 and 68 years	8	160.4	109	2,233.9	101	12.8	91.9	4,588	584	42	3,626	79.0
69 and 70 years	7	158.7	109	2,336.0	102	13.8	93.7	4,599	623	42	3,716	80.8
71 and 72 years	6	153.9	87	2,180.9	82	13.3	93.6	3,577	581	41	2,857	79.8
73 and 74 years	6	172.7	82	2,490.1	78	13.7	95.2	3,434	604	42	2,742	79.9
75 to 79 years	11	204.7	163	2,907.1	153	13.4	94.3	6,453	564	40	5,237	81.1
80 to 84 years	8	248.3	111	3,614.1	103	13.5	92.6	4,108	536	37	3,366	82.0
85 years and over	5	273.5	69	3,837.6	65	13.2	94.4	2,503	512	37	2,077	83.0
Women, 65 years and over												
65 and 66 years	61	152.3	850	2,122.6	792	13.0	93.2	32,786	538	39	26,888	82.0
65 and 66 years	7	118.0	94	1,531.6	88	12.2	93.7	3,898	539	42	3,149	80.8
67 and 68 years	7	125.8	98	1,774.0	91	13.0	92.5	3,920	561	40	3,205	81.8
69 and 70 years	7	132.5	97	1,802.8	90	12.7	93.0	3,881	546	40	3,127	80.6
71 and 72 years	8	155.1	102	2,091.8	97	12.7	94.4	4,052	534	40	3,298	81.4
73 and 74 years	7	158.2	93	2,236.4	88	13.3	94.4	3,753	571	40	3,016	80.4
75 to 79 years	12	169.7	176	2,424.1	164	13.4	93.5	6,700	544	38	5,547	82.8
80 to 84 years	8	193.5	112	2,723.7	105	13.1	93.3	4,014	503	36	3,349	83.4
85 years and over	5	201.8	78	3,007.5	69	13.3	89.5	2,567	493	33	2,197	85.6

Table 4.1.2 DISCHARGES BY AGE, RACE, AND SEX: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables]

Age, race, and sex	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Annual rate per 1,000 enrolled popu- lation	Total (in thousands)	Annual rate per 1,000 enrolled popu- lation	Covered days			Amount			Reimbursed by hospital insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
WITH SURGERY												
All Persons												
Total, 65 years and over	767	79.4	10,892	1,127.5	10,503	13.7	96.4	\$550,935	\$718	\$51	\$428,240	77.7
65 and 66 years	100	71.9	1,261	910.2	1,220	12.3	96.8	66,777	671	53	51,029	76.4
67 and 68 years	97	75.8	1,240	973.2	1,201	12.4	96.9	65,613	680	53	50,128	76.4
69 and 70 years	94	76.7	1,233	1,008.7	1,192	12.7	96.7	64,673	690	52	49,818	77.0
71 and 72 years	90	79.1	1,229	1,075.9	1,188	13.1	96.7	63,868	707	52	49,052	76.8
73 and 74 years	85	82.7	1,183	1,155.2	1,145	13.5	96.9	60,593	715	51	46,883	77.4
75 to 79 years	163	85.3	2,420	1,265.3	2,327	14.3	96.2	120,041	736	50	94,061	78.4
80 to 84 years	92	84.5	1,492	1,365.4	1,435	15.5	96.2	71,486	775	48	56,595	79.2
85 years and over	47	76.5	836	1,373.4	795	17.1	95.1	37,884	813	45	30,675	81.0
Men, 65 years and over	379	92.2	5,280	1,285.3	5,096	13.5	96.5	277,954	734	53	213,937	77.0
65 and 66 years	50	79.2	649	1,027.9	625	12.5	96.3	35,406	708	55	26,821	75.8
67 and 68 years	49	85.6	619	1,085.4	599	12.3	96.7	34,016	697	55	25,695	75.5
69 and 70 years	47	87.2	613	1,141.9	592	12.6	96.6	33,398	713	54	25,484	76.3
71 and 72 years	44	89.9	592	1,199.4	573	12.9	96.7	32,076	722	54	24,361	75.9
73 and 74 years	43	97.3	586	1,337.7	568	13.3	97.1	31,308	735	53	24,078	76.9
75 to 79 years	80	101.7	1,161	1,470.3	1,123	14.0	96.7	60,197	749	52	46,753	77.7
80 to 84 years	45	104.9	713	1,653.1	687	15.2	96.4	35,498	785	50	27,798	78.3
85 years and over	21	94.9	346	1,601.5	329	16.0	94.9	16,054	782	46	12,947	80.6
Women, 65 years and over	388	69.9	5,612	1,010.7	5,407	13.9	96.3	272,981	703	49	214,303	78.5
65 and 66 years	50	65.8	612	811.7	595	12.0	97.3	31,371	633	51	24,208	77.2
67 and 68 years	48	67.8	620	882.2	602	12.6	97.0	31,598	663	51	24,433	77.3
69 and 70 years	47	68.4	620	904.2	600	12.8	96.7	31,275	667	50	24,334	77.8
71 and 72 years	46	70.9	636	981.8	615	13.4	96.6	31,792	692	50	24,690	77.7
73 and 74 years	42	71.9	597	1,018.7	577	13.7	96.7	29,284	695	49	22,805	77.9
75 to 79 years	83	73.8	1,258	1,121.0	1,204	14.5	95.7	59,844	723	48	47,308	79.1
80 to 84 years	47	71.2	779	1,177.8	748	15.9	96.0	35,988	765	46	28,797	80.0
85 years and over	26	66.3	490	1,247.7	466	17.9	95.2	21,830	838	45	17,728	81.2
White												
Total, 65 years and over	707	81.9	9,925	1,150.3	9,571	13.5	96.4	504,388	713	51	391,521	77.6
65 and 66 years	92	74.5	1,151	929.3	1,115	12.1	96.8	61,304	665	53	46,806	76.4
67 and 68 years	90	78.7	1,145	995.8	1,110	12.3	96.9	60,866	673	53	46,404	76.2
69 and 70 years	87	79.3	1,133	1,030.3	1,096	12.6	96.7	59,675	685	53	45,876	76.9
71 and 72 years	84	81.8	1,137	1,101.3	1,098	13.0	96.6	59,382	703	52	45,550	76.7
73 and 74 years	79	85.3	1,092	1,178.9	1,057	13.4	96.8	56,044	709	51	43,321	77.3
75 to 79 years	151	87.6	2,216	1,287.5	2,131	14.1	96.1	110,371	732	50	86,356	78.2
80 to 84 years	84	87.2	1,343	1,400.3	1,295	15.5	96.4	64,839	775	48	51,329	79.2
85 years and over	39	78.5	708	1,413.7	671	17.1	94.7	31,907	811	45	25,878	81.1
Men, 65 years and over	353	95.0	4,859	1,308.1	4,690	13.3	96.5	257,447	730	53	197,777	76.8
65 and 66 years	46	81.6	588	1,041.6	566	12.3	96.4	32,285	701	55	24,439	75.7
67 and 68 years	46	88.5	571	1,105.6	552	12.1	96.8	31,589	691	55	23,817	75.4
69 and 70 years	44	89.9	558	1,152.5	540	12.4	96.7	30,712	705	55	23,345	76.0
71 and 72 years	42	93.4	554	1,235.4	536	12.8	96.7	30,186	720	54	22,901	75.9
73 and 74 years	40	100.2	544	1,360.9	527	13.2	97.0	29,238	730	54	22,427	76.7
75 to 79 years	75	104.3	1,080	1,495.2	1,044	13.9	96.7	56,285	747	52	43,640	77.5
80 to 84 years	42	107.5	658	1,684.3	635	15.1	96.5	33,015	786	50	25,824	78.2
85 years and over	18	96.5	306	1,625.6	289	15.9	94.4	14,138	777	46	11,385	80.5
Women, 65 years and over	354	72.1	5,066	1,031.1	4,881	13.8	96.3	246,941	697	49	193,744	78.5
65 and 66 years	46	68.5	564	835.4	548	11.9	97.3	29,019	628	51	22,367	77.1
67 and 68 years	45	70.6	574	906.3	557	12.5	97.1	29,277	655	51	22,588	77.2
69 and 70 years	44	70.9	575	934.1	556	12.7	96.7	28,963	664	50	22,531	77.8
71 and 72 years	43	72.8	583	998.2	562	13.2	96.4	29,196	687	50	22,650	77.6
73 and 74 years	39	73.9	548	1,040.8	530	13.6	96.7	26,806	688	49	20,895	77.9
75 to 79 years	75	75.5	1,136	1,137.3	1,087	14.4	95.6	54,086	717	48	42,715	79.0
80 to 84 years	42	73.2	685	1,205.0	660	15.9	96.4	31,825	765	46	25,505	80.1
85 years and over	21	67.6	402	1,285.9	381	18.0	95.0	17,769	841	44	14,493	81.6
All Other Races												
Total, 65 years and over	38	51.3	608	830.6	588	15.7	96.8	28,750	766	47	22,810	79.3
65 and 66 years	6	50.3	93	777.4	90	15.0	96.8	4,590	763	49	3,555	77.4
67 and 68 years	5	45.7	78	743.2	75	15.6	96.3	3,783	792	49	2,989	79.0
69 and 70 years	5	49.9	78	783.6	76	15.1	96.4	3,907	781	50	3,092	79.1
71 and 72 years	4	49.8	69	775.6	67	15.2	97.7	3,254	734	47	2,562	78.7
73 and 74 years	4	51.0	62	834.2	60	15.9	97.4	3,021	795	49	2,404	79.6
75 to 79 years	7	56.6	123	953.6	119	16.3	96.8	5,641	776	46	4,512	80.0
80 to 84 years	4	54.5	66	917.3	64	16.3	96.6	2,875	732	43	2,318	80.6
85 years and over	2	52.6	39	894.2	38	16.4	96.3	1,679	731	43	1,379	82.1
Men, 65 years and over	21	62.8	345	1,040.5	333	16.0	96.7	16,447	791	48	12,997	79.0
65 and 66 years	4	62.3	57	986.4	55	15.3	96.3	2,879	793	50	2,200	76.4
67 and 68 years	3	56.9	44	907.5	43	15.3	96.0	2,182	784	49	1,702	78.0
69 and 70 years	3	62.4	50	1,079.2	48	16.6	96.0	2,441	841	49	1,954	80.1
71 and 72 years	2	51.4	33	833.4	32	15.7	96.6	1,604	780	48	1,248	77.8
73 and 74 years	2	59.9	33	1,007.6	33	16.5	98.2	1,597	810	48	1,288	80.6
75 to 79 years	4	69.5	66	1,186.4	64	16.4	95.8	3,076	791	46	2,453	79.7
80 to 84 years	2	73.8	38	1,233.1	37	16.3	97.7	1,672	734	44	1,332	79.6
85 years and over	1	72.3	22	1,216.0	21	16.6	98.6	995	770	46	819	82.3
Women, 65 years and over	17	41.7	263	657.0	255	15.3	97.0	12,303	736	47	9,813	79.8
65 and 66 years	2	38.9	35	578.8	35	14.5	97.6	1,711	717	48	1,354	79.2
67 and 68 years	2	35.9	33	598.3	32	16.1	96.6	1,601	803	48	1,287	80.4
69 and 70 years	2	39.1	28	527.0	27	13.1	97.1	1,466	699	52	1,138	77.6
71 and 72 years	2	48.6	36	728.3	35	14.8	98.8	1,650	695	46	1,313	79.6
73 and 74 years	2	44.0	29	696.7	28	15.3	96.4	1,424	779	49	1,115	78.3
75 to 79 years	3	46.6	56	774.1	55	16.3	97.9	2,565	759	46	2,059	80.3
80 to 84 years	2	40.0	28	681.1	27	16.2	95.1	1,203	729	43	986	82.0
85 years and over	1	38.9	17	671.4	16	16.1	93.4	684	680	39	560	81.9

Table 4.1.2 DISCHARGES BY AGE, RACE, AND SEX: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Age, race, and sex	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Annual rate per 1,000 enrolled popula- tion	Total (in thousands)	Annual rate per 1,000 enrolled popula- tion	Covered days			Amount			Reimbursed by hospital insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
WITHOUT SURGERY												
All Persons												
Total, 65 years and over	1,583	163.8	20,220	2,092.9	18,289	11.6	90.5	\$763,247	\$482	\$38	\$609,227	79.8
65 and 66 years	164	118.2	1,895	1,368.5	1,725	10.5	91.0	76,564	468	40	59,965	78.3
67 and 68 years	163	128.2	1,888	1,481.6	1,729	10.6	91.6	75,996	465	40	59,660	78.5
69 and 70 years	166	136.0	2,000	1,635.6	1,811	10.9	90.5	78,983	475	39	62,055	78.5
71 and 72 years	166	145.3	2,030	1,777.8	1,852	11.2	91.2	80,102	483	39	63,073	78.7
73 and 74 years	166	162.5	2,070	2,022.0	1,893	11.4	91.4	80,260	482	39	63,744	79.4
75 to 79 years	355	185.7	4,692	2,453.5	4,233	11.9	90.2	175,649	495	37	140,926	80.2
80 to 84 years	247	225.8	3,393	3,106.2	3,034	12.3	89.4	120,037	487	35	97,371	81.1
85 years and over	155	255.2	2,252	3,697.8	2,013	13.0	89.4	75,657	487	34	62,432	82.5
Men, 65 years and over												
65 and 66 years	705	171.5	8,547	2,080.3	7,756	11.0	90.8	335,243	476	39	263,628	78.6
67 and 68 years	81	128.9	924	1,463.2	840	10.3	90.9	38,446	472	42	29,792	77.5
69 and 68 years	78	137.1	877	1,537.4	806	10.3	91.9	36,440	466	42	28,362	77.8
69 and 70 years	76	140.6	870	1,619.1	796	10.5	91.6	35,889	475	41	27,811	77.5
71 and 72 years	74	149.2	854	1,729.0	782	10.6	91.5	35,206	478	41	27,217	77.3
73 and 74 years	75	171.2	894	2,042.9	815	10.9	91.1	35,838	478	40	28,047	78.3
75 to 79 years	154	195.4	1,943	2,460.1	1,756	11.4	90.3	75,378	488	39	59,534	79.0
80 to 84 years	105	243.7	1,353	3,139.7	1,212	11.5	89.6	49,234	469	36	39,446	80.1
85 years and over	61	284.1	831	3,839.8	749	12.2	90.2	28,810	469	35	23,418	81.3
Women, 65 years and over												
65 and 66 years	878	158.1	11,673	2,102.3	10,533	12.0	90.2	428,004	487	37	345,599	80.7
67 and 68 years	82	109.2	971	1,289.2	885	10.7	91.1	38,118	463	39	30,173	79.2
67 and 68 years	85	120.9	1,010	1,436.4	923	10.8	91.3	39,556	465	39	31,298	79.1
69 and 70 years	91	132.5	1,130	1,648.6	1,014	11.2	89.8	43,094	475	38	34,244	79.5
71 and 72 years	92	142.4	1,176	1,815.0	1,071	11.6	91.0	44,895	487	38	35,857	79.9
73 and 74 years	91	156.0	1,176	2,006.4	1,078	11.8	91.7	44,421	486	38	35,697	80.4
75 to 79 years	201	178.8	2,748	2,448.9	2,477	12.3	90.1	100,270	500	36	81,392	81.2
80 to 84 years	142	214.1	2,040	3,084.4	1,822	12.9	89.3	70,803	500	35	57,925	81.8
85 years and over	94	239.2	1,421	3,619.5	1,263	13.4	88.9	46,847	499	33	39,014	83.3
White												
Total, 65 years and over	1,446	167.6	18,326	2,124.0	16,587	11.5	90.5	695,410	481	38	553,814	79.6
65 and 66 years	151	121.5	1,731	1,396.7	1,577	10.5	91.1	70,443	468	41	54,968	78.0
67 and 68 years	151	131.2	1,726	1,502.2	1,585	10.5	91.8	70,006	464	41	54,826	78.3
69 and 70 years	154	140.1	1,835	1,668.4	1,662	10.8	90.6	72,914	473	40	57,149	78.4
71 and 72 years	154	148.8	1,868	1,809.9	1,705	11.1	91.3	74,188	483	40	58,237	78.5
73 and 74 years	155	166.9	1,908	2,059.8	1,746	11.3	91.5	74,254	480	39	58,899	79.3
75 to 79 years	328	190.6	4,322	2,510.3	3,898	11.9	90.2	162,229	494	38	129,968	80.1
80 to 84 years	222	231.4	3,035	3,165.2	2,715	12.2	89.5	107,564	485	35	87,144	81.0
85 years and over	132	263.7	1,901	3,795.5	1,700	12.9	89.4	63,812	483	34	52,623	82.5
Men, 65 years and over												
65 and 66 years	654	176.1	7,878	2,120.9	7,152	10.9	90.8	310,991	475	39	244,059	78.5
67 and 68 years	75	132.4	837	1,483.0	763	10.2	91.2	35,236	472	42	27,180	77.1
67 and 68 years	73	140.6	805	1,559.1	741	10.2	92.1	33,690	464	42	26,196	77.8
69 and 70 years	70	145.0	802	1,654.6	735	10.5	91.7	33,355	475	42	25,781	77.3
71 and 72 years	69	153.4	789	1,759.2	723	10.5	91.6	32,841	477	42	25,293	77.0
73 and 74 years	70	176.3	835	2,088.9	760	10.8	91.1	33,599	477	40	26,264	78.2
75 to 79 years	145	200.7	1,820	2,519.7	1,642	11.3	90.2	70,940	489	39	55,937	78.9
80 to 84 years	98	249.8	1,251	3,200.9	1,120	11.5	89.6	45,608	467	36	36,501	80.0
85 years and over	55	291.4	741	3,930.7	667	12.1	90.1	25,722	468	35	20,906	81.3
Women, 65 years and over												
65 and 66 years	791	161.1	10,448	2,126.4	9,436	11.9	90.3	384,419	486	37	309,755	80.6
67 and 68 years	76	112.4	894	1,324.6	814	10.7	91.1	35,207	464	39	27,789	78.9
67 and 68 years	78	123.6	921	1,455.8	843	10.8	91.5	36,316	464	39	28,629	78.8
69 and 70 years	84	136.2	1,033	1,679.2	927	11.1	89.7	39,559	472	38	31,367	79.3
71 and 72 years	85	145.3	1,079	1,848.8	982	11.6	91.0	41,347	488	38	32,944	79.7
73 and 74 years	84	159.7	1,073	2,037.6	986	11.7	91.8	40,655	483	38	32,635	80.3
75 to 79 years	183	183.2	2,502	2,503.6	2,255	12.3	90.2	91,289	499	36	74,031	81.1
80 to 84 years	124	218.8	1,785	3,140.6	1,595	12.8	89.4	61,955	498	35	50,642	81.7
85 years and over	77	247.0	1,160	3,714.0	1,033	13.4	89.0	38,090	494	33	31,717	83.3
All Other Races												
Total, 65 years and over	84	115.2	1,109	1,515.1	1,014	12.0	91.4	39,089	464	35	32,303	82.6
65 and 66 years	11	91.9	138	1,150.7	125	11.3	90.5	5,099	464	37	4,198	82.3
67 and 68 years	10	96.3	130	1,246.3	117	11.6	89.8	4,725	470	36	3,842	81.3
69 and 70 years	9	94.7	127	1,267.0	116	12.2	91.5	4,573	482	36	3,751	82.0
71 and 72 years	9	104.7	121	1,356.3	111	11.9	92.0	4,376	470	36	3,593	82.1
73 and 74 years	8	113.6	113	1,514.4	105	12.4	93.3	4,165	493	37	3,355	80.5
75 to 79 years	16	128.4	216	1,680.7	199	12.1	92.3	7,513	455	35	6,271	83.5
80 to 84 years	12	162.5	158	2,187.4	144	12.3	91.5	5,247	448	33	4,398	83.8
85 years and over	8	178.5	107	2,452.9	97	12.4	90.1	3,392	435	32	2,895	85.4
Men, 65 years and over												
65 and 66 years	40	120.8	522	1,575.0	477	11.9	91.4	18,607	465	36	15,227	81.8
65 and 66 years	6	105.4	79	1,358.8	71	11.6	89.8	2,912	474	37	2,403	82.5
67 and 68 years	5	103.6	65	1,326.4	58	11.4	89.1	2,406	474	37	1,924	80.0
69 and 70 years	4	96.3	58	1,256.8	54	12.0	91.7	2,158	482	37	1,762	81.7
71 and 72 years	4	102.5	54	1,347.5	50	12.1	91.8	1,974	481	37	1,608	81.5
73 and 74 years	4	112.8	49	1,482.5	45	12.2	93.1	1,836	495	38	1,454	79.2
75 to 79 years	8	135.2	96	1,720.6	90	11.9	93.3	3,377	447	35	2,784	82.4
80 to 84 years	5	174.5	73	2,381.0	66	12.3	90.0	2,436	452	33	2,035	83.5
85 years and over	4	201.1	47	2,621.5	43	12.0	92.4	1,508	420	32	1,257	83.4
Women, 65 years and over												
65 and 66 years	44	110.5	587	1,465.6	537	12.1	91.5	20,482	463	35	17,075	83.4
65 and 66 years	5	79.1	58	952.8	53	11.0	91.4	2,187	451	37	1,795	82.1
67 and 68 years	5	89.9	65	1,175.6	59	11.8	90.5	2,318	465	36	1,918	82.7
69 and 70 years	5	93.4	68	1,275.8	62	12.5	91.3	2,415	483	35	1,989	82.4
71 and 72 years	5	106.6	67	1,363.4	61	11.8	92.1	2,402	461	36	1,984	82.6
73 and 74 years	5	114.2	64	1,539.7	60	12.6	93.4	2,329	491	36	1,901	81.6
75 to 79 years	9	123.1	120	1,650.0	109	12.3	91.4	4,135	463	35	3,487	84.3
80 to 84 years	6	153.5	84	2,042.5	78	12.3	92.7	2,811	444	33	2,363	84.1
85 years and over	4	162.9	60	2,336.1	53	12.7	88.3	1,884	448	31	1,638	86.9

Table 4.1.3 DISCHARGES BY REGION, DIVISION, AND STATE: DISCHARGE STATUS, TOTAL DAYS OF CARE, AND AVERAGE LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

[See NOTES preceding General Tables]

Area of residence	Discharges (in thousands)				Total days of care (in thousands)				Mean length of stay (in days)				Median length of stay (in days)			
	Total	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966	
			Dis- charged alive	Dis- charged dead			Dis- charged alive	Dis- charged dead			Dis- charged alive	Dis- charged dead			Dis- charged alive	Dis- charged dead
ALL DISCHARGES																
All areas	2,350	126	1,996	227	31,112	3,952	24,382	2,779	13.2	31.3	12.2	12.2	9.7	21.6	9.4	7.4
United States	2,339	126	1,986	227	30,961	3,938	24,250	2,773	13.2	31.3	12.2	12.2	9.6	21.6	9.4	7.4
Northeast	551	37	452	62	8,528	1,293	6,451	784	15.5	34.6	14.3	12.6	11.4	24.5	11.1	7.5
North Central	735	42	620	73	10,116	1,358	7,847	910	13.8	32.2	12.7	12.5	9.9	21.9	9.7	7.6
South	702	30	610	62	8,236	785	6,717	734	11.7	26.0	11.0	11.9	8.8	18.7	8.6	7.3
West	351	16	304	30	4,076	499	3,232	344	11.6	30.9	10.6	11.3	8.1	20.3	7.9	6.7
Northeast:																
New England	141	9	118	14	2,010	264	1,577	170	14.3	31.0	13.3	12.2	10.7	23.5	10.5	7.1
Middle Atlantic	410	29	333	48	6,518	1,029	4,874	614	15.9	35.7	14.6	12.8	11.7	24.8	11.4	7.7
North Central:																
East North Central	455	28	380	48	6,448	880	4,980	589	14.2	31.5	13.1	12.4	10.4	21.7	10.1	7.7
West North Central	279	14	240	25	3,667	478	2,868	321	13.1	33.6	11.9	12.8	9.2	22.6	8.9	7.5
South:																
South Atlantic	307	15	263	29	3,883	412	3,118	352	12.6	26.8	11.9	12.1	9.6	19.8	9.4	7.3
East South Central	147	6	128	13	1,716	154	1,401	160	11.7	26.6	11.0	12.1	8.9	18.3	8.8	7.6
West South Central	248	9	220	19	2,638	219	2,197	222	10.6	24.1	10.0	11.6	7.9	17.6	7.7	7.1
West:																
Mountain	94	4	82	8	1,104	131	875	97	11.8	30.7	10.7	12.5	8.3	20.1	8.1	7.3
Pacific	257	12	223	23	2,972	368	2,357	247	11.6	30.9	10.6	10.9	8.0	20.3	7.8	6.4
New England:																
Maine	16	1	13	1	199	27	156	16	12.7	30.1	11.6	11.3	9.1	22.8	8.9	6.4
New Hampshire	9	1	8	1	121	16	93	11	13.0	29.5	12.1	11.3	9.3	20.6	9.0	7.4
Vermont	7	—	6	1	93	13	73	7	13.6	30.0	12.5	11.5	9.2	25.7	9.0	6.3
Massachusetts	69	4	58	7	1,032	146	797	89	15.0	33.1	13.8	13.0	11.2	25.0	10.9	7.7
Rhode Island	10	1	8	1	148	13	123	13	14.7	22.2	14.6	12.0	11.6	19.8	11.6	7.2
Connecticut	30	2	25	3	417	48	335	34	14.0	29.4	13.4	11.3	10.9	21.9	10.8	6.5
Middle Atlantic:																
New York	203	15	165	24	3,305	582	2,416	307	16.2	38.8	14.6	13.0	11.5	26.3	11.1	7.7
New Jersey	65	4	54	8	948	111	745	92	14.5	30.3	13.9	11.6	11.4	21.4	11.3	7.0
Pennsylvania	142	10	115	17	2,264	336	1,714	215	16.0	33.0	14.9	13.0	12.0	23.9	11.8	7.8
East North Central:																
Ohio	113	8	93	12	1,623	231	1,251	142	14.4	30.3	13.4	11.8	10.7	21.7	10.5	7.3
Indiana	55	3	45	6	770	109	584	78	14.1	31.9	13.0	12.4	10.2	21.8	9.9	7.4
Illinois	134	8	111	15	1,942	265	1,491	186	14.5	32.4	13.4	12.8	10.5	23.0	10.2	8.3
Michigan	88	5	74	9	1,233	126	996	111	14.0	25.7	13.4	12.4	10.7	19.1	10.6	7.6
Wisconsin	65	4	56	6	879	149	658	72	13.5	38.9	11.8	12.7	9.1	24.4	8.7	7.6
West North Central:																
Minnesota	61	3	53	5	800	104	628	68	13.0	35.8	11.8	13.1	9.1	23.3	8.8	7.7
Iowa	52	3	45	5	680	86	533	60	13.0	31.2	11.9	12.6	9.3	21.4	9.0	7.5
Missouri	72	4	62	7	970	103	783	83	13.4	29.2	12.7	12.0	9.8	20.9	9.7	7.3
North Dakota	13	1	11	1	164	20	130	14	12.5	33.7	11.4	13.1	9.0	22.4	8.8	7.5
South Dakota	14	1	12	1	171	30	128	13	12.0	39.8	10.3	12.4	7.5	27.3	7.2	6.3
Nebraska	26	1	22	3	343	47	259	37	13.3	35.6	11.9	14.3	8.7	24.9	8.3	7.4
Kansas	40	2	34	4	540	87	406	46	13.4	36.9	11.8	13.1	9.1	24.4	8.7	8.0
South Atlantic:																
Delaware	4	—	3	—	60	7	47	6	14.6	*	13.8	13.6	11.0	*	10.9	7.4
Maryland	26	2	21	3	372	43	297	32	14.6	28.7	14.1	10.7	11.7	21.9	11.7	7.1
District of Columbia	6	—	5	1	101	14	75	12	16.3	35.6	14.6	18.0	12.1	28.3	11.5	10.0
Virginia	40	2	33	4	560	74	431	56	14.0	31.3	13.0	13.1	10.5	21.3	10.3	7.6
West Virginia	28	1	24	2	357	37	285	35	12.9	27.1	12.0	14.0	9.8	18.8	9.6	8.3
North Carolina	49	3	41	5	620	80	484	56	12.8	25.2	11.8	12.5	9.5	18.9	9.2	7.6
South Carolina	19	1	16	2	244	18	202	24	13.0	23.3	12.6	12.3	9.8	20.1	9.8	7.7
Georgia	40	1	35	4	424	31	354	39	10.6	21.3	10.1	10.5	8.1	16.1	8.0	6.5
Florida	96	4	84	8	1,144	108	944	92	11.9	26.5	11.2	11.3	9.1	19.8	8.9	6.9
East South Central:																
Kentucky	45	2	39	4	524	56	420	48	11.5	27.0	10.7	11.8	8.8	18.1	8.6	8.0
Tennessee	47	2	41	4	562	54	459	50	12.0	26.9	11.3	11.8	9.1	19.3	8.9	7.3
Alabama	35	1	30	3	408	32	335	41	11.7	25.2	11.1	12.0	9.1	17.9	9.0	7.3
Mississippi	20	—	18	2	222	13	188	21	11.3	27.5	10.6	13.6	8.5	19.3	8.4	7.8
West South Central:																
Arkansas	32	1	28	3	334	21	282	31	10.4	19.1	9.9	11.4	7.8	14.0	7.6	7.3
Louisiana	31	1	27	3	312	27	257	29	10.2	24.7	9.5	11.2	7.5	19.7	7.4	6.9
Oklahoma	47	2	42	4	504	36	425	42	10.6	21.1	10.2	11.1	8.4	15.3	8.3	6.8
Texas	138	5	123	10	1,488	135	1,233	120	10.8	26.1	10.1	11.8	7.8	18.6	7.6	7.2
Mountain:																
Montana	13	1	11	1	157	30	111	17	12.1	48.9	9.8	15.4	7.4	26.7	7.1	7.8
Idaho	9	—	8	1	94	10	77	8	10.3	26.1	9.5	11.0	7.3	19.5	7.1	6.8
Wyoming	5	—	5	—	63	10	46	7	11.8	40.2	10.0	14.2	7.6	23.4	7.4	7.1
Colorado	29	1	25	2	353	41	285	27	12.3	27.8	11.4	11.9	9.2	19.3	9.0	7.4
New Mexico	9	—	8	1	93	6	77	10	10.7	23.3	10.1	12.8	7.6	17.2	7.5	7.2
Arizona	17	1	15	1	215	22	174	18	12.5	29.9	11.6	12.8	8.8	21.4	8.6	6.8
Utah	9	—	7	1	92	7	76	9	10.7	20.0	10.2	10.8	8.5	16.2	8.3	6.8
Nevada	3	—	2	—	37	4	30	2	12.9	*	12.2	*	9.2	*	8.8	*
Pacific:																
Washington	39	1	34	3	382	39	311	32	9.8	26.8	9.1	9.5	7.0	17.5	6.9	6.0
Oregon	26	1	23	2	271	28	220	23	10.4	26.7	9.7	10.2	7.4	18.6	7.3	5.9
California	187	9	161	17	2,243	293	1,763	187	12.0	31.9	11.0	11.2	8.4	20.7	8.2	6.7
Alaska	1	—	1	—	10	1	8	—	13.0	*	11.9	*	8.1	*	7.5	*
Hawaii	5	—	4	—	66	7	54	4	13.2	*	12.4	10.5	8.6	*	8.5	5.3
Other areas:																
Guam	—	—	—	—	1	—	1	—	*	*	*	*	*	*	*	*
Puerto Rico	10	—	9	—	138	12	121	5	13.7	33.7	13.0	11.7	10.6	26.1	10.4	9.0
Virgin Islands	—	—	—	—	4	—	3	—	14.8	*	*	*	11.5	*	*	*
All other areas	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*

Table 4.1.3 DISCHARGES BY REGION, DIVISION, AND STATE: DISCHARGE STATUS, TOTAL DAYS OF CARE, AND AVERAGE LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Area of residence	Discharges (in thousands)				Total days of care (in thousands)				Mean length of stay (in days)				Median length of stay (in days)			
	Total	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966	
			Ois- charged alive	Ois- charged dead			Ois- charged alive	Ois- charged dead			Ois- charged alive	Ois- charged dead				
WITH SURGERY																
All areas	767	24	703	40	10,892	790	9,351	751	14.2	32.8	13.3	18.9	10.8	24.6	10.4	14.6
United States	764	24	700	40	10,841	786	9,305	750	14.2	32.8	13.3	18.9	10.7	24.6	10.4	14.6
Northeast	196	7	178	11	3,117	267	2,628	221	15.9	36.7	14.8	20.1	12.2	28.2	11.6	16.0
North Central	236	8	216	12	3,501	259	2,997	244	14.8	33.4	13.9	19.7	11.3	24.7	10.8	15.4
South	206	6	190	10	2,730	159	2,383	188	13.3	28.2	12.6	18.2	10.4	21.7	10.2	13.6
West	126	3	117	6	1,493	100	1,297	97	11.9	30.5	11.1	16.6	8.9	22.8	8.6	12.6
Northeast:																
New England	49	2	44	3	744	62	631	51	15.3	33.4	14.3	19.2	11.8	28.3	11.2	14.7
Middle Atlantic	147	5	134	8	2,372	206	1,997	170	16.1	37.9	14.9	20.3	12.3	28.2	11.7	16.3
North Central:																
East North Central	154	5	141	9	2,335	172	1,997	166	15.1	32.9	14.2	19.5	11.6	24.5	11.1	15.6
West North Central	82	3	75	4	1,165	87	1,000	78	14.3	34.4	13.3	20.2	10.7	24.9	10.3	15.1
South:																
South Atlantic	103	3	94	5	1,411	89	1,225	97	13.7	28.7	13.0	18.4	10.7	22.4	10.4	13.8
East South Central	38	1	35	2	517	31	446	40	13.5	32.7	12.7	18.7	10.7	23.1	10.4	13.8
West South Central	65	2	60	3	803	40	712	51	12.4	24.6	11.8	17.3	9.8	19.8	9.6	13.4
West:																
Mountain	30	1	27	1	364	23	318	24	12.3	28.4	11.6	17.3	9.4	21.9	9.1	12.7
Pacific	96	2	89	4	1,129	77	979	73	11.7	31.2	11.0	16.4	8.8	23.3	8.5	12.5
New England:																
Maine	4	—	4	—	67	7	56	5	15.0	*	13.8	*	11.2	*	10.6	*
New Hampshire	3	—	3	—	42	2	36	3	13.8	*	13.0	*	10.6	*	10.2	*
Vermont	2	—	2	—	31	3	25	2	15.2	*	14.0	*	10.1	*	9.7	*
Massachusetts	24	1	21	1	375	34	315	26	16.0	34.4	14.8	21.1	12.3	28.4	11.6	17.2
Rhode Island	4	—	4	—	58	2	52	4	14.3	*	14.0	*	10.7	*	10.5	*
Connecticut	12	—	11	1	172	14	147	11	14.8	33.0	13.9	17.5	11.9	30.1	11.6	12.5
Middle Atlantic:																
New York	73	3	66	4	1,194	119	989	87	16.4	41.1	15.1	20.4	12.1	29.6	11.5	15.8
New Jersey	24	1	22	1	352	18	310	24	14.8	29.1	14.2	18.8	11.9	21.9	11.4	16.6
Pennsylvania	51	2	46	3	826	68	698	60	16.2	35.9	15.1	20.9	12.6	28.1	12.1	17.1
East North Central:																
Ohio	39	1	35	2	600	45	514	41	15.5	32.5	14.6	19.2	12.2	25.1	11.8	14.9
Indiana	20	1	18	1	293	22	248	23	15.0	33.7	14.0	20.0	11.1	25.8	10.7	14.7
Illinois	45	2	40	2	698	59	589	50	15.7	33.7	14.6	20.2	12.0	24.7	11.4	17.2
Michigan	30	1	28	2	440	21	387	32	14.5	28.6	13.9	19.0	11.6	22.5	11.2	15.6
Wisconsin	21	1	19	1	305	27	259	19	14.3	35.2	13.3	18.6	10.6	24.5	10.2	14.3
West North Central:																
Minnesota	19	1	18	1	264	21	224	18	13.9	39.2	12.7	22.8	10.1	27.0	9.7	17.8
Iowa	15	1	14	1	212	17	182	13	14.3	31.3	13.4	18.8	10.9	20.8	10.6	13.8
Missouri	23	1	21	1	342	22	298	22	15.1	30.5	14.3	19.3	11.6	24.0	11.2	14.7
North Dakota	3	—	3	—	43	2	38	4	13.8	*	13.2	*	10.6	*	10.2	*
South Dakota	4	—	4	—	51	5	42	3	12.6	*	11.3	*	8.8	*	8.6	*
Nebraska	7	—	7	—	104	7	89	8	14.2	*	13.2	21.4	10.4	*	10.1	14.6
Kansas	11	—	10	—	149	13	126	10	14.1	37.6	12.9	20.6	10.9	27.5	10.5	14.2
South Atlantic:																
Delaware	2	—	1	—	23	1	20	2	14.5	*	14.0	*	11.2	*	11.1	*
Maryland	11	—	10	1	165	11	143	12	15.3	30.5	14.6	18.1	12.3	25.1	11.8	15.0
District of Columbia	3	—	2	—	40	3	33	4	15.6	*	14.0	*	12.6	*	12.1	*
Virginia	13	—	12	1	194	13	167	15	15.2	30.0	14.4	19.0	11.6	26.5	11.2	14.2
West Virginia	8	—	7	—	115	6	99	9	14.8	*	14.0	20.9	11.4	*	11.0	14.4
North Carolina	15	1	14	1	206	16	174	15	13.7	24.6	12.8	18.7	10.7	19.2	10.4	13.8
South Carolina	5	—	5	—	70	3	63	4	14.1	*	13.6	*	11.8	*	11.6	*
Georgia	11	—	10	1	137	7	120	10	12.2	23.8	11.6	15.9	9.9	18.9	9.6	12.2
Florida	36	1	34	2	462	28	406	28	12.8	30.4	12.1	17.6	10.0	23.4	9.7	13.7
East South Central:																
Kentucky	11	—	10	1	151	9	127	14	13.1	30.5	12.2	18.6	10.3	20.5	10.1	13.1
Tennessee	13	—	12	1	181	13	156	12	13.7	37.1	12.8	18.2	10.9	25.4	10.6	13.8
Alabama	9	—	8	—	124	7	107	9	13.6	*	12.8	18.7	10.6	*	10.4	12.8
Mississippi	5	—	4	—	62	1	56	5	13.6	*	13.1	*	11.1	*	10.8	*
West South Central:																
Arkansas	7	—	7	—	93	4	82	7	12.7	*	12.0	18.4	10.1	*	9.8	15.9
Louisiana	7	—	7	—	94	6	82	6	12.7	*	12.0	17.6	10.0	*	9.8	12.2
Oklahoma	12	—	11	1	140	7	125	9	12.1	22.6	11.7	14.6	10.1	17.5	9.9	12.5
Texas	39	1	36	2	475	23	424	29	12.3	24.3	11.8	18.0	9.7	19.3	9.4	13.5
Mountain:																
Montana	4	—	3	—	42	4	34	4	11.9	*	10.4	*	8.6	*	8.2	*
Idaho	2	—	2	—	27	2	24	1	11.2	*	10.5	*	8.8	*	8.6	*
Wyoming	1	—	1	—	16	1	14	1	11.9	*	11.3	*	8.6	*	8.4	*
Colorado	9	—	9	—	123	7	108	8	13.3	26.0	12.7	16.5	10.4	22.8	10.1	12.7
New Mexico	3	—	2	—	34	2	29	2	12.7	*	11.8	*	9.6	*	9.4	*
Arizona	6	—	6	—	72	4	65	3	12.2	*	11.8	*	9.5	*	9.2	*
Utah	3	—	3	—	36	2	31	3	11.0	*	10.2	*	8.5	*	8.2	*
Nevada	1	—	1	—	14	1	13	1	13.2	*	12.5	*	10.1	*	9.7	*
Pacific:																
Washington	13	—	13	1	137	8	122	8	10.3	30.6	9.7	15.0	7.8	23.6	7.7	11.5
Oregon	9	—	9	—	104	5	92	7	11.2	*	10.7	14.4	8.5	*	8.3	10.7
California	72	2	66	3	862	63	742	57	12.0	32.3	11.2	16.8	8.9	23.9	8.6	12.9
Alaska	—	—	—	—	2	—	2	—	—	*	*	*	*	*	*	*
Hawaii	2	—	1	—	23	—	21	1	14.4	*	14.2	*	10.6	*	10.4	*
Other areas:																
Guam	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*
Puerto Rico	3	—	3	—	45	3	41	1	15.4	*	14.8	*	12.0	*	11.7	*
Virgin Islands	—	—	—	—	2	—	2	—	*	*	*	*	*	*	*	*
All other areas	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*

Table 4.1.3 DISCHARGES BY REGION, DIVISION, AND STATE: DISCHARGE STATUS, TOTAL DAYS OF CARE, AND AVERAGE LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Area of residence	Discharges (in thousands)				Total days of care (in thousands)				Mean length of stay (in days)				Median length of stay (in days)			
	Total	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966	
			Ois- charged alive	Ois- charged dead			Ois- charged alive	Ois- charged dead			Ois- charged alive	Ois- charged dead			Ois- charged alive	Ois- charged dead
WITHOUT SURGERY																
All areas	1,583	102	1,293	188	20,220	3,162	15,030	2,027	12.8	30.9	11.6	10.8	9.0	21.0	8.8	6.0
United States	1,575	102	1,286	187	20,120	3,152	14,944	2,023	12.8	30.9	11.6	10.8	9.0	21.0	8.8	6.0
Northeast:																
New England	92	7	74	11	1,266	202	946	119	13.8	30.3	12.8	10.5	10.2	22.4	10.0	5.6
Middle Atlantic	263	23	200	40	4,145	824	2,878	444	15.8	35.2	14.4	11.2	11.3	24.1	11.2	6.1
North Central:																
East North Central	301	23	239	39	4,113	707	2,982	423	13.7	31.1	12.5	10.9	9.7	21.2	9.5	6.1
West North Central	198	12	165	21	2,502	391	1,868	243	12.6	33.4	11.3	11.4	8.5	21.9	8.2	6.3
South:																
South Atlantic	205	12	168	24	2,472	323	1,894	255	12.1	26.4	11.2	10.7	9.0	19.2	8.8	6.0
East South Central	108	5	92	11	1,199	123	955	120	11.1	25.4	10.3	10.8	8.2	17.7	8.1	6.6
West South Central	183	7	160	16	1,836	180	1,485	171	10.0	24.0	9.3	10.5	7.3	17.2	7.2	6.0
West:																
Mountain	64	3	54	6	739	108	558	74	11.5	31.3	10.3	11.5	7.8	19.7	7.6	6.3
Pacific	161	9	133	18	1,843	291	1,378	174	11.4	30.8	10.3	9.5	7.6	19.6	7.5	5.3
New England:																
Maine	11	1	9	1	133	20	101	12	11.8	28.9	10.7	9.8	8.3	21.7	8.1	5.1
New Hampshire	6	—	5	1	79	14	57	8	12.7	29.8	11.6	9.5	8.6	20.6	8.3	6.3
Vermont	5	—	4	1	63	10	47	5	12.9	28.4	11.9	9.8	8.8	24.2	8.6	5.0
Massachusetts	45	3	36	6	657	112	482	63	14.5	32.8	13.2	11.2	10.7	24.0	10.5	5.9
Rhode Island	6	—	5	1	91	11	71	9	15.0	22.1	14.9	11.1	12.2	19.4	12.4	6.1
Connecticut	18	1	15	2	245	34	188	22	13.5	28.1	13.0	9.6	10.3	21.0	10.3	4.9
Middle Atlantic:																
New York	131	12	99	19	2,110	464	1,427	220	16.1	38.2	14.4	11.4	11.2	25.6	10.9	6.3
New Jersey	42	3	32	7	597	93	435	69	14.4	30.6	13.7	10.3	11.0	21.4	11.2	5.7
Pennsylvania	91	8	69	14	1,438	267	1,016	155	15.9	32.4	14.8	11.3	11.7	23.0	11.6	6.1
East North Central:																
Ohio	74	6	58	10	1,024	186	737	100	13.8	29.8	12.6	10.2	10.0	21.2	9.9	5.7
Indiana	35	3	27	5	478	87	336	55	13.6	31.5	12.3	10.8	9.6	21.0	9.3	5.9
Illinois	90	6	71	12	1,244	206	901	136	13.9	32.1	12.7	11.3	9.8	22.4	9.6	6.6
Michigan	58	4	47	7	793	105	609	79	13.7	25.2	13.1	10.8	10.3	18.6	10.3	5.9
Wisconsin	44	3	36	5	575	123	399	53	13.1	39.8	11.1	11.4	8.2	24.4	7.8	6.3
West North Central:																
Minnesota	42	2	36	4	536	83	403	49	12.6	35.0	11.3	11.3	8.5	22.4	8.2	6.1
Iowa	38	2	31	4	468	70	350	48	12.4	31.2	11.2	11.6	8.5	21.5	8.2	6.4
Missouri	49	3	41	6	628	82	486	61	12.7	28.9	11.9	10.6	8.9	20.2	8.8	5.7
North Dakota	10	1	9	1	121	19	92	10	12.1	34.9	10.7	11.8	8.6	21.7	8.4	6.6
South Dakota	10	1	9	1	120	24	86	10	11.8	37.8	9.9	11.2	7.1	26.1	6.7	5.7
Nebraska	18	1	15	2	239	40	171	29	13.0	36.2	11.3	13.0	7.9	24.7	7.6	6.3
Kansas	30	2	25	3	390	74	280	36	13.1	36.8	11.3	11.9	8.5	23.5	8.0	7.3
South Atlantic:																
Delaware	3	—	2	—	37	5	27	5	14.6	*	13.6	12.3	10.9	*	10.7	7.1
Maryland	15	1	11	2	207	33	154	20	14.0	28.2	13.6	8.6	11.3	21.3	11.6	5.3
District of Columbia	4	—	3	1	61	11	42	8	16.8	34.0	15.2	15.1	11.6	26.3	10.9	7.0
Virginia	27	2	22	3	366	61	264	41	13.5	31.6	12.2	11.7	10.0	20.3	9.8	6.4
West Virginia	20	1	17	2	242	31	185	26	12.2	26.5	11.2	12.6	9.1	18.5	8.9	7.1
North Carolina	34	2	27	4	415	63	310	41	12.3	25.4	11.3	11.1	8.8	18.8	8.4	6.4
South Carolina	14	1	11	2	174	15	140	20	12.6	21.9	12.2	11.8	9.2	18.3	9.1	7.1
Georgia	29	1	25	3	287	25	234	29	10.0	20.7	9.5	9.4	7.6	15.4	7.5	5.5
Florida	60	3	51	7	682	80	538	64	11.3	25.4	10.6	9.8	8.5	18.8	8.3	5.5
East South Central:																
Kentucky	34	2	29	3	373	47	292	34	11.0	26.4	10.2	10.3	8.2	17.5	8.0	6.8
Tennessee	34	2	28	4	381	41	303	38	11.3	24.7	10.7	10.6	8.2	17.9	8.1	6.2
Alabama	26	1	22	3	284	25	228	31	11.0	23.6	10.4	10.9	8.6	17.0	8.5	6.7
Mississippi	15	—	13	1	160	11	132	17	10.6	28.6	9.9	12.4	7.8	19.0	7.7	6.7
West South Central:																
Arkansas	25	1	22	2	241	17	200	24	9.7	17.7	9.3	10.3	7.2	13.3	7.1	6.1
Louisiana	23	1	20	2	219	21	175	23	9.3	24.4	8.6	10.2	6.8	19.2	6.7	6.1
Oklahoma	36	1	31	3	363	30	300	33	10.1	20.8	9.6	10.5	7.9	14.9	7.8	5.9
Texas	99	4	87	9	1,013	113	809	91	10.2	26.4	9.3	10.7	7.2	18.5	7.0	6.1
Mountain:																
Montana	9	1	8	1	115	26	77	12	12.2	51.5	9.5	13.8	6.9	30.5	6.6	6.6
Idaho	7	—	6	1	67	8	53	6	9.9	25.2	9.1	10.5	6.8	18.4	6.5	6.3
Wyoming	4	—	3	—	47	9	32	6	11.8	*	9.6	14.2	7.2	*	6.9	6.8
Colorado	20	1	17	2	230	34	177	19	11.8	28.2	10.7	10.6	8.6	18.6	8.4	6.5
New Mexico	6	—	5	1	60	4	48	8	9.9	*	9.3	11.6	6.9	*	6.8	6.4
Arizona	11	1	9	1	142	19	109	15	12.7	31.7	11.5	12.4	8.5	21.4	8.2	6.0
Utah	5	—	4	1	56	5	44	6	10.6	18.7	10.3	9.0	8.5	16.3	8.3	5.2
Nevada	2	—	1	—	22	3	18	1	12.8	*	12.0	*	8.7	*	8.2	*
Pacific:																
Washington	26	1	22	3	245	31	189	25	9.5	26.0	8.7	8.5	6.6	16.1	6.4	5.3
Oregon	17	1	14	2	166	23	128	16	10.0	27.4	9.1	9.1	6.9	19.1	6.7	4.9
California	115	7	94	13	1,381	230	1,021	131	12.0	31.8	10.8	9.8	8.0	20.0	7.8	5.4
Alaska	1	—	1	—	8	1	7	—	13.6	*	12.6	*	8.4	*	7.7	*
Hawaii	3	—	3	—	43	7	33	3	12.6	*	11.4	9.0	7.6	*	7.5	4.2
Other areas:																
Guam	—	—	—	—	1	—	1	—	*	*	*	*	*	*	*	*
Puerto Rico	7	—	7	—	93	8	81	4	13.0	*	12.3	10.8	10.1	*	9.9	7.8
Virgin Islands	—	—	—	—	3	1	2	—	*	*	*	*	*	*	*	*
All other areas	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*

Table 4.1.4 DISCHARGES BY AGE, RACE, AND SEX: DISCHARGE STATUS, TOTAL DAYS OF CARE, AND AVERAGE LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

(See NOTES preceding General Tables)

Age, race, and sex	Discharges (in thousands)				Total days of care (in thousands)				Mean length of stay (in days)				Medion length of stay (in days)			
	Total	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966	
			Ois- charged alive	Ois- charged dead			Ois- charged alive	Ois- charged dead			Ois- charged alive	Dis- charged dead			Dis- charged alive	Dis- charged dead
ALL DISCHARGES																
All Persons																
Total, 65 years and aver	2,350	126	1,996	227	31,112	3,952	24,382	2,779	13.2	31.3	12.2	12.2	9.7	21.6	9.4	7.4
65 and 66 years	263	13	235	16	3,156	357	2,605	194	12.0	28.1	11.1	12.4	9.0	19.6	8.7	7.5
67 and 68 years	260	13	230	17	3,127	345	2,580	203	12.0	26.6	11.2	11.9	9.1	19.3	8.9	7.0
69 and 70 years	260	13	228	18	3,233	389	2,631	214	12.4	29.2	11.5	11.7	9.3	20.9	9.1	7.2
71 and 72 years	256	13	223	20	3,259	384	2,638	237	12.7	29.0	11.8	11.7	9.5	20.3	9.3	7.1
73 and 74 years	251	13	216	22	3,252	375	2,604	274	13.0	29.6	12.0	12.4	9.6	21.0	9.4	7.4
75 to 79 years	518	29	436	54	7,111	943	5,513	655	13.7	32.9	12.6	12.2	9.9	22.6	9.7	7.4
80 to 84 years	339	20	274	45	4,885	688	3,637	559	14.4	34.4	13.3	12.5	10.1	23.5	10.0	7.4
85 years and over	202	13	154	35	3,088	471	2,174	443	15.3	36.8	14.1	12.5	10.5	25.4	10.3	7.6
Men, 65 years and over	1,083	55	909	119	13,827	1,684	10,758	1,385	12.8	30.5	11.8	11.6	9.4	21.0	9.2	7.2
65 and 66 years	131	6	116	9	1,573	183	1,280	110	12.0	28.8	11.1	11.9	8.8	20.0	8.6	7.0
67 and 68 years	127	6	111	10	1,497	162	1,221	113	11.8	26.4	11.0	11.2	8.9	19.3	8.7	6.4
69 and 70 years	122	6	106	11	1,483	160	1,208	115	12.1	27.7	11.4	10.9	9.1	19.6	8.9	6.9
71 and 72 years	118	6	101	11	1,446	165	1,159	122	12.2	28.0	11.5	11.1	9.2	19.9	9.0	6.8
73 and 74 years	118	6	100	12	1,480	172	1,169	139	12.6	29.8	11.7	11.5	9.4	21.1	9.2	7.1
75 to 79 years	235	12	194	28	3,105	392	2,382	331	13.2	31.9	12.3	11.8	9.7	21.7	9.5	7.2
80 to 84 years	150	8	120	22	2,066	281	1,514	271	13.8	34.1	12.7	12.1	9.7	22.7	9.6	7.6
85 years and over	82	5	62	16	1,177	170	824	183	14.4	35.2	13.4	11.7	10.0	24.1	9.9	7.4
Women, 65 years and over	1,266	71	1,087	108	17,285	2,268	13,624	1,394	13.7	31.9	12.5	12.9	9.9	22.0	9.6	7.6
65 and 66 years	132	6	119	7	1,583	174	1,326	84	12.0	27.4	11.1	13.3	9.1	19.3	8.8	8.3
67 and 68 years	133	7	119	7	1,631	182	1,358	90	12.3	26.7	11.4	12.8	9.3	19.4	9.1	7.7
69 and 70 years	138	8	122	8	1,750	229	1,423	98	12.7	30.3	11.6	12.7	9.5	21.9	9.2	7.7
71 and 72 years	138	7	122	9	1,813	219	1,478	115	13.1	29.7	12.2	12.4	9.7	20.8	9.5	7.5
73 and 74 years	134	7	117	10	1,772	203	1,434	135	13.3	29.4	12.3	13.4	9.8	21.0	9.5	7.9
75 to 79 years	284	16	242	26	4,007	552	3,131	324	14.1	33.7	13.0	12.7	10.1	23.3	9.9	7.5
80 to 84 years	189	12	155	22	2,819	408	2,123	288	14.9	34.7	13.7	12.8	10.5	24.1	10.2	7.3
85 years and over	120	8	92	20	1,911	301	1,350	260	15.9	37.7	14.6	13.2	10.9	26.2	10.6	7.8
White																
Total, 65 years and over	2,153	116	1,834	203	28,252	3,576	22,194	2,482	13.1	30.9	12.1	12.2	9.6	21.4	9.3	7.3
65 and 66 years	243	12	217	14	2,882	327	2,386	169	11.9	27.8	11.0	12.1	8.9	19.3	8.6	7.2
67 and 68 years	241	12	214	16	2,871	311	2,374	186	11.9	26.0	11.1	12.0	9.0	19.1	8.8	7.0
69 and 70 years	241	12	212	17	2,968	358	2,419	191	12.3	29.0	11.4	11.5	9.2	20.6	9.0	7.0
71 and 72 years	238	12	207	18	3,005	356	2,431	218	12.6	28.9	11.7	11.8	9.4	20.2	9.2	7.2
73 and 74 years	234	12	202	20	3,000	346	2,409	246	12.8	29.3	11.9	12.2	9.5	20.9	9.3	7.3
75 to 79 years	479	27	403	49	6,538	875	5,065	598	13.7	32.7	12.6	12.2	9.9	22.6	9.7	7.4
80 to 84 years	306	18	248	40	4,378	605	3,272	501	14.3	34.0	13.2	12.5	10.1	23.4	9.9	7.4
85 years and over	171	11	131	30	2,609	398	1,838	372	15.2	36.4	14.1	12.5	10.4	25.0	10.3	7.5
Men, 65 years and over	1,007	52	846	109	12,738	1,558	9,917	1,263	12.6	30.2	11.7	11.6	9.3	20.8	9.1	7.1
65 and 66 years	121	6	106	8	1,424	166	1,162	96	11.8	28.3	10.9	11.5	8.7	19.6	8.5	6.8
67 and 68 years	118	6	103	9	1,376	147	1,125	104	11.6	25.8	10.9	11.3	8.8	19.0	8.6	6.4
69 and 70 years	114	5	99	10	1,360	146	1,110	104	12.0	27.3	11.2	10.8	9.0	19.3	8.8	6.7
71 and 72 years	111	6	95	10	1,343	154	1,076	113	12.1	27.7	11.3	11.1	9.1	19.8	8.9	6.7
73 and 74 years	111	5	94	11	1,379	161	1,089	128	12.5	29.6	11.6	11.5	9.3	21.0	9.1	7.0
75 to 79 years	220	12	183	26	2,900	369	2,223	308	13.2	31.7	12.2	11.7	9.7	21.6	9.4	7.3
80 to 84 years	140	8	111	21	1,909	258	1,401	250	13.7	33.6	12.6	12.1	9.7	22.4	9.5	7.5
85 years and over	73	4	55	14	1,047	156	730	160	14.3	35.5	13.3	11.6	9.9	24.0	9.8	7.3
Women, 65 years and over	1,146	64	988	94	15,514	2,018	12,277	1,219	13.5	31.5	12.4	13.0	9.8	21.8	9.5	7.6
65 and 66 years	122	6	111	6	1,458	161	1,223	73	11.9	27.3	11.1	13.1	9.1	19.0	8.8	8.0
67 and 68 years	123	6	110	6	1,495	164	1,249	82	12.2	26.2	11.3	12.9	9.3	19.3	9.0	7.7
69 and 70 years	127	7	113	7	1,608	212	1,309	87	12.6	30.2	11.5	12.6	9.4	21.7	9.1	7.5
71 and 72 years	127	7	112	8	1,662	202	1,355	105	13.1	29.8	12.1	12.7	9.7	20.5	9.4	7.7
73 and 74 years	123	6	108	9	1,621	185	1,319	117	13.2	29.1	12.2	13.1	9.7	20.8	9.4	7.7
75 to 79 years	259	15	221	23	3,638	505	2,842	291	14.1	33.6	12.9	12.8	10.1	23.3	9.8	7.6
80 to 84 years	166	10	136	19	2,470	347	1,871	251	14.9	34.4	13.7	13.0	10.4	24.0	10.2	7.3
85 years and over	98	7	76	16	1,562	242	1,108	212	15.9	37.0	14.6	13.3	10.9	25.8	10.6	7.7
All Other Races																
Total, 65 years and over	122	6	101	15	1,717	189	1,353	175	14.1	32.0	13.4	11.9	10.5	23.3	10.3	7.6
65 and 66 years	17	1	15	1	231	25	185	21	13.6	33.7	12.5	14.6	10.1	24.9	9.8	9.9
67 and 68 years	15	1	13	1	208	26	167	15	14.0	33.5	13.1	11.0	10.1	22.4	10.0	6.9
69 and 70 years	14	1	12	1	205	23	164	19	14.2	30.8	13.3	13.3	10.7	24.5	10.4	9.7
71 and 72 years	14	1	12	1	190	19	156	15	13.8	30.0	13.4	10.2	10.5	21.5	10.5	6.5
73 and 74 years	12	1	10	2	175	15	138	22	14.3	27.6	13.6	14.0	10.7	21.6	10.5	10.3
75 to 79 years	24	1	20	3	339	34	268	36	14.2	30.9	13.7	11.5	10.6	21.7	10.6	7.0
80 to 84 years	16	1	12	2	224	27	170	27	14.3	33.1	13.7	11.3	10.6	25.1	10.6	7.4
85 years and over	10	1	8	2	146	20	105	21	14.5	35.9	13.8	10.8	10.3	25.4	10.4	6.6
Men, 65 years and over	61	3	50	8	867	93	683	91	14.2	33.3	13.5	11.9	10.5	24.1	10.	

Table 4.1.4 DISCHARGES BY AGE, RACE, AND SEX: DISCHARGE STATUS, TOTAL DAYS OF CARE, AND AVERAGE LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

</

Table 4.1.4 DISCHARGES BY AGE, RACE, AND SEX: DISCHARGE STATUS, TOTAL DAYS OF CARE, AND AVERAGE LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Age, race, and sex	Discharges (in thousands)				Total days of care (in thousands)				Mean length of stay (in days)				Median length of stay (in days)			
	Total	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966		All dis- charges	Admitted before July 1, 1966	Admitted after June 30, 1966	
			Dis- charged alive	Dis- charged dead			Dis- charged olive	Dis- charged dead			Dis- charged olive	Dis- charged dead				
WITHOUT SURGERY																
All Persons																
Total, 65 years and over	1,583	102	1,293	188	20,220	3,162	15,030	2,027	12.8	30.9	11.6	10.8	9.0	21.0	8.8	6.0
65 and 66 years	164	10	141	12	1,895	274	1,487	134	11.6	27.3	10.5	10.8	8.3	18.9	8.0	5.9
67 and 68 years	163	10	140	14	1,888	264	1,486	138	11.6	26.1	10.6	10.1	8.4	18.6	8.2	5.6
69 and 70 years	166	11	141	15	2,000	305	1,545	150	12.0	28.8	11.0	10.1	8.7	20.4	8.4	5.8
71 and 72 years	166	10	139	16	2,030	298	1,565	167	12.2	28.6	11.3	10.1	8.8	19.8	8.6	5.6
73 and 74 years	166	10	138	18	2,070	299	1,573	197	12.4	29.2	11.4	10.8	9.0	20.5	8.8	5.9
75 to 79 years	355	23	287	44	4,692	756	3,455	481	13.2	32.6	12.0	10.8	9.3	21.7	9.1	6.0
80 to 84 years	247	17	192	37	3,393	574	2,403	416	13.8	34.1	12.5	11.1	9.4	22.8	9.3	6.1
85 years and over	155	11	114	30	2,252	391	1,516	345	14.5	35.9	13.3	11.4	9.7	24.4	9.6	6.6
Men, 65 years and over																
65 and 66 years	705	43	564	98	8,547	1,305	6,250	992	12.1	30.0	11.1	10.2	8.5	20.3	8.3	5.8
67 and 68 years	81	5	69	7	924	136	714	75	11.4	27.4	10.3	10.1	8.0	18.9	7.8	5.6
69 and 70 years	78	5	66	8	877	118	681	79	11.2	25.6	10.4	9.7	8.1	18.5	7.9	5.3
71 and 72 years	76	4	63	9	870	118	672	79	11.5	27.0	10.7	9.3	8.3	18.9	8.1	5.5
73 and 74 years	74	4	60	9	854	122	648	83	11.6	27.4	10.7	9.4	8.4	19.3	8.2	5.3
75 to 79 years	75	5	61	10	894	134	663	97	11.9	29.5	10.9	9.9	8.5	20.3	8.4	5.5
80 to 79 years	154	10	122	23	1,943	311	1,396	236	12.6	31.9	11.5	10.2	8.8	21.0	8.7	5.8
80 to 84 years	105	7	80	19	1,353	229	924	200	12.9	33.8	11.6	10.8	8.8	21.8	8.6	6.3
85 years and over	61	4	44	13	831	136	551	143	13.5	34.2	12.5	10.7	9.1	22.7	9.0	6.4
Women, 65 years and over																
65 and 66 years	878	59	729	90	11,673	1,857	8,780	1,036	13.3	31.6	12.0	11.5	9.4	21.5	9.1	6.3
67 and 68 years	82	5	72	5	971	139	774	59	11.8	27.2	10.7	11.8	8.6	19.0	8.3	6.6
69 and 70 years	85	5	74	6	1,010	146	805	59	11.9	26.6	10.9	10.7	8.8	18.8	8.5	6.2
71 and 72 years	91	6	78	6	1,130	187	873	71	12.4	30.1	11.2	11.2	9.0	21.6	8.6	6.3
73 and 74 years	92	6	79	8	1,176	176	917	83	12.7	29.5	11.6	11.0	9.2	20.2	8.9	5.9
75 to 79 years	91	6	77	8	1,176	165	910	100	12.9	29.0	11.8	11.9	9.4	20.7	9.1	6.5
80 to 79 years	201	13	166	21	2,748	445	2,058	245	13.7	33.1	12.4	11.4	9.7	22.3	9.4	6.3
80 to 84 years	142	10	113	19	2,040	345	1,479	216	14.4	34.4	13.1	11.5	10.0	23.5	9.8	6.0
85 years and over	94	7	70	17	1,421	255	965	202	15.1	37.0	13.7	12.0	10.1	25.4	9.9	6.8
White																
Total, 65 years and over	1,446	94	1,184	168	18,326	2,859	13,658	1,810	12.7	30.6	11.5	10.8	9.0	20.7	8.7	6.0
65 and 66 years	151	9	130	11	1,731	251	1,362	118	11.5	27.0	10.5	10.5	8.2	18.6	7.9	5.7
67 and 68 years	151	9	129	12	1,726	237	1,363	126	11.4	25.6	10.5	10.3	8.4	18.4	8.1	5.6
69 and 70 years	154	10	131	13	1,835	282	1,418	135	11.9	28.7	10.8	10.0	8.6	20.1	8.3	5.7
71 and 72 years	154	10	129	15	1,868	276	1,441	152	12.2	28.4	11.2	10.2	8.8	19.6	8.5	5.6
73 and 74 years	155	10	128	17	1,908	276	1,455	177	12.3	29.0	11.3	10.7	8.9	20.4	8.7	5.9
75 to 79 years	328	22	266	41	4,322	701	3,179	441	13.2	32.4	12.0	10.9	9.3	21.7	9.1	6.1
80 to 84 years	222	15	174	33	3,035	508	2,156	371	13.7	34.0	12.4	11.1	9.4	22.7	9.2	6.0
85 years and over	132	9	97	25	1,901	328	1,283	290	14.4	35.4	13.2	11.4	9.6	23.8	9.5	6.6
Men, 65 years and over																
65 and 66 years	654	41	524	90	7,878	1,210	5,763	905	12.0	29.8	11.0	10.1	8.5	20.1	8.2	5.8
67 and 68 years	75	5	63	7	837	123	648	66	11.2	26.9	10.2	9.7	7.9	18.6	7.7	5.5
69 and 70 years	73	4	61	7	805	107	626	72	11.1	25.1	10.3	9.9	8.0	18.3	7.8	5.3
71 and 72 years	70	4	58	8	802	109	620	72	11.4	26.9	10.6	9.3	8.2	18.6	8.1	5.4
73 and 74 years	69	4	56	8	789	114	598	77	11.5	27.0	10.6	9.4	8.2	19.3	8.1	5.3
75 to 79 years	70	4	57	9	835	126	619	90	11.8	29.4	10.9	9.8	8.4	20.1	8.3	5.5
80 to 84 years	145	9	114	22	1,820	294	1,306	221	12.6	31.7	11.4	10.3	8.8	21.0	8.6	5.9
85 years and over	98	6	74	17	1,251	212	854	184	12.8	33.6	11.5	10.7	8.7	21.7	8.5	6.1
85 years and over	55	4	39	12	741	125	491	125	13.5	34.4	12.5	10.5	9.0	22.7	8.9	6.3
Women, 65 years and over																
65 and 66 years	791	53	660	78	10,448	1,650	7,894	904	13.2	31.2	12.0	11.6	9.4	21.3	9.1	6.3
67 and 68 years	76	5	67	4	894	129	713	52	11.8	27.0	10.7	11.7	8.6	18.6	8.2	6.3
69 and 70 years	78	5	68	5	921	131	737	54	11.8	26.0	10.8	10.9	8.7	18.6	8.4	6.0
71 and 72 years	84	6	72	6	1,033	172	798	63	12.3	29.9	11.0	11.0	8.9	21.3	8.5	6.1
73 and 74 years	85	5	73	7	1,079	162	843	75	12.7	29.5	11.6	11.2	9.2	19.8	8.9	6.1
75 to 79 years	84	5	71	7	1,073	150	836	87	12.8	28.6	11.7	11.7	9.3	20.5	9.1	6.4
80 to 84 years	183	12	152	19	2,502	408	1,874	220	13.7	32.9	12.4	11.6	9.7	22.3	9.4	6.4
85 years and over	124	9	99	16	1,785	296	1,302	187	14.4	34.2	13.1	11.5	9.9	23.5	9.7	5.9
85 years and over	77	6	58	14	1,160	203	792	165	15.0	36.0	13.7	12.2	10.1	24.7	9.9	6.8
All Other Races																
Total, 65 years and over	84	5	67	12	1,109	148	831	129	13.2	31.2	12.4	10.5	9.6	22.3	9.6	6.3
65 and 66 years	11	1	9	1	138	19	105	13	12.5	32.7	11.3	12.6	9.2	24.1	8.9	7.3
67 and 68 years	10	1	8	1	130	20	99	10	12.9	31.8	12.0	9.1	9.3	21.2	9.2	6.0
69 and 70 years	9	1	8	1	127	16	98	13	13.4	28.9	12.6	11.1	10.0	23.8	9.7	6.7
71 and 72 years	8	1	7	1	121	15	95	11	12.9	29.7	12.5	9.2	9.8	20.4	9.8	5.6
73 and 74 years	8	1	7	1	113	12	85	16	13.3	27.1	12.5	12.8	10.0	20.8	9.8	8.1
75 to 79 years	16	1	13	3	216	27	162	27	13.1	30.6	12.5	10.0	9.7	21.1	9.8	6.0
80 to 84 years	12	1	9	2	158	22	113	22	13.5	32.5	12.7	10.5	9.9	24.1	9.9	6.9
85 years and over	8	1	6	2	107	17	74	17	13.7	36.0	13.0	10.1	9.4	24.5	9.6	5.6
Men, 65 years and over																
65 and 66 years	40	2	32	6	522	69	388	64	13.0	31.8	12.3	10.3	9.4	22.2	9.4	6.1
67 and 68 years	6	1	5	1	79	12	59	8	12.9	32.8	11.5	13.2	9.0	23.6	8.6	7.3
69 and 70 years	5	1	4	1	65	10	49	6	12.8	32.8	11.9	8.6	8.9	22.6	8.9	4.7
71 and 72 years	4	1	3	1	58	7	45	6	13.1	*	12.5	9.7	9.4	*	9.3	6.0
73 and 74 years	4	1	3	1	54	6	42	6	13.1	*	12.7	9.9	9.7	*	9.7	6.3
75 to 79 years	4	1	3	1	49	5	36	7	13.1	*	12.7	11.5	9.8	*	9.8	6.3
80 to 84 years	8	1	6	1	96	12	73	12	12.7	33.9	12.2	9.2	9.4	23.0	9.7	5.5
85 years and over	5	1	4	1	73	12	51	11	13.6	34.4	12.7	10.5	9.7	24.0	9.6	7.6
85 years and over	4	1	3	1	47	5	33	9	13.0	*	12.8	10.7	8.9	*	9.3	6.1
Women, 65 years and over																
65 and 66 years	44	3	36	6	587	79	443	65	13.3	30.6	12.4	10.8	9.9	22.3	9.8	6.5
67 and 68 years	5	1	4	1	58	7	46	5	12.0	*	11.0	11.8	9.3	*	9.1	7.2
69 and 70																

Table 4.1.5 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

(See NOTES preceding General Tables)

Bed size of hospital and type of control	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Percent distrib- ution	Total (in thousands)	Percent distrib- ution	Covered days			Amount			Reimbursed by hospi- tal insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
ALL HOSPITALS												
All Discharges												
Total.....	2,350	100.0	31,112	100.0	28,792	12.3	92.5	\$1,314,182	\$559	\$42	\$1,037,467	78.9
Less than 25 beds.....	50	2.1	526	1.7	490	9.9	93.3	15,432	311	29	12,382	80.2
25 to 49 beds.....	233	9.9	2,582	8.3	2,416	10.4	93.6	80,840	347	31	64,320	79.6
50 to 99 beds.....	401	17.0	4,889	15.7	4,510	11.3	92.2	172,691	431	35	138,096	80.0
100 to 149 beds.....	310	13.2	3,932	12.6	3,664	11.8	93.2	152,184	491	39	121,467	79.8
150 to 199 beds.....	241	10.3	3,139	10.1	2,922	12.1	93.1	133,285	553	42	104,545	78.4
200 to 249 beds.....	225	9.6	3,048	9.8	2,830	12.6	92.8	137,302	611	45	106,777	77.8
250 to 299 beds.....	204	8.7	2,785	9.0	2,581	12.7	92.7	127,294	625	46	100,592	79.0
300 to 399 beds.....	276	11.8	3,874	12.5	3,604	13.0	93.0	183,236	663	47	143,802	78.5
400 to 499 beds.....	168	7.2	2,442	7.9	2,258	13.4	92.4	115,507	686	47	91,634	79.3
500 to 749 beds.....	135	5.8	2,098	6.7	1,921	14.2	91.6	104,409	772	50	81,977	78.5
750 to 999 beds.....	68	2.9	1,107	3.6	991	14.6	89.5	59,872	880	54	45,714	76.4
1,000 to 1,999 beds.....	25	1.1	449	1.4	393	15.7	87.5	22,104	883	49	17,047	77.1
2,000 beds or more.....	14	0.6	233	0.7	210	14.8	89.9	9,816	692	42	9,028	92.0
With Surgery												
Total.....	767	100.0	10,892	100.0	10,503	13.7	96.4	550,935	718	51	428,240	77.7
Less than 25 beds.....	6	0.8	74	0.7	70	11.4	95.8	2,951	477	40	2,386	80.9
25 to 49 beds.....	40	5.2	511	4.7	495	12.5	96.9	20,599	521	40	16,491	80.1
50 to 99 beds.....	96	12.5	1,275	11.7	1,229	12.9	96.4	56,924	595	45	45,163	79.3
100 to 149 beds.....	95	12.3	1,297	11.9	1,256	13.3	96.8	59,532	629	46	46,891	78.8
150 to 199 beds.....	86	11.3	1,164	10.7	1,124	13.0	96.5	57,486	665	49	44,182	76.9
200 to 249 beds.....	83	10.9	1,156	10.6	1,118	13.4	96.7	60,105	721	52	46,116	76.7
250 to 299 beds.....	80	10.5	1,128	10.4	1,093	13.6	96.9	58,474	727	52	45,759	78.3
300 to 399 beds.....	109	14.3	1,582	14.5	1,526	14.0	96.5	84,245	770	53	65,295	77.5
400 to 499 beds.....	69	9.0	1,019	9.4	985	14.3	96.6	54,147	784	53	42,102	77.8
500 to 749 beds.....	58	7.6	912	8.4	873	15.0	95.7	50,986	874	56	39,169	76.8
750 to 999 beds.....	29	3.8	490	4.5	468	15.9	95.4	30,593	1,042	62	22,961	75.1
1,000 to 1,999 beds.....	11	1.4	202	1.9	188	17.0	92.9	11,239	1,019	56	8,313	74.0
2,000 beds or more.....	4	0.5	80	0.7	76	21.1	94.4	3,607	1,001	45	3,389	94.0
Without Surgery												
Total.....	1,583	100.0	20,220	100.0	18,289	11.6	90.5	763,247	482	38	609,227	79.8
Less than 25 beds.....	43	2.7	452	2.2	420	9.7	92.9	12,481	287	28	9,996	80.1
25 to 49 beds.....	193	12.2	2,071	10.2	1,921	9.9	92.8	60,241	312	29	47,829	79.4
50 to 99 beds.....	305	19.3	3,614	17.9	3,280	10.8	90.8	115,768	380	32	92,933	80.3
100 to 149 beds.....	215	13.6	2,635	13.0	2,407	11.2	91.4	92,652	431	35	74,576	80.5
150 to 199 beds.....	155	9.8	1,974	9.8	1,798	11.6	91.1	75,799	491	38	60,363	79.6
200 to 249 beds.....	141	8.9	1,892	9.4	1,711	12.1	90.5	77,197	546	41	60,661	78.6
250 to 299 beds.....	123	7.8	1,657	8.2	1,488	12.1	89.8	68,821	559	42	54,833	79.7
300 to 399 beds.....	167	10.6	2,292	11.3	2,078	12.4	90.7	98,991	573	43	78,508	79.3
400 to 499 beds.....	99	6.3	1,423	7.0	1,273	12.8	89.4	61,361	617	43	49,531	80.7
500 to 749 beds.....	77	4.9	1,185	5.9	1,048	13.6	88.4	53,422	695	45	42,808	80.1
750 to 999 beds.....	39	2.4	617	3.1	523	13.5	84.9	29,279	756	47	22,753	77.7
1,000 to 1,999 beds.....	14	0.9	247	1.2	205	14.6	83.0	10,865	776	44	8,733	80.4
2,000 beds or more.....	11	0.7	153	0.8	134	12.6	87.5	6,209	586	41	5,639	90.8
ALL VOLUNTARY HOSPITALS												
All Discharges												
Total.....	1,692	100.0	22,769	100.0	21,134	12.5	92.8	1,006,618	595	44	786,222	78.1
Less than 25 beds.....	17	1.0	181	0.8	169	9.8	93.3	5,018	292	28	3,953	78.8
25 to 49 beds.....	99	5.9	1,155	5.1	1,072	10.8	92.8	35,897	361	31	28,426	79.2
50 to 99 beds.....	228	13.5	2,832	12.4	2,610	11.4	92.2	102,799	450	36	81,861	79.6
100 to 149 beds.....	227	13.4	2,896	12.7	2,702	11.9	93.3	114,851	506	40	91,071	79.3
150 to 199 beds.....	194	11.5	2,525	11.1	2,350	12.1	93.1	107,185	552	42	84,423	78.8
200 to 249 beds.....	186	11.0	2,531	11.1	2,349	12.6	92.8	115,449	621	46	90,026	78.0
250 to 299 beds.....	182	10.8	2,482	10.9	2,309	12.7	93.0	115,136	632	46	90,422	78.5
300 to 399 beds.....	242	14.3	3,401	14.9	3,172	13.1	93.3	164,048	678	48	127,884	78.0
400 to 499 beds.....	146	8.6	2,099	9.2	1,948	13.4	92.8	101,176	693	48	78,994	78.1
500 to 749 beds.....	109	6.4	1,676	7.4	1,547	14.3	92.3	86,022	793	51	66,313	77.1
750 to 999 beds.....	50	3.0	784	3.4	720	14.4	91.9	46,042	920	59	33,687	73.2
1,000 to 1,999 beds.....	12	0.7	203	0.9	183	15.6	89.8	12,875	1,101	63	9,109	70.7
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—
With Surgery												
Total.....	600	100.0	8,495	100.0	8,209	13.7	96.6	441,364	735	52	338,931	76.8
Less than 25 beds.....	2	0.3	22	0.3	21	10.5	96.0	793	394	36	614	77.4
25 to 49 beds.....	18	3.1	249	2.9	239	13.0	96.2	9,617	523	39	7,668	79.7
50 to 99 beds.....	59	9.8	785	9.2	761	12.9	97.0	35,484	601	45	28,091	79.2
100 to 149 beds.....	72	12.0	992	11.7	960	13.3	96.8	46,100	637	46	35,931	77.9
150 to 199 beds.....	71	11.9	956	11.3	921	12.9	96.3	47,025	660	49	36,227	77.0
200 to 249 beds.....	71	11.8	987	11.6	954	13.4	96.6	51,548	726	52	39,642	76.9
250 to 299 beds.....	72	12.0	1,009	11.9	978	13.6	96.9	52,889	733	52	41,078	77.7
300 to 399 beds.....	96	16.0	1,392	16.4	1,347	14.0	96.7	75,543	784	54	58,157	77.0
400 to 499 beds.....	60	10.0	883	10.4	857	14.2	97.0	47,999	798	54	36,813	76.7
500 to 749 beds.....	48	8.1	748	8.8	719	14.9	96.1	42,757	884	57	32,209	75.3
750 to 999 beds.....	24	3.9	376	4.4	362	15.4	96.2	24,759	1,050	66	17,906	72.3
1,000 to 1,999 beds.....	6	1.0	94	1.1	89	15.4	95.2	6,811	1,180	73	4,577	67.2
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—

Table 4.1.5 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables]

Bed size of hospital and type of control	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Percent distribu- tion	Total (in thousands)	Percent distribu- tion	Covered days			Amount			Reimbursed by hospi- tal insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
ALL VOLUNTARY HOSPITALS—Con.												
Without Surgery												
Total.....	1,092	100.0	14,274	100.0	12,925	11.8	90.5	\$565,254	\$518	\$40	\$447,291	79.1
Less than 25 beds.....	15	1.4	159	1.1	148	9.7	92.9	4,225	279	27	3,340	79.0
25 to 49 beds.....	81	7.4	906	6.4	833	10.3	91.9	26,280	325	29	20,758	79.0
50 to 99 beds.....	169	15.5	2,047	14.3	1,849	10.9	90.3	67,315	398	33	53,770	79.9
100 to 149 beds.....	155	14.2	1,904	13.3	1,742	11.3	91.5	68,751	445	36	55,140	80.2
150 to 199 beds.....	123	11.3	1,569	11.0	1,430	11.6	91.1	60,161	490	38	48,196	80.1
200 to 249 beds.....	115	10.5	1,543	10.8	1,396	12.2	90.4	63,901	557	41	50,384	78.8
250 to 299 beds.....	110	10.1	1,473	10.3	1,330	12.1	90.3	62,247	566	42	49,343	79.3
300 to 399 beds.....	146	13.3	2,008	14.1	1,826	12.5	90.9	88,505	608	44	69,726	78.8
400 to 499 beds.....	86	7.9	1,215	8.5	1,091	12.7	89.8	53,177	620	44	42,181	79.3
500 to 749 beds.....	60	5.5	928	6.5	828	13.8	89.2	43,265	720	47	34,104	78.8
750 to 999 beds.....	26	2.4	408	2.9	359	13.5	87.9	21,283	804	52	15,781	74.1
1,000 to 1,999 beds.....	6	0.5	110	0.8	93	15.8	85.2	6,064	1,023	55	4,532	74.7
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—
VOLUNTARY HOSPITALS - CHURCH												
All Discharges												
Total.....	654	100.0	8,589	100.0	7,974	12.2	92.8	375,380	574	44	294,696	78.5
Less than 25 beds.....	5	0.7	52	0.6	47	10.1	91.1	1,301	279	25	988	76.0
25 to 49 beds.....	26	4.0	286	3.3	262	10.0	91.9	8,392	319	29	6,718	80.0
50 to 99 beds.....	55	8.4	651	7.6	599	10.9	92.0	22,673	411	35	17,789	78.5
100 to 149 beds.....	81	12.4	1,011	11.8	939	11.6	92.8	39,004	483	39	31,290	80.2
150 to 199 beds.....	72	11.0	925	10.8	855	11.9	92.4	38,445	536	42	30,055	78.2
200 to 249 beds.....	82	12.5	1,060	12.3	992	12.1	93.6	49,651	608	47	38,969	78.5
250 to 299 beds.....	90	13.7	1,180	13.7	1,099	12.3	93.1	55,354	618	47	43,266	78.2
300 to 399 beds.....	112	17.1	1,563	18.2	1,451	13.0	92.9	72,750	652	47	57,308	78.8
400 to 499 beds.....	75	11.5	1,033	12.0	958	12.8	92.7	47,948	639	46	37,945	79.1
500 to 749 beds.....	36	5.5	527	6.1	492	13.8	93.4	24,287	681	46	18,947	78.0
750 to 999 beds.....	19	2.8	263	3.1	244	13.1	92.7	13,374	720	51	9,835	73.5
1,000 to 1,999 beds.....	3	0.4	38	0.4	35	12.1	92.4	2,188	747	57	1,582	72.3
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—
With Surgery												
Total.....	240	100.0	3,287	100.0	3,180	13.2	96.7	167,883	699	51	130,281	77.6
Less than 25 beds.....	—	0.2	5	0.1	5	11.3	95.2	148	362	31	106	71.8
25 to 49 beds.....	4	1.7	55	1.7	52	12.4	94.8	1,949	468	36	1,566	80.3
50 to 99 beds.....	13	5.6	169	5.1	165	12.4	97.7	7,318	549	43	5,773	78.9
100 to 149 beds.....	26	10.9	341	10.4	331	12.7	97.0	15,645	599	46	12,365	79.0
150 to 199 beds.....	26	11.0	355	10.8	339	12.9	95.7	17,153	650	48	13,226	77.1
200 to 249 beds.....	32	13.3	425	12.9	411	12.9	96.7	22,609	709	53	17,510	77.4
250 to 299 beds.....	37	15.2	493	15.0	479	13.1	97.1	26,224	716	53	20,427	77.9
300 to 399 beds.....	44	18.5	634	19.3	613	13.8	96.7	33,561	754	53	26,157	77.9
400 to 499 beds.....	31	13.1	437	13.3	424	13.5	97.1	22,984	732	53	18,010	78.4
500 to 749 beds.....	15	6.2	221	6.7	215	14.4	97.1	11,519	773	52	8,828	76.6
750 to 999 beds.....	9	3.7	132	4.0	127	14.4	96.2	7,487	847	57	5,429	72.5
1,000 to 1,999 beds.....	2	0.7	21	0.6	20	11.9	96.1	1,277	769	62	880	68.9
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—
Without Surgery												
Total.....	414	100.0	5,302	100.0	4,793	11.6	90.4	207,497	502	39	164,415	79.2
Less than 25 beds.....	4	1.0	47	0.9	42	10.0	90.7	1,152	271	25	881	76.5
25 to 49 beds.....	22	5.3	231	4.4	211	9.5	91.2	6,443	291	28	5,152	80.0
50 to 99 beds.....	42	10.1	483	9.1	435	10.4	90.0	15,355	367	32	12,016	78.3
100 to 149 beds.....	55	13.2	670	12.6	608	11.1	90.7	23,359	427	35	18,926	81.0
150 to 199 beds.....	45	11.0	571	10.8	516	11.4	90.3	21,292	470	37	16,829	79.0
200 to 249 beds.....	50	12.1	635	12.0	581	11.7	91.6	27,042	543	43	21,459	79.4
250 to 299 beds.....	53	12.8	687	13.0	621	11.7	90.3	29,130	550	42	22,840	78.4
300 to 399 beds.....	67	16.2	929	17.5	838	12.5	90.2	39,189	584	42	31,151	79.5
400 to 499 beds.....	44	10.6	596	11.2	534	12.2	89.5	24,964	572	42	19,935	79.9
500 to 749 beds.....	21	5.0	305	5.8	277	13.3	90.6	12,768	614	42	10,119	79.3
750 to 999 beds.....	10	2.4	130	2.5	116	11.9	89.2	5,887	605	45	4,406	74.8
1,000 to 1,999 beds.....	1	0.3	18	0.3	16	12.3	88.1	910	717	51	702	77.1
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—
VOLUNTARY HOSPITALS - OTHER												
All Discharges												
Total.....	1,038	100.0	14,180	100.0	13,161	12.7	92.8	631,238	608	45	491,526	77.9
Less than 25 beds.....	13	1.2	130	0.9	122	9.8	94.1	3,718	297	29	2,965	79.8
25 to 49 beds.....	73	7.0	870	6.1	810	11.1	93.1	27,505	376	32	21,708	78.9
50 to 99 beds.....	173	16.7	2,181	15.4	2,011	11.6	92.2	80,127	463	37	64,072	80.0
100 to 149 beds.....	146	14.1	1,885	13.3	1,763	12.1	93.5	75,847	519	40	59,781	78.8
150 to 199 beds.....	122	11.8	1,600	11.3	1,496	12.2	93.5	68,740	562	43	54,368	79.1
200 to 249 beds.....	104	10.0	1,471	10.4	1,357	13.0	92.3	65,798	632	45	51,057	77.6
250 to 299 beds.....	93	8.9	1,302	9.2	1,209	13.1	92.9	59,782	645	46	47,155	78.9
300 to 399 beds.....	130	12.5	1,838	13.0	1,721	13.2	93.7	91,298	701	50	70,575	77.3
400 to 499 beds.....	71	6.8	1,066	7.5	991	14.0	92.9	53,227	751	50	41,049	77.1
500 to 749 beds.....	73	7.0	1,149	8.1	1,055	14.5	91.8	61,735	848	54	47,367	76.7
750 to 999 beds.....	31	3.0	521	3.7	477	15.2	91.5	32,668	1,038	63	23,852	73.0
1,000 to 1,999 beds.....	9	0.8	165	1.2	147	16.8	89.2	10,688	1,219	65	7,526	70.4
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—

Table 4.1.5 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables]

Bed size of hospital and type of control	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Percent distrib- ution	Total (in thousands)	Percent distrib- ution	Covered days			Amount			Reimbursed by hospi- tal insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
VOLUNTARY HOSPITALS - OTHER—Con.												
With Surgery												
Total.....	360	100.0	5,207	100.0	5,029	14.0	96.6	\$273,481	\$759	\$53	\$208,650	76.3
Less than 25 beds.....	2	0.4	17	0.3	17	10.4	96.2	645	403	37	507	78.7
25 to 49 beds.....	14	4.0	194	3.7	188	13.2	96.7	7,668	539	39	6,101	79.6
50 to 99 beds.....	46	12.7	617	11.8	597	13.1	96.7	28,167	617	46	22,318	79.2
100 to 149 beds.....	46	12.8	651	12.5	629	13.6	96.7	30,455	659	47	23,567	77.4
150 to 199 beds.....	45	12.5	601	11.6	582	13.0	96.7	29,871	666	50	23,001	77.0
200 to 249 beds.....	39	10.9	562	10.8	543	13.9	96.6	28,938	740	51	22,132	76.5
250 to 299 beds.....	36	9.9	516	9.9	500	14.0	96.8	26,665	750	52	20,652	77.4
300 to 399 beds.....	52	14.4	758	14.6	733	14.1	96.7	41,981	810	55	32,000	76.2
400 to 499 beds.....	29	8.0	447	8.6	433	15.0	96.9	25,015	869	56	18,803	75.2
500 to 749 beds.....	33	9.3	527	10.1	504	15.1	95.7	31,238	933	59	23,382	74.9
750 to 999 beds.....	15	4.1	244	4.7	234	15.9	96.3	17,272	1,173	71	12,477	72.2
1,000 to 1,999 beds.....	4	1.1	73	1.4	69	16.9	95.0	5,533	1,346	76	3,697	66.8
2,000 beds or more.....	—	*	—	*	—	*	*	—	*	*	—	*
Without Surgery												
Total.....	678	100.0	8,973	100.0	8,132	12.0	90.6	357,757	528	40	282,876	79.1
Less than 25 beds.....	11	1.6	112	1.3	105	9.7	93.8	3,073	282	27	2,458	80.0
25 to 49 beds.....	59	8.7	676	7.5	622	10.6	92.1	19,837	337	29	15,607	78.7
50 to 99 beds.....	127	18.8	1,564	17.4	1,414	11.1	90.4	51,960	408	33	41,754	80.4
100 to 149 beds.....	100	14.7	1,234	13.8	1,134	11.4	91.9	45,392	454	37	36,214	79.8
150 to 199 beds.....	78	11.4	999	11.1	914	11.8	91.5	38,868	501	39	31,367	80.7
200 to 249 beds.....	65	9.6	909	10.1	815	12.5	89.6	36,859	567	41	28,925	78.5
250 to 299 beds.....	57	8.4	785	8.8	710	12.4	90.3	33,117	580	42	26,504	80.0
300 to 399 beds.....	78	11.6	1,080	12.0	988	12.6	91.5	49,316	629	46	38,575	78.2
400 to 499 beds.....	42	6.2	619	6.9	558	13.3	90.1	28,213	670	46	22,246	78.9
500 to 749 beds.....	39	5.8	623	6.9	551	14.0	88.5	30,497	775	49	23,985	78.6
750 to 999 beds.....	17	2.5	278	3.1	242	14.5	87.3	15,396	919	55	11,376	73.9
1,000 to 1,999 beds.....	5	0.7	92	1.0	78	16.7	84.6	5,154	1,107	56	3,830	74.3
2,000 beds or more.....	—	*	—	*	—	*	*	—	*	*	—	*
PROPRIETARY HOSPITALS												
All Discharges												
Total.....	178	100.0	2,052	100.0	1,937	10.9	94.4	89,448	503	44	68,061	76.1
Less than 25 beds.....	15	8.7	157	7.6	151	9.7	96.1	5,104	330	33	3,973	77.8
25 to 49 beds.....	53	29.7	546	26.6	518	9.8	94.8	19,544	370	36	15,315	78.4
50 to 99 beds.....	56	31.5	652	31.8	610	10.9	93.6	28,638	511	44	22,508	78.6
100 to 149 beds.....	21	11.5	249	12.1	237	11.6	95.3	12,257	597	49	9,390	76.6
150 to 199 beds.....	19	10.5	256	12.5	240	12.8	93.9	13,680	729	53	9,926	72.6
200 to 249 beds.....	12	7.0	166	8.1	157	12.6	94.6	9,101	732	55	6,166	67.7
250 to 299 beds.....	—	0.0	—	0.0	—	*	*	—	—	—	—	*
300 to 399 beds.....	2	1.0	25	1.2	23	13.3	90.6	1,085	626	43	763	70.3
400 to 499 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
500 to 749 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
750 to 999 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
1,000 to 1,999 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
2,000 beds or more.....	—	*	—	*	—	*	*	—	*	*	—	*
With Surgery												
Total.....	46	100.0	586	100.0	570	12.4	97.3	31,914	694	54	24,063	75.4
Less than 25 beds.....	2	5.2	28	4.8	27	11.2	94.7	1,220	510	43	977	80.1
25 to 49 beds.....	11	23.3	127	21.7	125	11.6	98.2	6,010	560	47	4,783	79.6
50 to 99 beds.....	15	32.8	192	32.8	186	12.3	97.1	10,524	697	55	8,227	78.2
100 to 149 beds.....	6	13.8	82	13.9	79	12.4	96.6	4,579	719	56	3,475	75.9
150 to 199 beds.....	7	15.0	95	16.3	94	13.6	98.3	5,864	851	62	4,175	71.2
200 to 249 beds.....	4	8.2	51	8.7	50	13.3	97.2	3,223	859	63	2,076	64.4
250 to 299 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
300 to 399 beds.....	1	1.6	10	1.7	10	13.0	94.9	488	652	48	345	70.7
400 to 499 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
500 to 749 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
750 to 999 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
1,000 to 1,999 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
2,000 beds or more.....	—	*	—	*	—	*	*	—	*	*	—	*
Without Surgery												
Total.....	132	100.0	1,467	100.0	1,367	10.4	93.2	57,534	436	39	43,998	76.5
Less than 25 beds.....	13	9.9	129	8.8	124	9.5	96.4	3,884	297	30	2,997	77.1
25 to 49 beds.....	42	31.9	419	28.6	393	9.3	93.8	13,534	321	32	10,532	77.8
50 to 99 beds.....	41	31.0	460	31.4	424	10.4	92.1	18,114	443	39	14,281	78.8
100 to 149 beds.....	14	10.7	167	11.4	159	11.2	94.7	7,678	542	46	5,915	77.0
150 to 199 beds.....	12	9.0	161	10.9	147	12.4	91.3	7,816	659	49	5,751	73.6
200 to 249 beds.....	9	6.6	115	7.8	107	12.4	93.4	5,879	677	51	4,090	69.6
250 to 299 beds.....	—	0.0	—	0.0	—	*	*	—	*	*	—	*
300 to 399 beds.....	1	0.7	15	1.0	13	13.5	87.7	598	605	39	418	69.9
400 to 499 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
500 to 749 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
750 to 999 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
1,000 to 1,999 beds.....	—	*	—	*	—	*	*	—	*	*	—	*
2,000 beds or more.....	—	*	—	*	—	*	*	—	*	*	—	*

Table 4.1.5 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Bed size of hospital and type of control	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Percent distrib- ution	Total (in thousands)	Percent distrib- ution	Covered days			Amount			Reimbursed by hospi- tal insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
GOVERNMENT HOSPITALS												
All Discharges												
Total.....	480	100.0	6,291	100.0	5,721	11.9	90.9	\$218,116	\$455	\$35	\$183,185	84.0
Less than 25 beds.....	17	3.5	188	3.0	171	10.0	90.9	5,310	312	28	4,456	83.9
25 to 49 beds.....	81	16.8	880	14.0	826	10.2	93.8	25,398	315	29	20,579	81.0
50 to 99 beds.....	116	24.2	1,405	22.3	1,289	11.1	91.8	41,254	355	29	33,727	81.8
100 to 149 beds.....	62	13.0	787	12.5	724	11.6	92.0	25,076	402	32	21,006	83.8
150 to 199 beds.....	28	5.8	358	5.7	331	11.8	92.6	12,420	443	35	10,196	82.1
200 to 249 beds.....	26	5.5	351	5.6	323	12.2	92.0	12,752	482	36	10,585	83.0
250 to 299 beds.....	21	4.4	303	4.8	273	12.8	90.0	12,157	570	40	10,170	83.7
300 to 399 beds.....	33	6.8	448	7.1	409	12.5	91.3	18,102	552	40	15,156	83.7
400 to 499 beds.....	23	4.7	343	5.5	309	13.7	90.1	14,332	636	42	12,640	88.2
500 to 749 beds.....	27	5.6	422	6.7	374	14.0	88.7	18,386	689	44	15,664	85.2
750 to 999 beds.....	18	3.8	323	5.1	271	15.0	83.9	13,830	768	43	12,027	87.0
1,000 to 1,999 beds.....	13	2.8	246	3.9	210	15.8	85.5	9,229	692	38	7,938	86.0
2,000 beds or more.....	14	3.0	233	3.7	210	14.8	89.9	9,816	692	42	9,028	92.0
With Surgery												
Total.....	120	100.0	1,812	100.0	1,724	14.3	95.1	77,657	645	43	65,246	84.0
Less than 25 beds.....	2	1.5	23	1.3	22	12.5	96.8	938	524	41	796	84.8
25 to 49 beds.....	10	8.6	135	7.5	131	12.6	96.8	4,971	479	37	4,040	81.3
50 to 99 beds.....	22	17.9	298	16.4	282	13.1	94.6	10,916	507	37	8,845	81.0
100 to 149 beds.....	16	13.2	224	12.4	218	13.7	97.2	8,852	558	40	7,484	84.5
150 to 199 beds.....	8	6.9	113	6.2	110	13.2	96.8	4,597	556	41	3,779	82.2
200 to 249 beds.....	9	7.2	118	6.5	115	13.3	97.5	5,334	619	45	4,398	82.4
250 to 299 beds.....	8	6.8	119	6.6	115	14.0	96.7	5,585	680	47	4,681	83.8
300 to 399 beds.....	12	10.2	180	9.9	170	13.8	94.7	8,215	666	46	6,793	82.7
400 to 499 beds.....	9	7.3	135	7.5	128	14.4	94.4	6,148	695	45	5,289	86.0
500 to 749 beds.....	10	8.3	164	9.1	154	15.4	93.6	8,230	826	50	6,960	84.6
750 to 999 beds.....	6	4.8	114	6.3	106	18.4	92.8	5,834	1,010	51	5,055	86.6
1,000 to 1,999 beds.....	5	4.4	108	6.0	98	18.7	91.0	4,428	843	41	3,737	84.4
2,000 beds or more.....	4	3.0	80	4.4	76	21.1	94.4	3,607	1,001	45	3,389	94.0
Without Surgery												
Total.....	359	100.0	4,479	100.0	3,997	11.1	89.2	140,459	391	31	117,938	84.0
Less than 25 beds.....	15	4.2	165	3.7	148	9.7	90.1	4,372	287	27	3,660	83.7
25 to 49 beds.....	70	19.5	745	16.6	695	9.9	93.3	20,427	291	27	16,539	81.0
50 to 99 beds.....	95	26.4	1,107	24.7	1,008	10.6	91.0	30,338	320	27	24,882	82.0
100 to 149 beds.....	46	12.9	563	12.6	507	10.9	90.0	16,223	349	29	13,521	83.3
150 to 199 beds.....	20	5.5	244	5.5	221	11.2	90.6	7,823	395	32	6,417	82.0
200 to 249 beds.....	18	5.0	233	5.2	208	11.7	89.3	7,418	416	32	6,188	83.4
250 to 299 beds.....	13	3.6	184	4.1	158	12.0	85.7	6,573	501	36	5,489	83.5
300 to 399 beds.....	20	5.7	268	6.0	239	11.7	89.0	9,888	483	37	8,364	84.6
400 to 499 beds.....	14	3.8	208	4.6	182	13.3	87.3	8,184	598	39	7,350	89.8
500 to 749 beds.....	17	4.7	257	5.7	220	13.2	85.5	10,157	607	39	8,704	85.7
750 to 999 beds.....	12	3.4	209	4.7	165	13.5	79.0	7,996	653	38	6,972	87.2
1,000 to 1,999 beds.....	8	2.2	138	3.1	112	13.8	81.2	4,801	594	35	4,201	87.5
2,000 beds or more.....	11	2.9	153	3.4	134	12.6	87.5	6,209	586	41	5,639	90.8

Table 4.1.6 DISCHARGES BY DISCHARGE STATUS AND DETAILED LENGTH OF STAY: CHARGES AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

[See NOTES preceding General Tables]

Discharge status and total length of stay	With surgery							Without surgery						
	Discharges		Hospital charges					Discharges		Hospital charges				
	Number	Percent distribution	Amount			Reimbursed by hospital insurance		Number	Percent distribution	Amount			Reimbursed by hospital insurance	
			Total (in thou- sands)	Per dis- charge	Per day	Amount (in thou- sands)	Percent of total charges			Total (in thou- sands)	Per dis- charge	Per day	Amount (in thou- sands)	Percent of total charges
ALL DISCHARGES														
Total.....	766,888	100.0	\$550,935	\$718	\$51	\$428,240	77.7	1,582,775	100.0	\$763,247	\$482	\$38	\$609,227	79.8
Less than 1 day	2,958	0.4	372	126	126	159	42.7	25,872	1.6	1,837	71	71	671	36.5
1 day	15,908	2.1	1,937	122	122	810	41.8	67,450	4.3	5,659	84	84	2,107	37.2
2 days	38,797	5.1	6,305	163	81	3,280	52.0	90,028	5.7	10,966	122	61	5,412	49.4
3 days	36,760	4.8	7,746	211	70	4,596	59.3	105,920	6.7	16,675	157	52	9,692	58.1
4 days	37,089	4.8	9,223	249	62	5,994	65.0	113,275	7.2	21,828	193	48	14,055	64.4
5 days	40,789	5.3	11,792	289	58	8,166	69.2	109,121	6.9	24,943	229	46	17,043	68.3
6 days	44,212	5.8	14,582	330	55	10,461	71.7	100,744	6.4	26,446	263	44	18,866	71.3
7 days	49,545	6.5	18,018	364	52	13,305	73.8	99,504	6.3	29,981	301	43	21,861	72.9
8 days	47,505	6.2	19,783	416	52	14,902	75.3	87,076	5.5	29,575	340	42	22,273	75.3
9 days	42,537	5.5	20,032	471	52	15,204	75.9	76,009	4.8	28,404	374	42	21,783	76.7
10 days	37,283	4.9	19,622	526	53	15,058	76.7	67,395	4.3	27,978	415	42	21,583	77.1
11 days	32,863	4.3	19,051	580	53	14,638	76.8	60,160	3.8	26,964	448	41	21,342	79.2
12 days	29,163	3.8	18,618	638	53	14,311	76.9	52,216	3.3	25,189	482	40	20,158	80.0
13 days	25,982	3.4	17,864	688	53	13,829	77.4	47,387	3.0	24,779	523	40	20,131	81.2
14 days	26,601	3.5	19,618	738	53	15,256	77.8	46,881	3.0	26,133	557	40	21,296	81.5
15 days	22,426	2.9	17,808	794	53	13,907	78.1	38,315	2.4	22,728	593	40	18,627	82.0
16 days	19,966	2.6	16,728	838	52	13,072	78.1	32,755	2.1	20,552	627	39	17,000	82.7
17 days	17,897	2.3	16,062	897	53	12,524	78.0	29,310	1.9	19,375	661	39	16,109	83.1
18 days	16,404	2.1	15,395	938	52	11,993	77.9	26,195	1.7	18,141	693	38	15,211	83.9
19 days	14,571	1.9	14,396	988	52	11,269	78.3	23,171	1.5	17,065	736	39	14,300	83.8
20 days	13,399	1.7	14,102	1,052	53	11,015	78.1	21,948	1.4	17,006	775	39	14,348	84.4
21 days	13,120	1.7	14,288	1,089	52	11,290	79.0	22,534	1.4	18,176	807	38	15,414	84.8
22 days	11,002	1.4	12,368	1,124	51	9,830	79.5	18,304	1.2	15,291	835	38	12,999	85.0
23 days	9,607	1.3	11,397	1,186	52	9,037	79.3	16,418	1.0	14,304	871	38	12,286	85.9
24 days	9,385	1.2	11,423	1,217	51	9,061	79.3	14,614	0.9	13,219	905	38	11,339	85.8
25 days	8,288	1.1	10,514	1,269	51	8,442	80.3	13,235	0.8	12,669	957	38	10,795	85.2
26 days	7,479	1.0	9,821	1,313	51	7,870	80.1	11,817	0.7	11,432	967	37	9,817	85.9
27 days	6,978	0.9	9,617	1,378	51	7,750	80.6	11,350	0.7	11,259	992	37	9,656	85.8
28 days	6,962	0.9	9,800	1,408	50	7,748	79.1	11,921	0.8	12,541	1,052	38	10,730	85.6
29 days	5,810	0.8	8,378	1,442	50	6,720	80.2	9,374	0.6	10,290	1,098	38	8,847	86.0
30 days	5,245	0.7	7,720	1,472	49	6,245	80.9	8,971	0.6	9,967	1,111	37	8,602	86.3
31 days	4,797	0.6	7,471	1,557	50	6,051	81.0	7,899	0.5	8,836	1,119	36	7,627	86.3
32 days	4,333	0.6	6,851	1,581	49	5,509	80.4	7,319	0.5	8,428	1,151	36	7,289	86.5
33 days	3,882	0.5	6,388	1,646	50	5,176	81.0	6,655	0.4	8,034	1,207	37	6,910	86.0
34 days	3,652	0.5	6,245	1,710	50	5,083	81.4	5,459	0.3	6,548	1,200	35	5,736	87.6
35 days	3,743	0.5	6,205	1,658	47	5,114	82.4	5,676	0.4	6,998	1,233	35	6,099	87.2
36 days	3,361	0.4	5,839	1,737	48	4,780	81.9	5,085	0.3	6,630	1,304	36	5,853	88.3
37 days	3,169	0.4	5,731	1,809	49	4,784	83.5	4,721	0.3	6,049	1,281	35	5,226	86.4
38 days	2,712	0.4	4,874	1,797	47	4,043	83.0	4,400	0.3	5,813	1,321	35	5,058	87.0
39 days	2,501	0.3	4,744	1,897	49	3,846	81.1	4,008	0.3	5,368	1,339	34	4,717	87.9
40 days	2,468	0.3	4,802	1,946	49	3,973	82.7	4,079	0.3	5,480	1,343	34	4,864	88.8
41 days	2,204	0.3	4,304	1,953	48	3,527	82.0	3,460	0.2	4,991	1,442	35	4,361	87.4
42 days	2,136	0.3	4,311	2,018	48	3,580	83.1	3,665	0.2	5,205	1,420	34	4,522	86.9
43 days	1,918	0.3	3,868	2,017	47	3,227	83.4	3,150	0.2	4,561	1,448	34	3,956	86.7
44 days	1,597	0.2	3,298	2,065	47	2,738	83.0	2,740	0.2	4,111	1,500	34	3,552	86.4
45 days	1,718	0.2	3,517	2,047	45	2,803	79.7	2,600	0.2	3,957	1,522	34	3,463	87.5
46 days	1,603	0.2	3,552	2,216	48	2,842	80.0	2,603	0.2	4,073	1,565	34	3,590	88.1
47 days	1,450	0.2	3,228	2,226	47	2,719	84.2	2,364	0.1	3,704	1,567	33	3,319	89.6
48 days	1,379	0.2	3,004	2,178	45	2,570	85.6	2,072	0.1	3,408	1,645	34	3,034	89.0
49 days	1,378	0.2	3,077	2,233	46	2,594	84.3	2,100	0.1	3,339	1,590	32	2,933	87.8
50 days	1,159	0.2	2,621	2,262	45	2,199	83.9	1,975	0.1	3,201	1,621	32	2,867	89.6
51 days	975	0.1	2,461	2,524	49	2,029	82.4	1,780	0.1	2,837	1,594	31	2,577	90.8
52 days	1,018	0.1	2,495	2,451	47	2,056	82.4	1,806	0.1	2,944	1,630	31	2,625	89.2
53 days	968	0.1	2,352	2,430	46	1,970	83.8	1,608	0.1	2,550	1,586	30	2,301	90.2
54 days	938	0.1	2,291	2,442	45	1,861	81.3	1,563	0.1	2,848	1,822	34	2,446	85.9
55 days	894	0.1	2,190	2,450	45	1,856	84.7	1,367	0.1	2,437	1,783	32	2,198	90.2
56 days	820	0.1	2,057	2,508	45	1,718	83.5	1,460	0.1	2,399	1,643	29	2,109	87.9
57 days	906	0.1	2,126	2,347	41	1,825	85.8	1,283	0.1	2,507	1,954	34	2,191	87.4
58 days	753	0.1	1,978	2,627	45	1,689	85.4	1,182	0.1	1,998	1,691	29	1,795	89.8
59 days	805	0.1	2,197	2,729	46	1,801	82.0	1,297	0.1	2,513	1,937	33	2,158	85.9
60 days	691	0.1	1,766	2,556	43	1,484	84.0	1,288	0.1	2,342	1,819	30	2,145	91.6
61 to 65 days	2,492	0.3	6,628	2,660	42	5,672	85.6	4,977	0.3	9,264	1,861	30	8,208	88.6
66 to 70 days	1,701	0.2	4,671	2,746	40	3,895	83.4	3,576	0.2	7,236	2,023	30	6,228	86.1
71 to 75 days	1,288	0.2	3,748	2,910	40	3,106	82.9	2,983	0.2	5,881	1,971	27	5,217	88.7
76 to 80 days	1,207	0.2	3,937	3,262	42	3,170	80.5	2,324	0.1	4,938	2,125	27	4,248	86.0
81 to 85 days	796	0.1	2,642	3,319	39	2,182	82.6	1,974	0.1	4,493	2,276	27	3,894	86.7
86 to 90 days	919	0.1	2,969	3,231	36	2,452	82.6	2,266	0.1	5,336	2,355	27	4,532	84.9
91 to 100 days	583	0.1	1,695	2,908	31	1,405	82.9	2,311	0.1	4,792	2,074	22	4,002	83.5
101 to 125 days	827	0.1	2,543	3,075	28	1,873	73.6	3,192	0.2	7,736	2,424	22	5,731	74.1
126 to 150 days	298	0.0	951	3,190	23	694	72.9	1,358	0.1	3,028	2,229	16	2,098	69.3
151 to 175 days	119	-	354	-	-	227	-	861	0.1	2,374	2,757	17	1,567	66.0
176 or more	199	-	575	-	-	375	-	1,019	0.1	2,688	2,638	14	1,634	60.8

Table 4.1.6 DISCHARGES BY DISCHARGE STATUS AND DETAILED LENGTH OF STAY: CHARGES AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Discharge status and total length of stay	With surgery							Without surgery						
	Discharges		Hospital charges					Discharges		Hospital charges				
	Number	Percent distribution	Amount			Reimbursed by hospital insurance		Number	Percent distribution	Amount			Reimbursed by hospital insurance	
			Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges			Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
DISCHARGED ALIVE														
Total.....	724,883	100.0	\$495,367	\$683	\$49	\$387,689	78.3	1,381,258	100.0	\$652,292	\$472	\$37	\$525,325	80.5
Less than 1 day	2,357	0.3	207	88	88	74	35.9	6,477	0.5	346	53	53	131	38.0
1 day	14,398	2.0	1,411	98	98	542	38.4	40,919	3.0	2,795	68	68	1,016	36.3
2 days	37,263	5.1	5,665	152	76	2,922	51.6	73,804	5.3	8,094	110	55	3,974	49.1
3 days	35,162	4.9	6,941	197	66	4,126	59.4	93,614	6.8	13,877	148	49	8,114	58.5
4 days	35,633	4.9	8,439	237	59	5,559	65.9	102,539	7.4	18,878	184	46	12,231	64.8
5 days	39,480	5.4	11,021	279	56	7,701	69.9	99,664	7.2	21,879	220	44	15,056	68.8
6 days	42,665	5.9	13,559	318	53	9,843	72.6	92,965	6.7	23,644	254	42	17,026	72.0
7 days	48,054	6.6	16,992	354	51	12,649	74.4	92,525	6.7	27,065	293	42	19,883	73.5
8 days	46,008	6.3	18,623	405	51	14,171	76.1	80,254	5.8	26,361	328	41	20,067	76.1
9 days	41,216	5.7	18,964	460	51	14,499	76.5	70,362	5.1	25,606	364	40	19,778	77.2
10 days	35,889	5.0	18,417	513	51	14,238	77.3	61,946	4.5	24,943	403	40	19,439	77.9
11 days	31,457	4.3	17,802	566	51	13,776	77.4	55,012	4.0	24,042	437	40	19,156	79.7
12 days	27,752	3.8	17,226	621	52	13,354	77.5	47,638	3.4	22,454	471	39	18,112	80.7
13 days	24,740	3.4	16,560	669	51	12,884	77.8	43,251	3.1	22,042	510	39	18,027	81.8
14 days	25,312	3.5	18,185	718	51	14,218	78.2	43,069	3.1	23,480	545	39	19,276	82.1
15 days	21,215	2.9	16,356	771	51	12,941	79.1	34,569	2.5	20,048	580	39	16,536	82.5
16 days	18,916	2.6	15,431	816	51	12,156	78.8	29,558	2.1	18,091	612	38	15,088	83.4
17 days	16,866	2.3	14,763	875	51	11,635	78.8	26,307	1.9	17,112	650	38	14,352	83.9
18 days	15,412	2.1	14,111	916	51	11,125	78.8	23,147	1.7	15,618	675	37	13,196	84.5
19 days	13,669	1.9	13,148	962	51	10,390	79.0	20,519	1.5	14,867	725	38	12,538	84.3
20 days	12,611	1.7	12,991	1,030	52	10,213	78.6	19,653	1.4	14,876	757	38	12,666	85.1
21 days	12,289	1.7	12,966	1,055	50	10,347	79.8	20,416	1.5	16,210	794	38	13,839	85.4
22 days	10,231	1.4	11,245	1,099	50	9,016	80.2	16,459	1.2	13,486	819	37	11,567	85.8
23 days	8,889	1.2	10,204	1,148	50	8,161	80.0	14,604	1.1	12,534	858	37	10,819	86.3
24 days	8,671	1.2	10,335	1,192	50	8,257	79.9	12,891	0.9	11,487	891	37	9,894	86.1
25 days	7,688	1.1	9,544	1,241	50	7,740	81.1	11,702	0.8	10,996	940	38	9,465	86.1
26 days	6,952	1.0	8,937	1,286	49	7,228	80.9	10,328	0.7	9,862	955	37	8,566	86.9
27 days	6,465	0.9	8,694	1,345	50	7,063	81.2	9,845	0.7	9,609	976	36	8,319	86.6
28 days	6,425	0.9	8,796	1,369	49	7,056	80.2	10,550	0.8	10,940	1,037	37	9,437	86.3
29 days	5,298	0.7	7,419	1,400	48	5,986	80.7	8,123	0.6	8,735	1,075	37	7,542	86.3
30 days	4,694	0.6	6,689	1,425	48	5,474	81.8	7,616	0.6	8,250	1,083	36	7,194	87.2
31 days	4,244	0.6	6,343	1,495	48	5,182	81.7	6,724	0.5	7,348	1,093	35	6,432	87.5
32 days	3,975	0.5	6,074	1,528	48	4,906	80.8	6,132	0.4	6,842	1,116	35	5,959	87.1
33 days	3,378	0.5	5,371	1,590	48	4,389	81.7	5,588	0.4	6,632	1,187	36	5,754	86.8
34 days	3,284	0.5	5,482	1,669	49	4,510	82.3	4,606	0.3	5,464	1,186	35	4,842	88.6
35 days	3,332	0.5	5,388	1,617	46	4,481	83.2	4,753	0.3	5,818	1,224	35	5,112	87.9
36 days	2,996	0.4	5,034	1,680	47	4,126	82.0	4,298	0.3	5,535	1,288	36	4,930	89.1
37 days	2,758	0.4	4,823	1,749	47	4,034	83.6	3,920	0.3	4,747	1,211	33	4,264	89.8
38 days	2,339	0.3	4,118	1,760	46	3,427	83.2	3,668	0.3	4,805	1,310	34	4,176	86.9
39 days	2,221	0.3	4,080	1,837	47	3,352	82.1	3,309	0.2	4,345	1,313	34	3,853	88.7
40 days	2,163	0.3	4,114	1,902	48	3,446	83.8	3,297	0.2	4,363	1,323	33	3,885	89.0
41 days	1,950	0.3	3,644	1,869	46	3,017	82.8	2,863	0.2	4,110	1,435	35	3,614	87.9
42 days	1,837	0.3	3,588	1,953	47	3,018	84.1	3,055	0.2	4,220	1,381	33	3,728	88.3
43 days	1,649	0.2	3,291	1,996	46	2,776	84.4	2,609	0.2	3,705	1,420	33	3,222	87.0
44 days	1,388	0.2	2,797	2,015	46	2,336	83.5	2,203	0.2	3,296	1,496	34	2,862	86.8
45 days	1,498	0.2	2,984	1,992	44	2,388	80.0	2,158	0.2	3,205	1,485	33	2,833	88.4
46 days	1,358	0.2	2,842	2,093	45	2,319	81.6	2,061	0.1	3,121	1,515	33	2,805	89.9
47 days	1,250	0.2	2,678	2,142	46	2,253	84.1	1,939	0.1	3,024	1,559	33	2,729	90.2
48 days	1,193	0.2	2,523	2,115	44	2,183	86.5	1,650	0.1	2,610	1,582	33	2,367	90.7
49 days	1,193	0.2	2,606	2,184	45	2,224	85.3	1,696	0.1	2,732	1,611	33	2,411	88.3
50 days	999	0.1	2,247	2,249	45	1,874	83.4	1,641	0.1	2,591	1,579	32	2,339	90.3
51 days	835	0.1	2,007	2,403	47	1,666	83.0	1,475	0.1	2,386	1,618	32	2,164	90.7
52 days	903	0.1	2,163	2,396	46	1,800	83.2	1,466	0.1	2,299	1,569	30	2,062	89.7
53 days	856	0.1	2,036	2,378	45	1,710	84.0	1,331	0.1	2,005	1,507	28	1,813	90.4
54 days	827	0.1	2,002	2,421	45	1,634	81.6	1,151	0.1	2,049	1,780	33	1,756	85.7
55 days	763	0.1	1,830	2,399	44	1,588	86.7	1,049	0.1	1,886	1,798	33	1,708	90.6
56 days	689	0.1	1,672	2,426	43	1,392	83.3	1,110	0.1	1,792	1,614	29	1,564	87.3
57 days	815	0.1	1,878	2,305	40	1,621	86.3	989	0.1	1,826	1,846	32	1,640	89.8
58 days	629	0.1	1,613	2,564	44	1,394	86.4	945	0.1	1,598	1,691	29	1,435	89.8
59 days	680	0.1	1,832	2,694	46	1,522	83.1	1,023	0.1	1,854	1,812	31	1,617	87.2
60 days	591	0.1	1,456	2,463	41	1,233	84.7	1,003	0.1	1,750	1,745	29	1,605	91.7
61 to 65 days	2,095	0.3	5,581	2,664	42	4,766	85.4	3,869	0.3	6,987	1,806	29	6,222	89.1
66 to 70 days	1,425	0.2	3,801	2,668	39	3,181	83.7	2,595	0.2	5,106	1,968	29	4,446	87.1
71 to 75 days	1,037	0.1	2,935	2,830	39	2,450	83.5	2,305	0.2	4,436	1,924	26	3,955	89.2
76 to 80 days	980	0.1	3,156	3,221	41	2,548	80.7	1,739	0.1	3,702	2,129	27	3,214	86.8
81 to 85 days	646	0.1	2,112	3,269	39	1,726	81.7	1,549	0.1	3,468	2,239	27	3,035	87.5
86 to 90 days	774	0.1	2,526	3,264	37	2,103	83.2	1,854	0.1	4,396	2,371	27	3,767	85.7
91 to 100 days	513	0.1	1,472	2,869	30	1,219	82.8	1,957	0.1	4,157	2,124	22	3,458	83.2
101 to 125 days	645	0.1	2,067	3,205	29	1,478	71.5	2,717	0.2	6,926	2,549	23	5,019	72.5
126 to 150 days	243	*	755	*	*	547	*	1,089	0.1	2,518	2,312	17	1,731	68.7
151 to 175 days	90	*	280	*	*	195	*	761	0.1	2,229	2,929	18	1,426	64.0
176 or more	165	*	526	*	*	334	*	785	0.1	2,182	2,779	15	1,269	58.2

Table 4.1.6 DISCHARGES BY DISCHARGE STATUS AND DETAILED LENGTH OF STAY: CHARGES AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Discharge status and total length of stay	With surgery							Without surgery						
	Discharges		Hospital charges					Discharges		Hospital charges				
	Number	Percent distribution	Amount			Reimbursed by hospital insurance		Number	Percent distribution	Amount			Reimbursed by hospital insurance	
			Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges			Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
DISCHARGED OEA0														
Total.....	42,005	100.0	\$55,566	\$1,323	\$65	\$40,550	73.0	201,517	100.0	\$110,956	\$551	\$43	\$83,902	75.6
Less than 1 day	601	1.4	165	274	274	84	51.1	19,395	9.6	1,491	77	77	540	36.2
1 day	1,510	3.6	526	348	348	269	51.1	26,531	13.2	2,864	108	108	1,091	38.1
2 days	1,534	3.7	641	418	209	358	55.9	16,224	8.1	2,872	177	89	1,438	50.1
3 days	1,598	3.8	805	504	168	469	58.3	12,306	6.1	2,797	227	76	1,579	56.4
4 days	1,456	3.5	784	538	135	435	55.6	10,736	5.3	2,950	275	69	1,824	61.8
5 days	1,309	3.1	770	589	118	464	60.3	9,457	4.7	3,064	324	65	1,987	64.8
6 days	1,547	3.7	1,022	661	110	618	60.4	7,779	3.9	2,802	360	60	1,840	65.7
7 days	1,491	3.5	1,025	688	98	656	64.0	6,979	3.5	2,915	418	60	1,978	67.8
8 days	1,497	3.6	1,160	775	97	732	63.1	6,822	3.4	3,213	471	59	2,207	68.7
9 days	1,321	3.1	1,068	809	90	705	66.0	5,647	2.8	2,798	496	55	2,005	71.6
10 days	1,394	3.3	1,205	864	86	820	68.0	5,449	2.7	3,035	557	56	2,144	70.6
11 days	1,406	3.3	1,248	888	81	862	69.1	5,148	2.6	2,921	567	52	2,186	74.8
12 days	1,411	3.4	1,392	987	82	957	68.7	4,578	2.3	2,735	597	50	2,046	74.8
13 days	1,242	3.0	1,304	1,050	81	945	72.4	4,136	2.1	2,737	662	51	2,104	76.9
14 days	1,289	3.1	1,433	1,112	79	1,037	72.4	3,812	1.9	2,653	696	50	2,020	76.1
15 days	1,211	2.9	1,451	1,198	80	965	66.5	3,746	1.9	2,680	715	48	2,091	78.0
16 days	1,050	2.5	1,296	1,235	77	916	70.7	3,197	1.6	2,462	770	48	1,912	77.7
17 days	1,031	2.5	1,300	1,260	74	889	68.4	3,003	1.5	2,263	754	44	1,757	77.6
18 days	992	2.4	1,283	1,294	72	868	67.6	3,048	1.5	2,523	828	46	2,016	79.9
19 days	902	2.1	1,248	1,384	73	879	70.4	2,652	1.3	2,198	829	44	1,762	80.2
20 days	788	1.9	1,112	1,411	71	802	72.1	2,295	1.1	2,129	928	46	1,682	79.0
21 days	831	2.0	1,323	1,592	76	944	71.3	2,118	1.1	1,967	929	44	1,574	80.0
22 days	771	1.8	1,123	1,456	66	815	72.5	1,845	0.9	1,805	979	44	1,432	79.3
23 days	718	1.7	1,193	1,662	72	876	73.4	1,814	0.9	1,770	976	42	1,467	82.9
24 days	714	1.7	1,088	1,524	63	804	73.9	1,723	0.9	1,731	1,005	42	1,445	83.5
25 days	600	1.4	969	1,616	65	702	72.4	1,533	0.8	1,673	1,092	44	1,330	79.5
26 days	527	1.3	884	1,678	65	642	72.6	1,489	0.7	1,571	1,055	41	1,251	79.6
27 days	513	1.2	924	1,801	67	687	74.4	1,505	0.7	1,649	1,096	41	1,337	81.1
28 days	537	1.3	1,004	1,870	67	692	68.9	1,371	0.7	1,602	1,168	42	1,293	80.7
29 days	512	1.2	959	1,872	65	734	76.6	1,251	0.6	1,554	1,242	43	1,306	84.0
30 days	551	1.3	1,031	1,871	62	771	74.8	1,355	0.7	1,716	1,267	42	1,408	82.1
31 days	553	1.3	1,127	2,038	66	869	77.1	1,175	0.6	1,488	1,267	41	1,195	80.3
32 days	358	0.9	777	2,171	68	603	77.5	1,187	0.6	1,586	1,336	42	1,329	83.8
33 days	504	1.2	1,017	2,017	61	787	77.4	1,067	0.5	1,402	1,314	40	1,156	82.4
34 days	368	0.9	764	2,075	61	573	75.1	853	0.4	1,085	1,272	37	894	82.4
35 days	411	1.0	817	1,989	57	634	77.5	923	0.5	1,181	1,279	37	987	83.6
36 days	365	0.9	805	2,205	61	654	81.3	787	0.4	1,095	1,391	39	923	84.3
37 days	411	1.0	909	2,211	60	751	82.6	801	0.4	1,302	1,626	44	961	73.8
38 days	373	0.9	756	2,028	53	616	81.4	732	0.4	1,008	1,378	36	882	87.4
39 days	280	0.7	664	2,371	61	494	74.4	699	0.3	1,023	1,464	38	863	84.4
40 days	305	0.7	688	2,255	56	527	76.6	782	0.4	1,117	1,428	36	979	87.6
41 days	254	0.6	660	2,599	63	511	77.3	597	0.3	881	1,476	36	747	84.7
42 days	299	0.7	722	2,415	58	562	77.8	610	0.3	985	1,615	38	794	80.6
43 days	269	0.6	577	2,146	50	451	78.1	541	0.3	856	1,582	37	735	85.8
44 days	209	"	501	"	"	401	"	537	0.3	816	1,519	35	690	84.6
45 days	220	"	533	"	"	415	"	442	0.2	752	1,701	38	631	83.9
46 days	245	"	710	"	"	523	"	542	0.3	951	1,755	38	785	82.5
47 days	200	"	550	"	"	466	"	425	0.2	681	1,601	34	590	86.7
48 days	186	"	480	"	"	387	"	422	0.2	798	1,892	39	667	83.5
49 days	185	"	472	"	"	370	"	404	0.2	608	1,504	31	522	85.8
50 days	160	"	374	"	"	325	"	334	0.2	610	1,826	37	527	86.5
51 days	140	"	454	"	"	363	"	305	0.2	451	1,479	29	413	91.6
52 days	115	"	332	"	"	256	"	340	0.2	645	1,896	36	564	87.4
53 days	112	"	316	"	"	260	"	277	0.1	545	1,967	37	488	89.6
54 days	111	"	289	"	"	227	"	412	0.2	799	1,939	36	690	86.4
55 days	131	"	360	"	"	268	"	318	0.2	551	1,732	31	489	88.9
56 days	131	"	385	"	"	326	"	350	0.2	607	1,734	31	545	89.7
57 days	91	"	248	"	"	204	"	294	0.1	681	2,316	41	551	80.9
58 days	124	"	365	"	"	295	"	237	"	401	"	"	360	"
59 days	125	"	365	"	"	279	"	274	0.1	659	2,406	41	540	82.0
60 days	100	"	310	"	"	251	"	285	0.1	592	2,076	35	541	91.3
61 to 65 days	397	0.9	1,047	2,637	42	906	86.6	1,108	0.5	2,276	2,055	33	1,985	87.2
66 to 70 days	276	0.7	870	3,151	46	714	82.1	981	0.5	2,130	2,171	32	1,782	83.7
71 to 75 days	251	0.6	813	3,239	44	656	80.7	678	0.3	1,445	2,131	29	1,262	87.3
76 to 80 days	227	"	781	"	"	623	"	585	0.3	1,237	2,114	27	1,035	83.7
81 to 85 days	150	"	531	"	"	457	"	425	0.2	1,025	2,411	29	859	83.4
86 to 90 days	145	"	443	"	"	349	"	412	0.2	940	2,283	26	765	81.4
91 to 100 days	70	"	224	"	"	186	"	354	0.2	635	1,794	19	543	85.5
101 to 125 days	182	"	476	"	"	395	"	475	0.2	810	1,705	15	713	88.0
126 to 150 days	55	"	195	"	"	147	"	269	0.1	510	1,895	14	368	72.1
151 to 175 days	29	"	74	"	"	32	"	100	"	145	"	"	140	"
176 or more	34	"	49	"	"	41	"	234	"	506	"	"	365	"

Table 4.1.7 DISCHARGES BY AGE, RACE, AND SEX: NUMBER AND RATE, BY TYPE OF HOSPITAL CONTROL FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

[See NOTES preceding General Tables]

Age, race, and sex	Discharges (in thousands)						Annual discharge rate per 1,000 enrolled population					
	All short- stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals	All short- stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals
		Total	Church	Other				Total	Church	Other		
ALL DISCHARGES												
All Persons												
Total, 65 years and over	2,350	1,692	654	1,038	178	480	243.2	175.1	67.7	107.5	18.4	49.7
65 and 66 years	263	193	76	118	19	50	190.1	139.7	54.7	85.0	14.0	36.4
67 and 68 years	260	189	74	116	20	51	203.9	148.7	57.9	90.7	15.5	39.8
69 and 70 years	260	191	74	117	19	50	212.7	156.2	60.5	95.7	15.8	40.7
71 and 72 years	256	188	72	116	19	49	224.5	164.8	63.2	101.6	17.0	42.7
73 and 74 years	251	183	71	113	19	49	245.3	179.2	69.0	110.2	18.5	47.5
75 to 79 years	518	373	144	229	39	106	271.0	195.0	75.2	119.8	20.6	55.4
80 to 84 years	339	237	91	145	26	76	310.2	216.8	83.7	133.1	23.7	69.7
85 years and over	202	137	52	85	16	49	331.7	224.7	85.5	139.1	25.9	81.1
Men, 65 years and over												
65 and 66 years	1,083	780	297	484	78	225	263.7	190.0	72.3	117.7	19.0	54.7
67 and 68 years	131	96	37	59	10	26	208.0	152.0	59.0	93.0	15.2	40.8
69 and 70 years	127	93	36	57	9	25	222.7	162.5	62.7	99.9	15.9	44.3
71 and 72 years	122	90	34	56	8	24	227.8	168.0	63.6	104.4	15.5	44.3
73 and 74 years	118	87	33	54	8	23	239.1	176.1	67.0	109.2	16.8	46.2
75 to 79 years	235	169	64	105	17	48	297.1	214.1	81.6	132.4	21.7	61.3
80 to 84 years	150	104	40	65	11	35	348.5	241.8	91.8	150.0	26.0	80.8
85 years and over	82	55	21	34	6	21	379.1	253.8	95.5	158.3	28.1	97.2
Women, 65 years and over												
65 and 66 years	1,266	912	357	555	100	255	228.1	164.2	64.3	99.9	18.0	45.9
67 and 68 years	132	98	39	59	10	25	175.1	129.4	51.2	78.2	12.9	32.7
69 and 70 years	133	97	38	59	11	25	188.7	137.4	54.1	83.3	15.3	36.1
71 and 72 years	138	101	40	61	11	26	200.8	146.9	58.0	88.9	16.0	37.9
73 and 74 years	138	101	39	62	11	26	213.3	156.1	60.3	95.8	17.2	39.9
75 to 79 years	284	204	79	124	22	58	252.6	181.6	70.7	110.8	19.8	51.3
80 to 84 years	189	133	52	81	15	41	285.3	200.6	78.5	122.1	22.3	62.4
85 years and over	120	82	31	50	10	28	305.6	208.6	80.0	128.6	24.8	72.2
White												
Total, 65 years and over	2,153	1,569	611	958	165	419	249.5	181.8	70.8	111.0	19.1	48.6
65 and 66 years	243	181	72	109	18	44	195.9	146.2	57.9	88.3	14.5	35.2
67 and 68 years	241	178	70	108	19	44	209.9	155.0	60.8	94.1	16.2	38.7
69 and 70 years	241	179	70	109	18	44	219.4	162.9	63.6	99.2	16.6	39.9
71 and 72 years	238	177	68	109	18	43	230.6	171.7	66.3	105.4	17.5	41.3
73 and 74 years	234	173	67	106	18	43	252.1	186.3	72.3	113.9	19.2	46.7
75 to 79 years	479	348	135	213	37	94	278.2	202.4	78.6	123.8	21.3	54.5
80 to 84 years	306	216	84	132	24	66	318.6	224.8	87.4	137.5	24.6	69.1
85 years and over	171	117	45	72	14	41	342.2	233.0	89.1	143.9	27.1	82.0
Men, 65 years and over												
65 and 66 years	1,007	736	282	454	73	198	271.1	198.0	75.9	122.2	19.7	53.4
67 and 68 years	121	90	35	55	9	22	214.0	159.3	62.4	96.9	15.8	38.9
69 and 70 years	118	87	34	53	9	22	229.1	169.3	65.9	103.4	16.6	43.1
71 and 72 years	114	85	33	52	8	21	234.9	175.3	67.2	108.1	16.3	43.3
73 and 74 years	111	83	32	51	8	20	246.9	184.5	70.7	113.8	17.2	45.2
75 to 79 years	220	161	62	99	16	43	276.5	205.3	76.5	128.8	20.2	51.0
80 to 84 years	140	98	37	61	10	31	305.1	222.6	85.3	137.2	22.5	60.1
85 years and over	73	50	19	31	5	18	357.3	251.1	95.4	155.7	26.7	79.5
Women, 65 years and over												
65 and 66 years	1,146	833	329	504	91	221	233.2	169.6	67.0	102.6	18.6	45.0
67 and 68 years	122	91	36	55	9	22	180.9	135.2	54.1	81.2	13.4	32.2
69 and 70 years	123	91	36	55	10	22	194.2	143.3	56.7	86.5	15.8	35.1
71 and 72 years	127	94	37	57	10	23	207.1	153.0	60.8	92.2	16.9	37.3
73 and 74 years	127	95	37	58	10	22	218.1	161.9	62.9	99.0	17.8	38.4
75 to 79 years	233	173	66	107	10	23	233.6	171.8	69.2	102.7	18.5	43.4
80 to 84 years	259	188	74	114	20	50	258.8	187.8	73.8	114.0	20.5	50.5
85 years and over	166	118	47	71	13	35	292.0	206.8	81.8	125.0	23.2	62.0
All Other Races												
Total, 65 years and over	122	67	22	46	8	46	166.5	92.1	29.8	62.3	11.2	63.2
65 and 66 years	17	10	3	7	1	6	142.2	82.6	26.5	56.1	8.6	51.0
67 and 68 years	15	8	3	6	1	5	142.1	81.1	26.8	54.3	8.9	52.1
69 and 70 years	14	9	3	6	1	5	144.7	85.5	26.6	58.9	8.6	50.6
71 and 72 years	14	8	2	5	1	5	154.6	85.4	27.3	58.1	11.6	57.5
73 and 74 years	12	7	2	5	1	5	164.6	92.3	28.9	63.4	11.0	61.3
75 to 79 years	24	13	4	9	2	9	184.9	100.3	31.5	68.8	12.4	72.3
80 to 84 years	16	8	3	5	1	6	216.9	113.4	38.3	75.1	15.8	87.7
85 years and over	10	5	2	3	1	4	231.1	113.7	40.8	72.9	17.8	99.6
Men, 65 years and over												
65 and 66 years	61	34	11	23	4	23	183.6	101.9	33.0	68.9	11.9	69.8
67 and 68 years	10	6	2	4	1	4	167.6	95.0	31.0	64.0	10.4	62.3
69 and 70 years	8	5	1	3	—	3	160.4	93.2	29.8	63.5	8.8	58.4
71 and 72 years	7	4	1	3	—	3	158.7	95.0	27.4	67.6	9.0	54.8
73 and 74 years	6	3	1	2	—	2	153.9	85.4	25.8	59.6	12.2	56.3
75 to 79 years	11	6	2	4	1	4	172.7	98.2	31.8	66.3	11.1	63.4
80 to 84 years	8	4	1	3	1	3	204.7	112.2	36.5	75.8	13.2	79.2
85 years and over	5	2	1	1	—	2	248.3	130.1	47.1	82.9	19.1	99.2
Women, 65 years and over												
65 and 66 years	61	34	11	23	4	23	152.3	84.0	27.1	56.9	10.6	57.7
67 and 68 years	7	4	1	3	—	2	118.0	70.8	22.3	48.5	6.9	40.3
69 and 70 years	7	4	1	3	—	3	125.8	70.4	24.1	46.2	8.9	46.6
71 and 72 years	7	4	1	3	—	3	132.5	77.3	25.9	51.3	8.2	47.0
73 and 74 years	8	4	1	3	1	3	155.1	85.3	28.5	56.8	11.2	58.6
75 to 79 years	12	7	2	5	—	2	158.2	87.7	26.6	61.1	10.8	59.7
80 to 84 years	8	4	1	3	1	3	169.7	91.1	27.6	63.5	11.7	66.9
85 years and over	5	3	1	2	—	2	193.5	101.0	31.7	69.3	13.4	79.1
Government hospitals												
65 and 66 years	5	3	1	2	—	2	201.8	103.3	37.2	66.0	18.2	80.4

Table 4.1.7 DISCHARGES BY AGE, RACE, AND SEX: NUMBER AND RATE, BY TYPE OF HOSPITAL CONTROL FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Age, race, and sex	Discharges (in thousands)						Annual discharge rate per 1,000 enrolled population					
	All short- stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals	All short- stay hospitals	Voluntary hospitals			Proprietary hospitals	Govern- ment hospitals
		Total	Church	Other				Total	Church	Other		
WITH SURGERY												
All Persons												
Total, 65 years and over	767	600	240	360	46	120	79.4	62.1	24.9	37.3	4.8	12.5
65 and 66 years	100	78	31	47	6	15	71.9	56.4	22.7	33.7	4.4	11.1
67 and 68 years	97	75	30	46	6	15	75.8	59.2	23.5	35.8	4.7	11.8
69 and 70 years	94	74	30	45	5	14	76.7	60.9	24.2	36.7	4.4	11.3
71 and 72 years	90	72	28	43	6	13	79.1	62.9	24.8	38.1	4.8	11.5
73 and 74 years	85	67	27	40	5	13	82.7	65.4	26.7	38.6	5.0	12.3
75 to 79 years	163	128	51	76	9	26	85.3	66.9	26.9	39.9	4.9	13.5
80 to 84 years	92	71	29	42	5	16	84.5	65.0	26.2	38.9	5.0	14.4
85 years and over	47	35	14	21	3	9	76.5	57.1	22.3	34.8	4.8	14.6
Men, 65 years and over												
65 and 66 years	379	296	118	178	22	61	92.2	72.0	28.6	43.4	5.2	14.9
67 and 68 years	50	39	16	23	3	8	79.2	61.9	24.8	37.1	4.8	12.5
69 and 68 years	49	38	15	23	3	8	85.6	66.7	26.2	40.5	4.9	13.9
69 and 70 years	47	37	15	22	3	7	87.2	69.1	27.3	41.7	4.7	13.5
71 and 72 years	44	35	14	21	3	7	89.9	71.4	28.3	43.0	5.2	13.3
73 and 74 years	43	34	13	20	2	6	97.3	76.9	30.4	46.5	5.6	14.8
75 to 79 years	80	63	25	37	5	13	101.7	79.6	32.2	47.4	5.7	16.3
80 to 84 years	45	35	14	21	2	8	104.9	80.5	31.4	49.1	5.7	18.7
85 years and over	21	15	6	9	1	4	94.9	70.3	28.0	42.3	5.5	19.1
Women, 65 years and over												
65 and 66 years	388	304	123	182	24	59	69.9	54.8	22.1	32.8	4.4	10.7
65 and 66 years	50	39	16	23	3	7	65.8	51.8	20.9	30.9	4.1	9.9
67 and 68 years	48	37	15	22	3	7	67.8	53.2	21.3	31.9	4.5	10.1
69 and 70 years	47	37	15	22	3	7	68.4	54.5	21.7	32.8	4.3	9.6
71 and 72 years	46	37	14	22	3	6	70.9	56.4	22.1	34.3	4.5	10.0
73 and 74 years	42	33	14	19	3	6	71.9	56.8	24.0	32.8	4.7	10.5
75 to 79 years	83	65	26	39	5	13	73.8	57.9	23.3	34.7	4.4	11.5
80 to 84 years	47	36	15	21	3	8	71.2	55.0	22.8	32.2	4.5	11.7
85 years and over	26	20	8	12	2	5	66.3	49.8	19.2	30.6	4.4	12.2
White												
Total, 65 years and over	707	560	226	334	43	104	81.9	64.9	26.2	38.7	5.0	12.1
65 and 66 years	92	73	30	44	6	13	74.5	59.3	24.2	35.1	4.6	10.6
67 and 68 years	90	71	29	43	6	13	78.7	62.2	24.9	37.3	4.9	11.5
69 and 70 years	87	70	28	42	5	12	79.3	63.5	25.5	38.0	4.7	11.1
71 and 72 years	84	68	27	41	5	11	81.8	65.8	26.0	39.7	5.0	11.0
73 and 74 years	79	63	26	37	5	11	85.3	68.2	28.1	40.1	5.2	11.9
75 to 79 years	151	119	48	71	9	23	87.6	69.4	28.1	41.2	5.1	13.1
80 to 84 years	84	65	26	39	5	14	87.2	67.8	27.4	40.4	5.2	14.2
85 years and over	39	30	12	18	2	7	78.5	59.3	23.3	36.0	4.8	14.4
Men, 65 years and over												
65 and 66 years	353	279	112	167	20	53	95.0	75.2	30.1	45.1	5.4	14.3
65 and 66 years	46	37	15	22	3	7	81.6	65.0	26.5	38.5	4.9	11.7
67 and 68 years	46	36	14	22	3	7	88.5	69.8	27.8	42.0	5.2	13.5
69 and 70 years	44	35	14	21	2	6	89.9	71.9	28.9	43.0	4.9	13.1
71 and 72 years	42	34	13	20	2	6	93.4	75.1	30.0	45.1	5.4	13.0
73 and 74 years	40	32	13	19	2	6	100.2	80.3	31.9	48.4	5.8	14.1
75 to 79 years	75	60	24	35	4	11	104.3	82.7	33.6	49.1	5.9	15.7
80 to 84 years	42	33	13	20	2	7	107.5	83.7	32.7	50.9	6.0	17.9
85 years and over	18	14	5	8	1	3	96.5	72.6	29.0	43.6	5.7	18.3
Women, 65 years and over												
65 and 66 years	354	281	114	167	23	51	72.1	57.1	23.2	33.9	4.6	10.4
65 and 66 years	46	37	15	22	3	7	68.5	54.5	22.2	32.3	4.3	9.7
67 and 68 years	45	35	14	21	3	6	70.6	56.0	22.5	33.5	4.7	9.9
69 and 70 years	44	35	14	21	3	6	70.9	57.0	22.9	34.1	4.5	9.4
71 and 72 years	43	34	13	21	3	6	72.8	58.6	23.0	35.6	4.8	9.5
73 and 74 years	39	31	13	18	3	5	73.9	59.0	25.2	33.7	4.8	10.2
75 to 79 years	75	60	24	36	5	11	75.5	59.7	24.2	35.5	4.6	11.2
80 to 84 years	42	32	13	19	3	7	73.2	56.9	23.7	33.1	4.7	11.6
85 years and over	21	16	6	10	1	4	67.6	51.2	19.8	31.4	4.3	12.1
All Other Races												
Total, 65 years and over	38	23	8	15	2	13	51.3	31.2	10.3	20.9	2.5	17.6
65 and 66 years	6	4	1	3	—	2	50.3	30.6	8.8	21.8	2.9	16.8
67 and 68 years	5	3	1	2	—	2	45.7	28.3	9.1	19.2	2.0	15.4
69 and 70 years	5	3	1	2	—	1	49.9	33.1	10.3	22.8	2.2	14.6
71 and 72 years	4	3	1	2	—	1	49.8	30.3	10.3	20.0	2.8	16.8
73 and 74 years	4	2	1	1	—	1	51.0	30.2	10.3	19.9	2.3	18.5
75 to 79 years	7	4	2	3	—	3	56.6	34.2	11.8	22.4	2.9	19.5
80 to 84 years	4	2	1	2	—	1	54.5	32.8	11.7	21.1	1.7	20.0
85 years and over	2	1	—	1	—	1	52.6	27.1	10.1	17.0	3.4	22.1
Men, 65 years and over												
65 and 66 years	21	13	4	8	1	7	62.8	37.9	12.4	25.5	3.2	21.7
65 and 66 years	4	2	1	2	—	1	62.3	37.3	10.6	26.7	3.7	21.2
67 and 68 years	3	2	1	1	—	1	56.9	35.6	10.4	25.2	2.3	18.9
69 and 70 years	3	2	1	1	—	1	62.4	42.1	12.3	29.8	2.7	17.7
71 and 72 years	2	1	—	1	—	1	51.4	31.0	10.3	20.7	3.4	17.0
73 and 74 years	2	1	—	1	—	1	59.9	34.7	12.8	21.9	2.9	22.3
75 to 79 years	4	2	1	1	—	1	69.5	41.3	14.7	26.7	3.6	24.6
80 to 84 years	2	1	—	1	—	1	73.8	42.6	16.1	26.5	3.4	27.8
85 years and over	1	1	—	—	—	1	72.3	37.6	14.4	23.2	3.9	30.8
Women, 65 years and over												
65 and 66 years	17	10	3	7	1	6	41.7	25.6	8.5	17.1	2.0	14.2
65 and 66 years	2	1	—	1	—	1	38.9	24.2	7.0	17.2	2.1	12.6
67 and 68 years	2	1	—	1	—	1	35.9	21.8	7.9	13.9	1.8	12.4
69 and 70 years	2	1	—	1	—	1	39.1	25.3	8.5	16.8	1.9	12.0
71 and 72 years	2	1	1	1	—	1	48.6	29.7	10.3	19.4	2.2	16.6
73 and 74 years	2	1	—	1	—	1	44.0	26.6	8.2	18.4	1.9	15.5
75 to 79 years	3	2	1	1	—	1	46.6	28.7	9.5	19.2	2.3	15.6
80 to 84 years	2	1	—	1	—	1	40.0	25.6	8.5	17.1	0.4	14.1
85 years and over	1	1	—	—	—	—	38.9	19.8	7.1	12.8	3.1	16.0

Table 4.1.7 DISCHARGES BY AGE, RACE, AND SEX: NUMBER AND RATE, BY TYPE OF HOSPITAL CONTROL FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables]

Age, race, and sex	Discharges (in thousands)						Annual discharge rate per 1,000 enrolled population					
	All short- stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals	All short- stay hospitals	Voluntary hospitals			Proprietary hospitals	Govern- ment hospitals
		Total	Church	Other				Total	Church	Other		
WITHOUT SURGERY												
All Persons												
Total, 65 years and over	1,583	1,092	414	678	132	359	163.8	113.0	42.8	70.2	13.7	37.2
65 and 66 years	164	115	44	71	13	35	118.2	83.3	32.1	51.2	9.5	25.3
67 and 68 years	163	114	44	70	14	36	128.2	89.4	34.5	55.0	10.8	27.9
69 and 70 years	166	116	44	72	14	36	136.0	95.3	36.3	59.0	11.4	29.4
71 and 72 years	166	116	44	73	14	36	145.3	101.9	38.4	63.5	12.2	31.2
73 and 74 years	166	116	43	73	14	36	162.5	113.8	42.3	71.5	13.5	35.2
75 to 79 years	355	245	92	153	30	80	185.7	128.1	48.3	79.8	15.7	41.9
80 to 84 years	247	166	63	103	21	60	225.8	151.8	57.6	94.2	18.8	55.2
85 years and over	155	102	39	64	13	40	255.2	167.6	63.2	104.3	21.1	66.5
Men, 65 years and over												
65 and 66 years	705	485	179	305	57	163	171.5	117.9	43.7	74.3	13.8	39.8
67 and 68 years	81	57	22	35	7	18	128.9	90.1	34.2	55.9	10.4	28.4
69 and 70 years	78	55	21	34	6	17	137.1	95.8	36.5	59.3	11.0	30.3
71 and 72 years	76	53	19	34	6	17	140.6	98.9	36.3	62.6	10.9	30.8
73 and 74 years	74	52	19	33	6	16	149.2	104.8	38.7	66.1	11.5	32.9
75 to 79 years	154	106	39	67	13	36	195.4	134.5	49.5	85.0	16.0	45.0
80 to 84 years	105	70	26	44	9	27	243.7	161.3	60.4	100.9	20.2	62.1
85 years and over	61	40	15	25	5	17	284.1	183.5	67.5	115.9	22.5	78.1
Women, 65 years and over												
65 and 66 years	878	607	234	373	75	196	158.1	109.3	42.2	67.1	13.6	35.3
67 and 68 years	82	59	23	36	7	17	109.2	77.6	30.3	47.3	8.8	22.8
69 and 70 years	85	59	23	36	8	18	120.9	84.3	32.8	51.5	10.8	25.9
71 and 72 years	91	63	25	38	8	19	132.5	92.4	36.3	56.1	11.8	28.3
73 and 74 years	92	65	25	40	8	19	142.4	99.8	38.2	61.5	12.7	29.9
75 to 79 years	201	139	53	85	17	45	178.8	123.6	47.5	76.2	15.4	39.8
80 to 84 years	142	96	37	59	12	34	214.1	145.6	55.7	89.9	17.8	50.7
85 years and over	94	62	24	38	8	24	239.2	158.8	60.9	97.9	20.4	60.1
White												
Total, 65 years and over	1,446	1,009	385	624	122	315	167.6	116.9	44.6	72.3	14.1	36.5
65 and 66 years	151	108	42	66	12	31	121.5	86.9	33.7	53.2	9.9	24.6
67 and 68 years	151	107	41	65	13	31	131.2	92.8	36.0	56.8	11.3	27.2
69 and 70 years	154	109	42	67	13	32	140.1	99.3	38.1	61.2	11.9	28.8
71 and 72 years	154	109	42	68	13	31	148.8	106.0	40.2	65.7	12.5	30.3
73 and 74 years	155	109	41	68	13	32	166.9	118.1	44.2	73.9	14.0	34.8
75 to 79 years	328	229	87	142	28	71	190.6	133.0	50.5	82.5	16.2	41.4
80 to 84 years	222	151	58	93	19	53	231.4	157.1	60.0	97.1	19.4	54.9
85 years and over	132	87	33	54	11	34	263.7	173.8	65.9	107.9	22.3	67.6
Men, 65 years and over												
65 and 66 years	654	456	170	286	53	145	176.1	122.8	45.7	77.1	14.3	39.1
67 and 68 years	75	53	20	33	6	15	132.4	94.3	35.9	58.4	10.8	27.2
69 and 70 years	73	51	20	32	6	15	140.6	99.5	38.1	61.4	11.5	29.6
71 and 72 years	70	50	19	32	6	15	145.0	103.5	38.3	65.1	11.4	30.1
73 and 74 years	69	49	18	31	5	14	153.4	109.4	40.8	68.7	11.8	32.2
75 to 79 years	145	101	37	64	12	32	176.3	125.0	44.6	80.4	14.4	36.9
80 to 84 years	98	65	24	41	8	24	200.7	139.8	51.7	88.1	16.5	44.4
85 years and over	55	36	13	23	4	15	249.8	167.4	62.7	104.8	20.8	61.5
85 years and over	55	36	13	23	4	15	291.4	191.1	70.9	120.2	23.3	77.0
Women, 65 years and over												
65 and 66 years	791	553	215	338	69	170	161.1	112.5	43.8	68.7	14.0	34.6
67 and 68 years	76	54	22	33	6	15	112.4	80.7	31.9	48.9	9.2	22.5
69 and 70 years	78	55	22	34	7	16	123.6	87.3	34.2	53.1	11.1	25.2
71 and 72 years	84	59	23	36	8	17	136.2	96.1	37.9	58.1	12.4	27.8
73 and 74 years	85	60	23	37	8	17	145.3	103.3	39.8	63.5	13.0	28.9
75 to 79 years	183	128	50	78	16	39	159.7	112.8	43.9	68.9	13.6	33.2
80 to 84 years	124	85	33	52	10	29	183.2	128.0	49.6	78.5	15.9	39.3
85 years and over	77	51	20	31	7	19	218.8	149.9	58.1	91.8	18.5	50.4
85 years and over	77	51	20	31	7	19	247.0	163.3	62.8	100.5	21.7	61.9
All Other Races												
Total, 65 years and over	84	45	14	30	6	33	115.2	60.9	19.5	41.4	8.7	45.6
65 and 66 years	11	6	2	4	1	4	91.9	52.0	17.8	34.2	5.7	34.2
67 and 68 years	10	6	2	4	1	4	96.3	52.8	17.7	35.1	6.8	36.7
69 and 70 years	9	5	2	4	1	4	94.7	52.4	16.3	36.1	6.3	36.0
71 and 72 years	9	5	2	3	1	4	104.7	55.1	17.0	38.1	8.9	40.8
73 and 74 years	8	5	1	3	1	3	113.6	62.1	18.6	43.5	8.7	42.8
75 to 79 years	16	8	3	6	1	7	128.4	66.1	19.7	46.4	9.5	52.8
80 to 84 years	12	6	2	4	1	5	162.5	80.6	26.6	54.0	14.2	67.7
85 years and over	8	4	1	2	1	3	178.5	86.6	30.7	55.9	14.4	77.6
Men, 65 years and over												
65 and 66 years	40	21	7	14	3	16	120.8	64.0	20.6	43.4	8.7	48.2
67 and 68 years	6	3	1	2	—	2	105.4	57.7	20.4	37.3	6.7	41.0
69 and 70 years	5	3	1	2	—	2	103.6	57.6	19.3	38.2	6.5	39.5
71 and 72 years	4	2	1	2	—	2	96.3	52.9	15.1	37.8	6.3	37.1
73 and 74 years	4	2	1	2	—	2	102.5	54.4	15.6	38.8	8.8	39.3
75 to 79 years	4	2	1	1	—	2	112.8	63.5	19.0	44.5	8.3	41.0
80 to 84 years	8	4	1	3	1	3	135.2	70.9	21.8	49.1	9.7	54.6
85 years and over	5	3	1	2	—	2	174.5	87.5	31.0	56.5	15.7	71.4
85 years and over	4	2	1	1	—	2	201.1	91.1	31.5	59.6	13.4	96.7
Women, 65 years and over												
65 and 66 years	44	23	7	16	3	17	110.5	58.4	18.7	39.7	8.6	43.5
67 and 68 years	5	3	1	2	—	2	79.1	46.6	15.2	31.3	4.8	27.7
69 and 70 years	5	3	1	2	—	2	89.9	48.6	16.2	32.4	7.1	34.2
71 and 72 years	5	3	1	2	—	2	93.4	52.0	17.4	34.6	6.4	35.0
73 and 74 years	5	3	1	2	—	2	106.6	55.6	18.2	37.4	9.0	42.0
75 to 79 years	5	3	1	2	—	2	114.2	61.1	18.4	42.7	9.0	44.2
80 to 84 years	9	5	1	3	1	4	123.1	62.4	18.1	44.3	9.4	51.3
85 years and over	3	2	1	2	1	3	153.5	75.4	23.2	52.2	13.0	65.0
85 years and over	4	2	1	1	—	2	162.9	83.4	30.2	53.2	15.1	64.4

Table 4.1.8 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

(See NOTES preceding General Tables. Figures in thousands except averages)

Bed size of hospital and type of control	Total	Length of stay													43 days or more	
		Mean	Medion	1 day or less	2 ond 3 days	4 ond 5 days	6 ond 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	Number	Mean	
ALL HOSPITALS																
All Discharges																
Total.....	2,350	13.2	9.7	112	272	300	294	358	321	312	157	83	48	92	66.9	
Less than 25 beds.....	49	10.6	7.3	3	8	9	7	7	6	4	2	1	1	1	69.1	
25 to 49 beds.....	233	11.1	7.7	16	35	37	32	35	28	23	11	6	3	7	67.8	
50 to 99 beds.....	401	12.2	8.6	23	55	56	53	60	51	46	22	11	7	14	69.2	
100 to 149 beds.....	310	12.7	9.2	15	39	42	39	48	42	40	20	10	6	11	66.6	
150 to 199 beds.....	241	13.0	9.6	10	27	31	31	38	34	33	16	8	5	9	67.1	
200 to 249 beds.....	225	13.6	10.1	9	23	27	28	35	33	32	16	8	5	9	64.8	
250 to 299 beds.....	204	13.7	10.1	8	21	25	25	31	29	29	14	8	4	8	65.6	
300 to 399 beds.....	276	14.0	10.4	11	27	31	33	43	40	41	22	11	6	11	64.3	
400 to 499 beds.....	168	14.5	10.7	6	15	19	20	26	25	26	13	7	4	7	65.5	
500 to 749 beds.....	135	15.5	11.4	5	12	13	15	20	20	21	12	6	4	7	65.3	
750 to 999 beds.....	68	16.3	11.6	3	6	6	7	10	10	11	6	3	2	4	71.4	
1,000 to 1,999 beds.....	25	17.9	12.6	1	2	2	2	3	3	4	2	1	1	2	72.0	
2,000 beds or more.....	14	16.4	10.7	1	1	1	1	2	2	2	1	1	—	1	70.4	
With Surgery																
Total.....	767	14.2	10.8	19	76	78	94	127	115	118	60	31	19	31	62.4	
Less than 25 beds.....	6	11.8	8.5	1	1	1	1	1	1	1	—	—	—	—	71.0	
25 to 49 beds.....	40	12.9	9.7	2	4	4	5	7	6	5	3	1	1	1	63.6	
50 to 99 beds.....	96	13.3	10.0	4	11	10	12	17	14	13	6	3	2	4	64.0	
100 to 149 beds.....	95	13.7	10.4	3	10	10	12	16	14	14	7	4	2	4	62.7	
150 to 199 beds.....	86	13.5	10.3	2	9	9	12	15	13	13	7	3	2	3	62.5	
200 to 249 beds.....	83	13.9	10.7	2	8	8	10	14	13	13	7	3	2	3	60.6	
250 to 299 beds.....	80	14.0	10.7	2	8	9	10	13	12	12	6	3	2	3	61.6	
300 to 399 beds.....	109	14.5	11.0	2	10	10	13	18	17	17	9	5	3	4	60.3	
400 to 499 beds.....	69	14.8	11.3	1	6	7	8	11	11	11	6	3	2	3	61.9	
500 to 749 beds.....	58	15.6	11.9	1	5	5	6	9	9	10	5	3	2	3	62.1	
750 to 999 beds.....	29	16.7	12.8	—	3	2	3	4	5	5	3	1	1	2	65.7	
1,000 to 1,999 beds.....	11	18.3	13.7	—	1	1	1	2	1	2	1	1	—	1	67.7	
2,000 beds or more.....	4	22.3	17.5	—	—	—	—	—	—	1	—	—	—	—	64.0	
Without Surgery																
Total.....	1,583	12.8	9.0	93	196	222	200	230	207	194	98	51	29	61	69.1	
Less than 25 beds.....	43	10.4	7.2	3	7	8	6	6	5	4	2	1	1	1	68.8	
25 to 49 beds.....	193	10.7	7.4	14	31	32	27	28	22	18	8	4	2	6	68.8	
50 to 99 beds.....	305	11.9	8.0	20	44	47	41	44	37	33	16	8	5	11	71.1	
100 to 149 beds.....	215	12.2	8.6	12	29	32	28	32	28	25	13	7	4	7	68.4	
150 to 199 beds.....	155	12.8	9.2	8	18	22	19	23	21	20	10	5	3	6	69.5	
200 to 249 beds.....	141	13.4	9.7	7	15	19	18	21	20	19	10	5	3	6	66.9	
250 to 299 beds.....	123	13.5	9.7	7	13	16	15	18	17	17	9	4	2	5	68.1	
300 to 399 beds.....	167	13.7	10.1	9	16	21	20	25	23	24	12	7	3	7	67.0	
400 to 499 beds.....	99	14.3	10.4	5	9	12	12	15	14	14	7	4	2	5	67.9	
500 to 749 beds.....	77	15.4	11.0	4	7	8	8	11	11	12	6	4	2	4	67.6	
750 to 999 beds.....	39	15.9	10.7	3	4	4	4	5	5	6	3	2	1	3	75.3	
1,000 to 1,999 beds.....	14	17.7	11.5	1	1	1	1	2	2	2	1	1	—	1	75.0	
2,000 beds or more.....	11	14.4	9.2	1	1	1	1	1	1	1	1	1	—	1	75.5	
ALL VOLUNTARY HOSPITALS																
All Discharges																
Total.....	1,692	13.5	9.9	74	186	209	209	259	237	232	119	62	36	67	65.8	
Less than 25 beds.....	17	10.6	7.4	1	3	3	2	3	2	2	1	—	—	—	70.6	
25 to 49 beds.....	99	11.6	7.9	7	15	15	13	14	12	10	5	3	2	3	68.9	
50 to 99 beds.....	228	12.4	8.7	14	30	31	30	35	29	27	13	7	4	9	68.7	
100 to 149 beds.....	227	12.8	9.3	11	28	30	29	35	31	29	15	8	4	8	66.1	
150 to 199 beds.....	194	13.0	9.6	8	22	25	25	30	27	26	13	6	4	7	67.7	
200 to 249 beds.....	186	13.6	10.2	7	19	22	23	29	27	27	14	7	4	7	64.4	
250 to 299 beds.....	182	13.6	10.1	7	19	23	22	28	26	26	13	7	4	7	65.5	
300 to 399 beds.....	242	14.1	10.5	9	23	27	29	38	35	36	19	10	6	10	63.8	
400 to 499 beds.....	146	14.4	10.7	5	13	16	17	23	22	22	12	6	4	6	63.9	
500 to 749 beds.....	109	15.4	11.6	3	9	11	12	17	16	17	10	5	3	6	63.3	
750 to 999 beds.....	50	15.7	11.7	1	5	5	5	7	8	8	4	2	1	3	67.6	
1,000 to 1,999 beds.....	12	17.4	13.0	—	1	1	1	2	2	2	1	1	—	1	63.8	
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
With Surgery																
Total.....	600	14.1	10.7	14	59	61	74	100	90	93	48	25	14	24	61.7	
Less than 25 beds.....	2	11.0	8.7	—	—	—	—	—	—	—	—	—	—	—	70.0	
25 to 49 beds.....	18	13.5	10.0	1	6	6	2	3	3	2	1	1	—	1	63.8	
50 to 99 beds.....	59	13.3	10.1	2	6	6	8	10	9	8	4	2	1	2	62.6	
100 to 149 beds.....	72	13.7	10.4	2	8	8	9	12	11	11	5	3	1	3	62.8	
150 to 199 beds.....	71	13.4	10.1	1	8	8	10	12	10	11	5	3	1	2	63.6	
200 to 249 beds.....	71	13.9	10.7	2	7	7	9	12	11	11	6	3	2	3	60.9	
250 to 299 beds.....	72	14.0	10.6	1	7	8	9	12	11	11	5	3	2	3	61.8	
300 to 399 beds.....	96	14.5	11.0	2	9	9	12	16	14	15	8	4	2	4	59.5	
400 to 499 beds.....	60	14.7	11.3	1	5	6	7	10	9	10	5	3	2	2	60.6	
500 to 749 beds.....	48	15.5	11.8	1	4	4	5	8	7	8	5	2	1	2	60.6	
750 to 999 beds.....	24	16.0	12.4	—	2	2	2	4	4	4	2	1	1	1	66.6	
1,000 to 1,999 beds.....	6	16.2	12.3	—	—	—	1	1	1	1	1	—	—	—	60.8	
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Without Surgery																
Total.....	1,092	13.1	9.3	61	127	149	135	160	147	140	72	38	22	43	68.0	
Less than 25 beds.....	15	10.5	7.3	1	3	3	2	2	2	1	1	—	—	—	70.7	
25 to 49 beds.....	81	11.2	7.5	6	13	13	11	11	9	8	4	2	1	3	70.3	
50 to 99 beds.....	169	12.1	8.2	11	24	25	22	24	21	19	9	5	3	6	70.9	
100 to 149 beds.....	155	12.3	8.8	9	20	23	20	23	20	18	9	5	3	5	67.9	
150 to 199 beds.....	123	12.8	9.2	7	14	17	15	18	17	16	8	4	2	4	69.9	
200 to 249 beds.....	115	13.4	9.8	6	12	15	14	17	17	16	8	4	2	5	66.4	
250 to 299 beds.....	110	13.4	9.7	6	12	15	13	16	15	15	8	4	2	4	67.8	
300 to 399 beds.....	146	13.8	10.2	7	14	18	17	22	21	21	11	6	3	6	66.7	
400 to 499 beds.....	86	14.2	10.4	4	8	10	10	13	12	12	6	3	2	4	66.1	
500 to 749 beds.....	60	15.4	11.3	3	5	6	6	9	9	9	5	3	2	3	65.3	
750 to 999 beds.....	26	15.4	11.0	1	3	3	3	4	4	4	2	1	1	2	68.3	
1,000 to 1,999 beds.....	6	18.5	13.8	—	—	—	1	1	1	1	1	—	—	—	65.6	
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Table 4.1.8 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables. Figures in thousands except averages)

Bed size of hospital and type of control	Total	Length of stay														43 days or more	
		Mean	Median	1 day or less	2 and 3 days	4 and 5 days	6 and 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	43 days or more			
														Number	Mean		
VOLUNTARY HOSPITALS - CHURCH																	
All Discharges																	
Total.....	654	13.1	9.6	28	75	85	83	101	91	88	44	22	13	25	66.2		
Less than 25 beds.....	5	11.1	7.7	—	1	1	1	1	1	—	—	—	—	—	70.7		
25 to 49 beds.....	26	10.9	7.3	2	4	4	3	4	3	2	1	—	—	1	69.7		
50 to 99 beds.....	55	11.8	8.2	4	8	8	7	9	7	6	3	1	1	2	69.7		
100 to 149 beds.....	81	12.5	9.0	4	10	11	11	12	11	10	5	3	2	3	66.8		
150 to 199 beds.....	72	12.9	9.4	3	9	9	10	11	10	9	5	2	1	2	70.1		
200 to 249 beds.....	82	13.0	9.8	3	9	10	11	13	12	11	6	3	1	3	62.1		
250 to 299 beds.....	90	13.2	9.7	4	10	12	11	14	13	12	6	3	2	3	65.6		
300 to 399 beds.....	112	14.0	10.3	4	11	13	14	17	16	16	9	4	2	5	65.3		
400 to 499 beds.....	75	13.8	10.2	3	8	9	9	12	11	11	5	3	2	3	65.6		
500 to 749 beds.....	36	14.8	10.8	1	3	4	4	6	5	5	3	2	1	2	62.6		
750 to 999 beds.....	19	14.1	10.4	1	2	2	2	3	3	3	1	—	—	1	69.7		
1,000 to 1,999 beds.....	3	13.1	10.3	—	—	—	—	1	—	—	—	—	—	—	55.3		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
With Surgery																	
Total.....	240	13.7	10.4	5	24	26	31	40	36	36	18	9	5	9	62.0		
Less than 25 beds.....	—	11.8	10.1	—	—	—	—	—	—	—	—	—	—	—	48.3		
25 to 49 beds.....	4	13.1	9.4	—	1	1	—	1	1	—	—	—	—	—	72.5		
50 to 99 beds.....	13	12.6	9.7	1	1	1	2	2	2	2	1	—	—	—	61.4		
100 to 149 beds.....	26	13.1	10.1	1	3	3	4	4	4	4	2	1	1	1	61.3		
150 to 199 beds.....	26	13.4	10.2	—	3	3	4	4	4	4	2	1	1	1	63.9		
200 to 249 beds.....	32	13.3	10.2	1	3	4	4	5	5	5	2	1	1	1	60.1		
250 to 299 beds.....	37	13.5	10.3	1	4	4	5	6	6	5	2	2	1	1	62.1		
300 to 399 beds.....	44	14.3	10.8	1	5	4	6	7	7	7	4	2	1	2	61.0		
400 to 499 beds.....	31	13.9	10.6	1	3	4	4	5	5	5	2	1	1	1	61.6		
500 to 749 beds.....	15	14.9	11.4	—	1	2	2	2	2	2	1	1	—	1	60.5		
750 to 999 beds.....	9	15.0	11.7	—	1	1	1	1	1	2	1	—	—	—	70.8		
1,000 to 1,999 beds.....	2	12.4	10.3	—	—	—	—	—	—	—	—	—	—	—	52.0		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Without Surgery																	
Total.....	414	12.8	9.1	23	50	59	52	61	54	52	26	13	8	16	68.4		
Less than 25 beds.....	4	11.0	7.5	—	1	1	1	1	—	—	—	—	—	—	74.1		
25 to 49 beds.....	22	10.4	7.0	2	4	4	3	3	2	2	1	—	—	1	69.1		
50 to 99 beds.....	42	11.5	7.7	3	6	6	6	6	5	4	2	1	1	2	72.4		
100 to 149 beds.....	55	12.3	8.4	3	7	9	7	8	7	6	3	2	1	2	69.2		
150 to 199 beds.....	45	12.6	8.9	2	6	6	6	7	6	6	3	1	1	2	73.6		
200 to 249 beds.....	50	12.7	9.4	3	6	7	7	7	7	7	3	2	1	2	63.3		
250 to 299 beds.....	53	13.0	9.3	3	6	8	6	8	7	7	4	2	1	2	67.8		
300 to 399 beds.....	67	13.8	9.9	3	7	9	8	10	9	9	5	3	1	3	68.1		
400 to 499 beds.....	44	13.7	9.8	2	5	6	6	6	6	6	3	2	1	2	68.0		
500 to 749 beds.....	21	14.7	10.5	1	2	2	2	3	3	3	2	1	—	1	63.8		
750 to 999 beds.....	10	13.4	9.4	—	1	1	1	1	1	1	1	—	—	—	68.7		
1,000 to 1,999 beds.....	1	14.0	10.4	—	—	—	—	—	—	—	—	—	—	—	56.1		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
VOLUNTARY HOSPITALS - OTHER																	
All Discharges																	
Total.....	1,038	13.7	10.0	46	112	124	126	158	147	145	76	40	23	42	65.6		
Less than 25 beds.....	13	10.4	7.3	1	2	2	2	2	1	1	1	—	—	—	70.5		
25 to 49 beds.....	73	11.9	8.1	5	11	11	10	10	9	8	4	2	1	3	68.6		
50 to 99 beds.....	173	12.6	8.9	10	23	23	22	26	23	21	10	5	3	7	68.4		
100 to 149 beds.....	146	12.9	9.5	7	17	19	18	22	20	19	10	5	3	5	65.7		
150 to 199 beds.....	122	13.1	9.7	5	13	16	16	19	17	17	8	4	2	4	66.3		
200 to 249 beds.....	104	14.1	10.5	4	10	12	12	16	16	15	8	4	3	4	65.9		
250 to 299 beds.....	93	14.1	10.4	4	9	11	11	14	14	13	7	4	2	4	65.3		
300 to 399 beds.....	130	14.1	10.7	5	12	14	16	20	19	20	11	6	3	5	62.3		
400 to 499 beds.....	71	15.0	11.6	2	6	7	8	11	11	12	6	3	2	3	62.4		
500 to 749 beds.....	73	15.8	11.9	2	6	7	8	11	11	12	7	4	2	4	63.7		
750 to 999 beds.....	31	16.6	12.6	1	3	3	3	5	5	6	3	2	1	2	66.7		
1,000 to 1,999 beds.....	9	18.8	14.0	—	1	1	1	1	1	1	1	1	—	1	64.7		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
With Surgery																	
Total.....	360	14.5	10.9	8	35	35	43	59	54	57	29	15	9	15	61.6		
Less than 25 beds.....	2	10.8	8.3	—	—	—	—	—	—	—	—	—	—	—	82.6		
25 to 49 beds.....	14	13.6	10.2	1	2	1	2	2	2	2	1	1	—	1	61.6		
50 to 99 beds.....	46	13.5	10.1	2	5	4	6	8	7	7	3	2	1	2	63.0		
100 to 149 beds.....	46	14.1	10.6	1	5	5	6	8	7	7	4	2	1	2	63.4		
150 to 199 beds.....	45	13.4	10.1	1	5	5	6	8	6	7	3	2	1	2	63.5		
200 to 249 beds.....	39	14.4	11.1	1	4	4	5	7	6	6	3	2	1	1	61.4		
250 to 299 beds.....	36	14.5	11.0	1	3	3	4	6	5	6	3	1	1	2	61.5		
300 to 399 beds.....	52	14.6	11.2	1	5	5	6	8	8	8	4	2	1	2	58.3		
400 to 499 beds.....	29	15.5	12.3	—	2	3	3	4	4	5	3	1	1	1	59.8		
500 to 749 beds.....	33	15.7	12.0	1	3	3	4	5	5	5	3	2	1	2	60.7		
750 to 999 beds.....	15	16.5	12.9	—	1	1	1	2	2	3	1	1	1	1	64.6		
1,000 to 1,999 beds.....	4	17.8	13.3	—	—	—	—	1	1	1	—	—	—	—	61.2		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Without Surgery																	
Total.....	678	13.2	9.5	38	77	90	83	99	93	88	46	24	14	27	67.8		
Less than 25 beds.....	11	10.3	7.2	1	2	2	1	2	1	1	—	—	—	—	69.4		
25 to 49 beds.....	59	11.5	7.7	4	9	9	8	8	7	6	3	2	1	2	70.7		
50 to 99 beds.....	127	12.3	8.3	8	18	19	16	18	16	14	7	4	2	5	70.4		
100 to 149 beds.....	100	12.4	9.0	5	13	14	13	15	14	12	6	3	2	3	67.0		
150 to 199 beds.....	78	12.9	9.4	4	9	11	10	11	11	10	5	3	1	3	67.8		
200 to 249 beds.....	65	14.0	10.2	3	6	8	8	10	9	9	5	2	1	3	68.2		
250 to 299 beds.....	57	13.8	10.1	3	6	7	7	8	9	8	4	2	1	2	67.8		
300 to 399 beds.....	78	13.8	10.4	4	7	9	9	12	11	12	6	3	2	3	65.4		
400 to 499 beds.....	42	14.7	11.0	2	3	4	5	6	6	6	3	2	1	2	64.3		
500 to 749 beds.....	39	15.8	11.8	2	3	4	4	6	6	6	3	2	1	2	66.1		
750 to 999 beds.....	17	16.6	12.3	1	1	2	2	2	2	3	2	1	—	1	68.2		
1,000 to 1,999 beds.....	5	19.7	14.7	—	—	—	—	1	1	1	1	—	—	—	66.9		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Table 4.1.8 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables. Figures in thousands except averages]

Bed size of hospital and type of control	Total	Length of stay														43 days or more	
		Mean	Medion	1 day or less	2 and 3 days	4 and 5 days	6 and 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	43 days or more			
														Number	Mean		
PROPRIETARY HOSPITALS																	
All Discharges																	
Total.....	178	11.5	8.6	9	23	26	24	28	24	21	10	5	3	5	66.4		
Less than 25 beds.....	15	10.0	7.3	1	2	3	2	2	2	1	1	—	—	—	—	63.9	
25 to 49 beds.....	53	10.3	7.7	3	8	9	8	8	6	5	2	1	1	1	65.3		
50 to 99 beds.....	56	11.6	8.6	3	7	8	8	9	8	7	3	2	1	2	68.7		
100 to 149 beds.....	21	12.1	9.5	1	2	3	3	3	3	3	1	1	—	1	60.8		
150 to 199 beds.....	19	13.6	10.5	1	2	2	2	3	3	3	1	1	—	1	67.7		
200 to 249 beds.....	12	13.3	10.2	—	1	2	2	2	2	2	1	—	—	—	65.7		
250 to 299 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
300 to 399 beds.....	2	14.7	11.6	—	—	—	—	—	—	—	—	—	—	—	70.1		
400 to 499 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
500 to 749 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
750 to 999 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1,000 to 1,999 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
With Surgery																	
Total.....	46	12.7	10.1	2	5	5	6	8	7	7	3	2	1	1	62.5		
Less than 25 beds.....	2	11.6	8.4	—	—	—	—	—	—	—	—	—	—	—	75.1		
25 to 49 beds.....	11	11.8	9.2	1	1	1	1	2	1	1	1	—	—	—	62.1		
50 to 99 beds.....	15	12.7	9.9	—	2	2	2	3	2	2	1	1	—	—	64.3		
100 to 149 beds.....	6	12.8	10.4	—	1	1	1	1	1	1	—	—	—	—	62.4		
150 to 199 beds.....	7	13.8	11.5	—	1	1	1	1	1	1	1	—	—	—	54.3		
200 to 249 beds.....	4	13.6	11.4	—	—	—	—	1	1	1	—	—	—	—	63.5		
250 to 299 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
300 to 399 beds.....	1	13.7	11.0	—	—	—	—	—	—	—	—	—	—	—	65.5		
400 to 499 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
500 to 749 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
750 to 999 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1,000 to 1,999 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Without Surgery																	
Total.....	132	11.1	8.0	7	18	21	19	20	17	15	6	3	2	3	67.7		
Less than 25 beds.....	13	9.8	7.1	1	2	2	2	2	1	1	—	—	—	—	60.9		
25 to 49 beds.....	42	9.9	7.3	2	7	7	6	6	5	4	2	1	—	1	66.4		
50 to 99 beds.....	41	11.2	8.1	2	6	6	6	6	5	4	2	1	—	1	70.3		
100 to 149 beds.....	14	11.8	9.1	1	2	2	2	2	2	2	1	—	—	—	60.3		
150 to 199 beds.....	12	13.5	10.0	1	1	2	1	2	2	2	1	—	—	—	72.6		
200 to 249 beds.....	9	13.2	9.8	—	1	1	1	1	1	1	1	—	—	—	66.2		
250 to 299 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
300 to 399 beds.....	1	15.4	12.2	—	—	—	—	—	—	—	—	—	—	—	72.1		
400 to 499 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
500 to 749 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
750 to 999 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1,000 to 1,999 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2,000 beds or more.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
GOVERNMENT HOSPITALS																	
All Discharges																	
Total.....	480	13.1	8.9	29	62	65	60	70	60	59	28	16	10	21	70.4		
Less than 25 beds.....	17	11.0	7.3	1	3	3	2	2	2	1	1	—	—	—	70.8		
25 to 49 beds.....	81	10.9	7.6	6	13	13	11	12	10	8	3	2	1	2	67.3		
50 to 99 beds.....	116	12.1	8.2	7	17	17	16	17	14	13	6	3	2	4	70.5		
100 to 149 beds.....	62	12.6	8.8	3	9	9	8	10	8	7	4	2	1	2	69.2		
150 to 199 beds.....	28	12.7	9.3	1	3	4	4	4	4	4	2	1	—	1	63.4		
200 to 249 beds.....	26	13.3	9.3	1	3	3	4	4	3	3	2	1	—	1	66.9		
250 to 299 beds.....	21	14.2	10.1	1	2	2	3	3	3	3	1	—	—	1	66.6		
300 to 399 beds.....	33	13.6	9.9	2	3	4	4	5	4	5	2	1	1	1	67.8		
400 to 499 beds.....	23	15.2	10.6	1	2	3	3	3	3	3	2	1	1	1	74.4		
500 to 749 beds.....	27	15.8	10.9	2	2	3	3	4	4	4	2	1	1	2	72.3		
750 to 999 beds.....	18	17.9	11.4	2	2	2	2	2	2	3	1	1	1	2	77.5		
1,000 to 1,999 beds.....	13	18.4	12.0	1	1	1	1	1	1	2	1	—	—	1	77.2		
2,000 beds or more.....	14	16.4	10.7	1	1	1	1	2	2	2	1	1	—	1	70.4		
With Surgery																	
Total.....	120	15.0	10.9	4	11	12	14	20	18	18	9	5	3	6	65.1		
Less than 25 beds.....	2	12.9	8.5	—	—	—	—	—	—	—	—	—	—	—	68.2		
25 to 49 beds.....	10	13.0	9.8	1	1	1	1	2	2	1	1	—	—	—	64.1		
50 to 99 beds.....	22	13.8	10.0	1	3	2	3	4	3	3	1	1	1	1	66.9		
100 to 149 beds.....	16	14.1	10.5	—	2	2	2	3	2	2	1	1	—	1	62.7		
150 to 199 beds.....	8	13.7	10.6	—	1	1	1	1	1	1	1	—	—	—	58.6		
200 to 249 beds.....	9	13.7	10.4	—	1	1	1	1	1	1	1	—	—	—	58.1		
250 to 299 beds.....	8	14.5	10.9	—	1	1	1	1	1	1	1	—	—	—	60.4		
300 to 399 beds.....	12	14.6	10.9	—	1	1	2	2	2	2	1	—	—	1	66.0		
400 to 499 beds.....	9	15.3	11.2	—	1	1	1	1	1	1	1	—	—	—	70.0		
500 to 749 beds.....	10	16.5	12.3	—	1	1	1	2	1	2	1	—	—	1	68.0		
750 to 999 beds.....	6	19.8	14.8	—	—	—	1	1	1	1	—	—	—	1	64.0		
1,000 to 1,999 beds.....	5	20.6	15.9	—	—	1	—	1	1	1	1	—	—	1	71.5		
2,000 beds or more.....	4	22.3	17.5	—	—	—	—	—	—	1	—	—	—	—	64.0		
Without Surgery																	
Total.....	359	12.5	8.2	26	51	53	46	50	42	40	19	11	6	15	72.6		
Less than 25 beds.....	15	10.8	7.2	1	2	3	2	2	2	1	1	—	—	1	71.2		
25 to 49 beds.....	70	10.6	7.4	5	11	12	10	10	8	7	3	2	1	2	67.9		
50 to 99 beds.....	95	11.7	7.8	6	15	15	13	13	11	10	5	2	2	3	71.7		
100 to 149 beds.....	46	12.1	8.1	3	7	7	6	7	6	5	2	1	1	2	71.8		
150 to 199 beds.....	20	12.3	8.7	1	2	3	3	3	3	2	1	1	—	1	65.5		
200 to 249 beds.....	18	13.1	8.6	1	2	3	2	3	2	2	1	1	—	1	70.1		
250 to 299 beds.....	13	14.1	9.6	1	1	2	2	2	2	2	1	1	—	1	70.5		
300 to 399 beds.....	20	13.1	9.2	1	2	3	3	3	3	3	1	1	—	1	69.0		
400 to 499 beds.....	14	15.2	10.3	1	1	2	2	2	2	2	1	1	—	1	76.8		
500 to 749 beds.....	17	15.4	10.1	1	2	2	2	2	2	2	1	1	—	1	74.6		
750 to 999 beds.....	12	17.1	9.9	2	1	1	1	1	1	2	1	—	—	1	85.6		
1,000 to 1,999 beds.....	8	17.0	9.7	1	1	1	1	1	1	1	1	—	—	1	81.5		
2,000 beds or more.....	11	14.4	9.2	1	1	1	1	1	1	1	1	1	—	1	75.5		

Table 4.1.9 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: PERCENTAGE DISTRIBUTION OF LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

[See NOTES preceding General Tables]

Bed size of hospital and type of control	Total	Length of stay										
		1 day or less	2 ond 3 days	4 ond 5 days	6 ond 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	43 days or more
ALL HOSPITALS												
All Discharges												
Total.....	100.0	4.8	11.6	12.8	12.5	15.2	13.7	13.3	6.7	3.5	2.0	3.9
Less than 25 beds.....	100.0	6.9	16.1	17.4	14.0	14.7	11.5	9.1	4.0	2.4	1.4	2.7
25 to 49 beds.....	100.0	6.7	15.2	15.8	13.7	14.9	12.0	10.1	4.7	2.5	1.4	3.0
50 to 99 beds.....	100.0	5.8	13.7	14.1	13.3	15.1	12.7	11.6	5.5	2.8	1.8	3.6
100 to 149 beds.....	100.0	4.7	12.5	13.5	12.6	15.4	13.4	12.8	6.3	3.4	1.8	3.5
150 to 199 beds.....	100.0	4.3	11.1	13.0	12.9	15.6	14.0	13.6	6.8	3.2	1.9	3.5
200 to 249 beds.....	100.0	4.1	10.3	12.0	12.6	15.5	14.5	14.2	7.2	3.7	2.1	3.9
250 to 299 beds.....	100.0	4.0	10.3	12.3	12.3	15.4	14.4	14.2	7.1	3.8	2.1	4.1
300 to 399 beds.....	100.0	3.9	9.6	11.3	12.1	15.6	14.5	14.7	7.9	4.1	2.3	4.0
400 to 499 beds.....	100.0	3.5	9.1	11.2	11.9	15.4	14.8	15.3	7.8	4.2	2.5	4.4
500 to 749 beds.....	100.0	3.8	8.6	9.9	10.9	15.1	14.6	15.7	8.7	4.7	2.7	5.4
750 to 999 beds.....	100.0	4.6	9.4	9.4	10.0	14.1	14.1	16.2	8.5	4.5	2.9	6.3
1,000 to 1,999 beds.....	100.0	6.0	8.7	8.5	8.6	13.4	12.3	16.0	9.6	5.5	3.5	8.1
2,000 beds or more.....	100.0	9.7	10.5	9.8	8.8	12.5	11.8	12.7	7.9	5.7	3.3	7.5
With Surgery												
Total.....	100.0	2.5	9.9	10.2	12.2	16.6	14.9	15.4	7.8	4.1	2.4	4.1
Less than 25 beds.....	100.0	8.5	12.8	12.3	13.1	16.7	12.4	11.1	5.2	3.5	1.2	3.1
25 to 49 beds.....	100.0	4.9	11.0	11.0	12.5	17.5	14.4	13.0	6.4	3.4	2.2	3.6
50 to 99 beds.....	100.0	3.9	11.0	10.4	12.7	17.4	14.6	14.1	6.5	3.4	2.1	3.8
100 to 149 beds.....	100.0	2.8	10.4	10.7	12.3	16.8	14.7	15.2	7.4	4.0	2.1	3.8
150 to 199 beds.....	100.0	2.2	10.4	10.9	13.4	17.0	14.6	15.0	7.5	3.6	2.1	3.4
200 to 249 beds.....	100.0	2.2	9.9	10.1	12.6	16.7	15.3	15.4	7.8	4.0	2.5	3.5
250 to 299 beds.....	100.0	2.0	9.9	10.9	12.5	16.4	15.3	15.3	7.3	4.2	2.3	4.0
300 to 399 beds.....	100.0	1.8	9.5	9.6	12.3	16.6	15.1	15.6	8.5	4.4	2.5	4.1
400 to 499 beds.....	100.0	1.8	8.7	10.2	11.8	16.1	15.3	16.4	8.3	4.5	2.6	4.2
500 to 749 beds.....	100.0	1.6	8.5	9.1	11.1	15.9	15.2	16.5	9.4	4.6	2.9	5.2
750 to 999 beds.....	100.0	1.3	8.8	7.5	10.1	14.9	15.7	18.3	8.8	5.1	3.6	6.0
1,000 to 1,999 beds.....	100.0	1.2	6.5	8.1	9.1	15.9	13.4	18.0	10.5	6.1	3.8	7.5
2,000 beds or more.....	100.0	3.9	5.4	6.3	5.0	12.1	11.8	15.3	13.2	8.3	5.6	13.1
Without Surgery												
Total.....	100.0	5.9	12.4	14.1	12.7	14.6	13.1	12.3	6.2	3.2	1.9	3.9
Less than 25 beds.....	100.0	6.6	16.6	18.1	14.1	14.5	11.3	8.8	3.8	2.2	1.4	2.6
25 to 49 beds.....	100.0	7.0	16.1	16.8	13.9	14.3	11.6	9.5	4.3	2.3	1.3	2.9
50 to 99 beds.....	100.0	6.5	14.5	15.3	13.5	14.4	12.1	10.8	5.2	2.6	1.7	3.5
100 to 149 beds.....	100.0	5.6	13.4	14.7	12.8	14.8	12.9	11.7	5.9	3.1	1.7	3.4
150 to 199 beds.....	100.0	5.4	11.6	14.2	12.6	14.8	13.7	12.8	6.4	3.0	1.8	3.6
200 to 249 beds.....	100.0	5.2	10.5	13.1	12.6	14.7	14.0	13.5	6.8	3.6	1.9	4.1
250 to 299 beds.....	100.0	5.3	10.7	13.2	12.2	14.8	13.8	13.5	6.9	3.6	2.0	4.1
300 to 399 beds.....	100.0	5.2	9.7	12.5	12.0	14.9	14.0	14.2	7.5	4.0	2.1	4.0
400 to 499 beds.....	100.0	4.7	9.3	11.8	12.0	14.8	14.4	14.5	7.4	4.0	2.4	4.5
500 to 749 beds.....	100.0	5.4	8.6	10.5	10.8	14.4	14.1	15.0	8.2	4.7	2.6	5.6
750 to 999 beds.....	100.0	7.1	9.9	10.8	9.9	13.5	12.9	14.5	8.3	4.1	2.4	6.6
1,000 to 1,999 beds.....	100.0	9.7	10.3	8.8	8.2	11.5	11.5	14.4	8.8	5.1	3.2	8.5
2,000 beds or more.....	100.0	11.7	12.2	11.0	10.0	12.6	11.8	11.8	6.0	4.8	2.5	5.6
ALL VOLUNTARY HOSPITALS												
All Discharges												
Total.....	100.0	4.4	11.0	12.4	12.4	15.3	14.0	13.7	7.0	3.7	2.1	3.9
Less than 25 beds.....	100.0	7.1	16.4	16.6	13.4	14.7	11.5	9.6	4.6	2.4	1.3	2.4
25 to 49 beds.....	100.0	7.0	15.0	15.3	13.1	14.4	12.1	10.2	5.1	2.6	1.7	3.5
50 to 99 beds.....	100.0	5.9	13.3	13.7	13.1	15.1	12.8	11.8	5.7	2.9	1.8	3.8
100 to 149 beds.....	100.0	4.7	12.2	13.3	12.7	15.2	13.6	13.0	6.5	3.5	1.8	3.5
150 to 199 beds.....	100.0	4.2	11.3	13.0	13.1	15.7	13.9	13.5	6.8	3.2	1.9	3.5
200 to 249 beds.....	100.0	4.0	10.1	11.9	12.4	15.5	14.7	14.4	7.3	3.7	2.2	3.9
250 to 299 beds.....	100.0	3.9	10.3	12.4	12.3	15.4	14.5	14.2	7.1	3.8	2.1	4.0
300 to 399 beds.....	100.0	3.7	9.5	11.4	12.1	15.5	14.6	14.8	7.9	4.2	2.3	4.0
400 to 499 beds.....	100.0	3.4	9.1	11.1	11.9	15.4	14.8	15.3	7.9	4.2	2.5	4.3
500 to 749 beds.....	100.0	3.2	8.5	9.8	11.0	15.2	15.0	15.6	8.9	4.8	2.7	5.2
750 to 999 beds.....	100.0	2.8	9.5	9.5	10.4	14.9	15.1	16.4	8.8	4.7	2.7	5.3
1,000 to 1,999 beds.....	100.0	2.9	6.8	7.2	9.8	15.9	14.6	16.0	10.6	5.8	3.7	6.7
2,000 beds or more.....	100.0	*	*	*	*	*	*	*	*	*	*	*
With Surgery												
Total.....	100.0	2.3	9.9	10.1	12.4	16.6	15.0	15.4	7.9	4.1	2.4	4.0
Less than 25 beds.....	100.0	6.5	14.0	12.8	12.5	16.9	13.5	13.1	5.7	2.2	0.7	2.0
25 to 49 beds.....	100.0	4.5	11.1	10.6	12.1	17.1	14.8	12.9	6.7	3.5	2.5	4.1
50 to 99 beds.....	100.0	4.1	10.8	10.1	13.0	17.2	14.6	14.3	6.7	3.4	2.0	3.8
100 to 149 beds.....	100.0	2.8	10.5	10.5	12.7	16.5	14.5	15.4	7.5	3.9	2.0	3.8
150 to 199 beds.....	100.0	2.0	10.6	11.0	13.9	17.2	14.3	14.8	7.3	3.6	2.0	3.4
200 to 249 beds.....	100.0	2.2	10.0	10.2	12.3	16.8	15.1	15.6	7.8	4.0	2.4	3.6
250 to 299 beds.....	100.0	1.9	9.9	11.0	12.6	16.4	15.3	15.2	7.4	4.2	2.2	3.9
300 to 399 beds.....	100.0	1.7	9.6	9.7	12.2	16.5	15.0	15.6	8.6	4.4	2.5	4.1
400 to 499 beds.....	100.0	1.9	8.7	10.1	11.6	16.2	15.2	16.4	8.5	4.4	2.6	4.2
500 to 749 beds.....	100.0	1.5	8.8	9.1	11.3	15.8	15.4	16.3	9.4	4.6	2.8	5.0
750 to 999 beds.....	100.0	1.0	8.9	7.8	10.5	15.5	16.4	18.0	8.9	4.9	3.1	4.9
1,000 to 1,999 beds.....	100.0	1.0	7.3	6.1	10.9	19.4	15.8	15.4	10.6	5.3	3.1	5.1
2,000 beds or more.....	100.0	*	*	*	*	*	*	*	*	*	*	*
Without Surgery												
Total.....	100.0	5.6	11.6	13.6	12.4	14.6	13.5	12.8	6.6	3.4	2.0	3.9
Less than 25 beds.....	100.0	7.2	16.7	17.2	13.5	14.4	11.2	9.1	4.5	2.4	1.4	2.4
25 to 49 beds.....	100.0	7.6	15.9	16.4	13.3	13.8	11.5	9.6	4.7	2.4	1.5	3.4
50 to 99 beds.....	100.0	6.6	14.2	15.0	13.1	14.4	12.2	11.0	5.3	2.7	1.7	3.7
100 to 149 beds.....	100.0	5.6	13.0	14.6	12.7	14.6	13.2	11.9	6.0	3.2	1.7	3.4
150 to 199 beds.....	100.0	5.4	11.7	14.1	12.6	14.8	13.6	12.8	6.5	3.0	1.9	3.6
200 to 249 beds.....	100.0	5.1	10.2	12.9	12.4	14.7	14.4	13.7	6.9	3.6	2.0	4.0
250 to 299 beds.....	100.0	5.2	10.6	13.3	12.1	14.8	14.0	13.5	6.9	3.5	2.0	4.0
300 to 399 beds.....	100.0	5.0	9.5	12.5	11.9	14.9	14.3	14.3	7.5	4.0	2.2	3.9
400 to 499 beds.....	100.0	4.4	9.4	11.9	12.0	14.9	14.6	14.6	7.5	4.0	2.4	4.4
500 to 749 beds.....	100.0	4.6	8.3	10.3	10.7	14.8	14.6	15.1	8.5	5.0	2.7	5.4
750 to 999 beds.....	100.0	4.3	10.0	10.9	10.4	14.3	13.8	15.0	8.8	4.4	2.4	5.8
1,000 to 1,999 beds.....	100.0	4.8	6.2	8.2	8.7	12.5	13.5	16.6	10.6	6.3	4.3	8.3
2,000 beds or more.....	100.0	*	*	*	*	*	*	*	*	*	*	*

Table 4.1.9 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: PERCENTAGE DISTRIBUTION OF LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Bed size of hospital and type of control	Total	Length of stay										
		1 day or less	2 and 3 days	4 and 5 days	6 and 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	43 days or more
VOLUNTARY HOSPITALS - CHURCH												
All Discharges												
Total.....	100.0	4.2	11.4	13.0	12.7	15.4	13.8	13.4	6.7	3.4	2.0	3.8
Less than 25 beds.....	100.0	6.3	16.4	15.7	13.4	15.3	10.9	9.5	5.1	3.5	1.5	2.5
25 to 49 beds.....	100.0	7.4	16.4	16.9	13.3	14.6	11.6	8.8	4.3	1.8	1.6	3.3
50 to 99 beds.....	100.0	6.4	14.2	14.4	13.6	15.7	12.2	11.2	4.8	2.3	1.5	3.7
100 to 149 beds.....	100.0	4.9	12.7	14.0	13.1	15.2	13.1	12.9	5.7	3.1	1.9	3.6
150 to 199 beds.....	100.0	4.0	11.9	13.2	13.4	15.4	13.9	13.2	6.6	2.9	2.0	3.5
200 to 249 beds.....	100.0	4.1	10.9	12.8	12.9	15.4	14.3	13.9	7.0	3.5	1.8	3.5
250 to 299 beds.....	100.0	4.0	11.0	13.4	12.5	15.4	14.1	13.9	6.6	3.6	2.1	3.6
300 to 399 beds.....	100.0	3.6	10.1	11.9	12.2	15.4	14.6	14.2	7.7	4.0	2.2	4.2
400 to 499 beds.....	100.0	3.4	10.0	12.3	12.5	15.7	14.3	14.4	7.2	3.8	2.3	3.9
500 to 749 beds.....	100.0	3.2	9.1	11.0	11.4	16.0	14.3	14.9	8.4	4.5	2.6	4.8
750 to 999 beds.....	100.0	2.8	11.6	11.2	12.2	14.6	15.4	14.6	7.4	3.9	2.0	4.4
1,000 to 1,999 beds.....	100.0	3.1	8.8	9.0	15.6	17.1	14.3	14.7	9.2	3.8	1.9	2.6
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*
With Surgery												
Total.....	100.0	2.2	10.1	10.9	12.9	16.7	15.1	15.0	7.5	3.8	2.2	3.6
Less than 25 beds.....	100.0	3.4	12.2	11.0	11.0	17.1	21.0	13.2	3.9	2.4	1.2	3.7
25 to 49 beds.....	100.0	5.0	12.4	12.5	11.5	17.6	14.3	11.4	6.0	3.0	2.6	3.7
50 to 99 beds.....	100.0	4.9	10.6	11.0	12.9	18.0	14.5	13.5	6.5	2.8	1.7	3.6
100 to 149 beds.....	100.0	2.7	10.6	10.8	13.8	16.9	14.9	15.1	6.6	3.3	1.9	3.2
150 to 199 beds.....	100.0	1.8	10.4	11.5	14.2	16.2	14.7	15.0	7.4	3.4	2.1	3.4
200 to 249 beds.....	100.0	2.3	10.6	11.8	12.5	16.9	14.2	15.0	7.7	3.6	2.1	3.3
250 to 299 beds.....	100.0	1.9	10.1	12.2	13.2	16.4	15.6	14.4	6.5	4.2	2.2	3.5
300 to 399 beds.....	100.0	1.6	10.1	9.3	12.9	16.6	15.3	15.1	8.6	4.1	2.4	4.0
400 to 499 beds.....	100.0	2.1	9.2	11.3	12.4	17.0	15.1	15.2	7.7	4.1	2.5	3.6
500 to 749 beds.....	100.0	1.5	9.0	10.2	10.9	16.5	15.1	16.5	8.8	4.3	3.1	4.1
750 to 999 beds.....	100.0	1.2	10.1	8.2	12.2	14.9	16.8	17.4	7.8	4.9	2.3	4.2
1,000 to 1,999 beds.....	100.0	0.6	9.0	5.8	18.8	20.5	15.6	14.4	9.3	4.2	0.9	0.9
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*
Without Surgery												
Total.....	100.0	5.5	12.2	14.3	12.6	14.7	13.1	12.5	6.2	3.2	1.9	3.9
Less than 25 beds.....	100.0	6.5	16.8	16.1	13.6	15.2	9.9	9.2	5.2	3.6	1.6	2.4
25 to 49 beds.....	100.0	7.9	17.2	17.7	13.6	14.0	11.1	8.4	4.0	1.6	1.4	3.2
50 to 99 beds.....	100.0	6.8	15.3	15.5	13.8	15.0	11.5	10.5	4.3	2.2	1.5	3.7
100 to 149 beds.....	100.0	6.0	13.7	15.6	12.7	14.3	12.2	11.8	5.3	3.0	1.8	3.7
150 to 199 beds.....	100.0	5.2	12.7	14.3	13.0	14.9	13.5	12.2	6.2	2.7	1.9	3.5
200 to 249 beds.....	100.0	5.2	11.1	13.4	13.1	14.5	14.4	13.2	6.5	3.4	1.6	3.5
250 to 299 beds.....	100.0	5.4	11.6	14.2	12.1	14.7	13.0	13.6	6.7	3.2	2.0	3.7
300 to 399 beds.....	100.0	4.9	10.0	13.6	11.8	14.6	14.1	13.5	7.1	4.0	2.1	4.3
400 to 499 beds.....	100.0	4.4	10.6	13.0	12.7	14.8	13.8	13.8	6.9	3.6	2.2	4.2
500 to 749 beds.....	100.0	4.4	9.1	11.6	11.8	15.6	13.7	13.7	8.1	4.6	2.3	5.2
750 to 999 beds.....	100.0	4.3	12.9	13.8	12.2	14.3	14.1	12.0	7.0	3.0	1.7	4.6
1,000 to 1,999 beds.....	100.0	6.3	8.7	13.3	11.4	12.6	12.6	15.0	9.1	3.2	3.2	4.7
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*
VOLUNTARY HOSPITALS - OTHER												
All Discharges												
Total.....	100.0	4.5	10.7	12.0	12.2	15.3	14.1	13.9	7.3	3.8	2.2	4.1
Less than 25 beds.....	100.0	7.5	16.4	17.0	13.4	14.4	11.7	9.6	4.4	2.0	1.2	2.4
25 to 49 beds.....	100.0	6.9	14.5	14.7	13.0	14.4	12.3	10.7	5.4	2.9	1.7	3.6
50 to 99 beds.....	100.0	5.8	13.0	13.5	12.9	14.9	13.0	12.0	6.0	3.1	1.9	3.8
100 to 149 beds.....	100.0	4.6	11.9	12.9	12.5	15.3	13.9	13.1	6.9	3.7	1.8	3.5
150 to 199 beds.....	100.0	4.3	10.9	12.8	12.9	15.8	13.8	13.7	6.9	3.4	1.9	3.5
200 to 249 beds.....	100.0	3.9	9.5	11.2	12.0	15.5	15.0	14.8	7.5	3.9	2.5	4.2
250 to 299 beds.....	100.0	3.9	9.7	11.4	12.2	15.5	15.0	14.4	7.6	4.0	2.1	4.3
300 to 399 beds.....	100.0	3.8	9.0	10.9	11.9	15.6	14.6	15.4	8.1	4.4	2.4	3.8
400 to 499 beds.....	100.0	3.3	8.1	9.9	11.1	15.2	15.4	16.3	8.6	4.6	2.7	4.7
500 to 749 beds.....	100.0	3.2	8.2	9.2	10.7	14.9	15.3	16.0	9.2	5.0	2.8	5.5
750 to 999 beds.....	100.0	2.7	8.3	8.5	9.4	15.0	14.8	17.5	9.7	5.1	3.2	5.9
1,000 to 1,999 beds.....	100.0	2.8	6.1	6.6	7.8	15.5	14.7	16.5	11.1	6.5	4.3	8.1
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*
With Surgery												
Total.....	100.0	2.3	9.7	9.6	12.0	16.5	14.9	15.7	8.2	4.3	2.5	4.2
Less than 25 beds.....	100.0	7.2	14.5	13.2	12.9	16.8	11.6	13.1	6.2	2.2	0.6	1.6
25 to 49 beds.....	100.0	4.4	10.7	10.0	12.2	16.9	15.0	13.4	7.0	3.6	2.5	4.2
50 to 99 beds.....	100.0	3.8	10.9	9.8	13.0	16.9	14.6	14.6	6.8	3.6	2.1	3.9
100 to 149 beds.....	100.0	2.8	10.4	10.3	12.0	16.3	14.3	15.5	8.0	4.2	2.1	4.1
150 to 199 beds.....	100.0	2.1	10.7	10.7	13.7	17.8	14.1	14.7	7.2	3.7	1.9	3.4
200 to 249 beds.....	100.0	2.1	9.5	9.0	12.2	16.6	15.8	16.0	7.9	4.2	2.8	3.8
250 to 299 beds.....	100.0	1.8	9.8	9.7	12.1	16.4	14.9	16.1	8.5	4.2	2.2	4.3
300 to 399 beds.....	100.0	1.8	9.1	10.0	11.7	16.4	14.8	16.0	8.5	4.7	2.7	4.2
400 to 499 beds.....	100.0	1.7	8.2	8.8	10.8	15.4	15.4	17.7	9.5	4.8	2.9	4.8
500 to 749 beds.....	100.0	1.6	8.7	8.7	11.4	15.4	15.6	16.2	9.7	4.7	2.7	5.4
750 to 999 beds.....	100.0	0.9	8.2	7.6	9.4	15.9	16.2	18.4	9.6	4.9	3.6	5.3
1,000 to 1,999 beds.....	100.0	1.1	6.7	6.3	7.7	18.9	15.8	15.8	11.1	5.7	4.0	6.8
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*
Without Surgery												
Total.....	100.0	5.6	11.3	13.2	12.2	14.6	13.7	13.0	6.8	3.6	2.0	4.0
Less than 25 beds.....	100.0	7.5	16.7	17.6	13.5	14.0	11.7	9.1	4.2	2.0	1.3	2.5
25 to 49 beds.....	100.0	7.5	15.4	15.9	13.2	13.7	11.6	10.0	5.0	2.8	1.5	3.4
50 to 99 beds.....	100.0	6.5	13.8	14.9	12.9	14.2	12.5	11.1	5.7	2.9	1.8	3.8
100 to 149 beds.....	100.0	5.4	12.6	14.1	12.7	14.8	13.7	11.9	6.4	3.4	1.7	3.2
150 to 199 beds.....	100.0	5.6	11.1	14.0	12.4	14.7	13.7	13.1	6.7	3.2	1.9	3.6
200 to 249 beds.....	100.0	5.0	9.5	12.6	11.8	14.9	14.5	14.0	7.2	3.7	2.3	4.4
250 to 299 beds.....	100.0	5.1	9.7	12.5	12.2	14.9	15.0	13.4	7.1	3.9	2.1	4.2
300 to 399 beds.....	100.0	5.1	9.0	11.5	12.1	15.2	14.4	14.9	7.8	4.1	2.3	3.6
400 to 499 beds.....	100.0	4.5	8.1	10.7	11.4	15.0	15.4	15.3	8.1	4.5	2.5	4.6
500 to 749 beds.....	100.0	4.7	7.8	9.6	10.2	14.4	15.1	15.9	8.8	5.2	2.9	5.5
750 to 999 beds.....	100.0	4.3	8.3	9.2	9.4	14.2	13.7	16.7	9.8	5.2	2.7	6.4
1,000 to 1,999 beds.....	100.0	4.3	5.6	6.8	7.9	12.5	13.7	17.0	11.0	7.2	4.6	9.3
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*

Table 4.1.9 DISCHARGES BY TYPE OF HOSPITAL CONTROL AND BED SIZE: PERCENTAGE DISTRIBUTION OF LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables]

Bed size of hospital and type of control	Total	Length of stay										
		1 day or less	2 and 3 days	4 and 5 days	6 and 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	43 days or more
PROPRIETARY HOSPITALS												
All Discharges												
Total.....	100.0	4.9	13.1	14.8	13.6	16.0	13.5	11.9	5.4	2.7	1.5	2.6
Less than 25 beds.....	100.0	6.0	16.1	18.2	14.8	15.0	11.7	8.8	3.5	2.5	1.4	2.0
25 to 49 beds.....	100.0	5.4	15.1	16.8	14.7	16.0	12.2	10.1	4.4	2.0	1.1	2.1
50 to 99 beds.....	100.0	5.0	13.0	14.5	13.9	15.8	13.7	11.9	5.2	2.8	1.5	2.7
100 to 149 beds.....	100.0	3.9	11.7	12.8	12.7	16.9	14.4	14.0	6.2	3.2	1.7	2.5
150 to 199 beds.....	100.0	4.0	9.5	11.5	11.1	16.2	16.2	15.0	7.5	3.5	1.9	3.5
200 to 249 beds.....	100.0	3.9	9.0	12.3	12.6	16.2	14.3	15.1	7.5	4.0	2.3	2.9
250 to 299 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
300 to 399 beds.....	100.0	2.0	12.4	8.9	9.2	14.6	16.7	16.9	9.2	4.3	2.0	3.7
400 to 499 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
500 to 749 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
750 to 999 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
1,000 to 1,999 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*
With Surgery												
Total.....	100.0	3.6	10.7	11.4	12.0	17.4	15.3	14.4	6.8	3.7	2.2	2.5
Less than 25 beds.....	100.0	10.4	12.1	10.9	13.8	17.5	12.5	9.3	4.7	4.6	1.1	2.9
25 to 49 beds.....	100.0	4.8	11.0	12.9	13.3	18.7	13.6	12.9	5.9	2.8	1.8	2.5
50 to 99 beds.....	100.0	3.0	10.8	12.0	12.9	17.4	14.8	14.4	6.2	3.4	2.2	2.8
100 to 149 beds.....	100.0	2.4	11.0	10.9	10.9	18.1	17.0	14.7	6.4	4.7	2.0	2.0
150 to 199 beds.....	100.0	2.8	9.9	9.4	9.7	15.9	16.4	17.0	9.5	4.1	2.7	2.5
200 to 249 beds.....	100.0	2.7	9.1	11.2	9.6	15.2	17.8	16.3	8.6	4.4	3.2	1.7
250 to 299 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
300 to 399 beds.....	100.0	2.7	15.9	4.0	10.7	16.3	18.6	12.6	10.0	4.5	2.0	2.7
400 to 499 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
500 to 749 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
750 to 999 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
1,000 to 1,999 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*
Without Surgery												
Total.....	100.0	5.3	13.9	16.0	14.2	15.5	12.9	11.1	4.9	2.4	1.2	2.6
Less than 25 beds.....	100.0	5.2	16.8	19.4	14.9	14.6	11.6	8.7	3.3	2.1	1.5	1.9
25 to 49 beds.....	100.0	5.6	16.2	17.8	15.0	15.3	11.9	9.4	4.1	1.8	0.9	2.0
50 to 99 beds.....	100.0	5.7	13.8	15.5	14.2	15.2	13.3	10.9	4.8	2.5	1.2	2.7
100 to 149 beds.....	100.0	4.7	12.0	13.7	13.5	16.4	13.2	13.6	6.2	2.6	1.6	2.6
150 to 199 beds.....	100.0	4.8	9.3	12.7	11.9	16.4	16.1	13.9	6.4	3.1	1.4	4.1
200 to 249 beds.....	100.0	4.4	8.9	12.8	13.9	16.6	12.7	14.5	7.0	3.8	1.8	3.5
250 to 299 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
300 to 399 beds.....	100.0	1.5	9.7	12.6	8.1	13.3	15.3	20.2	8.6	4.2	2.0	4.6
400 to 499 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
500 to 749 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
750 to 999 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
1,000 to 1,999 beds.....	*	*	*	*	*	*	*	*	*	*	*	*
2,000 beds or more.....	*	*	*	*	*	*	*	*	*	*	*	*
GOVERNMENT HOSPITALS												
All Discharges												
Total.....	100.0	6.1	12.9	13.5	12.6	14.6	12.5	12.2	5.9	3.3	2.0	4.4
Less than 25 beds.....	100.0	7.3	15.9	17.4	13.9	14.6	11.3	8.7	3.7	2.4	1.3	3.6
25 to 49 beds.....	100.0	7.0	15.6	15.8	13.8	14.7	11.9	10.0	4.3	2.6	1.4	3.0
50 to 99 beds.....	100.0	6.1	14.7	14.5	13.5	14.7	12.1	10.9	5.3	2.8	1.9	3.6
100 to 149 beds.....	100.0	5.0	13.9	14.3	12.4	15.3	12.5	11.7	5.9	3.1	1.9	3.9
150 to 199 beds.....	100.0	5.0	11.2	14.4	12.7	14.8	13.8	13.2	6.1	3.1	1.8	3.8
200 to 249 beds.....	100.0	4.7	12.1	12.5	13.9	15.0	13.2	12.2	6.4	3.6	1.6	4.8
250 to 299 beds.....	100.0	4.6	10.6	11.3	12.0	15.6	13.6	14.6	6.6	4.0	2.2	4.9
300 to 399 beds.....	100.0	5.3	10.4	11.1	12.6	15.9	13.6	14.2	7.3	3.7	1.8	4.1
400 to 499 beds.....	100.0	4.2	8.9	11.3	12.3	14.8	14.4	15.1	7.1	4.1	2.7	5.1
500 to 749 beds.....	100.0	6.2	8.8	10.3	10.7	14.4	13.2	15.7	7.8	4.1	2.7	6.2
750 to 999 beds.....	100.0	9.8	9.1	9.0	8.8	12.1	11.6	15.5	7.6	4.2	3.3	9.1
1,000 to 1,999 beds.....	100.0	8.7	10.3	9.6	7.5	11.2	10.3	15.9	8.7	5.3	3.3	9.3
2,000 beds or more.....	100.0	9.7	10.5	9.8	8.8	12.5	11.8	12.7	7.9	5.7	3.3	7.5
With Surgery												
Total.....	100.0	3.0	9.3	9.9	11.5	16.4	14.6	15.3	7.5	4.3	2.8	5.3
Less than 25 beds.....	100.0	8.4	12.4	13.4	12.8	15.7	11.0	11.0	5.4	3.6	1.7	4.7
25 to 49 beds.....	100.0	5.7	10.9	9.9	12.5	17.1	14.6	13.3	6.4	3.8	1.9	3.8
50 to 99 beds.....	100.0	3.9	11.8	10.0	11.9	17.8	14.7	13.1	6.2	3.5	2.5	4.6
100 to 149 beds.....	100.0	2.9	9.9	11.5	10.9	17.2	14.5	14.7	7.5	4.1	2.4	4.4
150 to 199 beds.....	100.0	3.0	8.6	11.9	12.2	16.1	15.2	15.8	7.9	3.4	2.2	3.9
200 to 249 beds.....	100.0	2.0	9.5	8.7	15.6	17.0	16.2	13.6	7.4	4.0	2.3	3.8
250 to 299 beds.....	100.0	2.6	9.4	10.2	11.7	16.2	15.7	16.3	6.1	4.1	2.8	4.9
300 to 399 beds.....	100.0	2.4	8.7	9.0	12.4	17.8	15.7	16.0	7.4	3.8	2.6	4.1
400 to 499 beds.....	100.0	1.4	8.5	10.9	12.9	15.3	15.8	16.1	7.0	5.0	2.5	4.7
500 to 749 beds.....	100.0	2.2	7.1	9.1	10.2	16.5	14.3	17.6	9.3	4.8	3.2	5.8
750 to 999 beds.....	100.0	2.3	8.1	5.9	8.7	12.4	12.9	19.5	8.4	5.8	5.5	10.6
1,000 to 1,999 beds.....	100.0	1.5	5.6	10.2	7.0	12.1	10.7	20.8	10.4	6.9	4.6	10.1
2,000 beds or more.....	100.0	3.9	5.4	6.3	5.0	12.1	11.8	15.3	13.2	8.3	5.6	13.1
Without Surgery												
Total.....	100.0	7.2	14.1	14.7	12.9	14.1	11.8	11.1	5.4	3.0	1.7	4.1
Less than 25 beds.....	100.0	7.2	16.3	17.9	14.0	14.4	11.3	8.4	3.5	2.2	1.3	3.4
25 to 49 beds.....	100.0	7.2	16.3	16.7	13.9	14.3	11.4	9.5	4.0	2.4	1.3	2.9
50 to 99 beds.....	100.0	6.6	15.3	15.6	13.8	14.0	11.5	10.4	5.1	2.6	1.7	3.4
100 to 149 beds.....	100.0	5.7	15.3	15.2	12.9	14.7	11.8	10.7	5.3	2.8	1.8	3.7
150 to 199 beds.....	100.0	5.8	12.3	15.5	13.0	14.3	13.2	12.2	5.4	3.0	1.6	3.8
200 to 249 beds.....	100.0	6.1	13.3	14.4	13.1	14.1	11.8	11.5	5.8	3.4	1.3	5.2
250 to 299 beds.....	100.0	5.9	11.3	12.0	12.3	15.1	12.3	13.6	6.9	3.9	1.9	4.9
300 to 399 beds.....	100.0	7.0	11.5	12.3	12.7	14.8	12.4	13.1	7.2	3.7	1.3	4.1
400 to 499 beds.....	100.0	6.0	9.2	11.6	11.9	14.4	13.4	14.5	7.1	3.6	2.8	5.4
500 to 749 beds.....	100.0	8.6	9.8	11.1	11.0	13.1	12.5	14.6	6.8	3.8	2.4	6.4
750 to 999 beds.....	100.0	13.3	9.6	10.5	8.9	11.9	10.9	13.6	7.2	3.4	2.3	8.4
1,000 to 1,999 beds.....	100.0	13.3	13.4	9.2	7.8	10.7	10.0	12.8	7.5	4.2	2.4	8.7
2,000 beds or more.....	100.0	11.7	12.2	11.0	10.0	12.6	11.8	11.8	6.0	4.8	2.5	5.6

Table 4.1.10 DISCHARGES BY AGE, RACE, AND SEX: MEAN AND MEDIAN LENGTH OF STAY, BY TYPE OF HOSPITAL CONTROL FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

(See NOTES preceding General Tables)

Age, race, and sex	Mean length of stay						Median length of stay					
	All short-stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals	All short-stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals
		Total	Church	Other				Total	Church	Other		
ALL DISCHARGES												
All Persons												
Total, 65 years and over	13.2	13.5	13.1	13.7	11.5	13.1	9.7	9.9	9.6	10.0	8.6	8.9
65 and 66 years	12.0	12.1	11.8	12.4	10.3	12.1	9.0	9.3	9.0	9.4	8.2	8.6
67 and 68 years	12.0	12.3	11.9	12.6	10.5	11.5	9.1	9.4	9.1	9.6	8.3	8.5
69 and 70 years	12.4	12.7	12.5	12.8	11.2	12.0	9.3	9.5	9.4	9.6	8.6	8.7
71 and 72 years	12.7	12.9	12.5	13.2	11.2	12.5	9.5	9.7	9.4	9.8	8.6	9.0
73 and 74 years	13.0	13.2	12.9	13.4	11.5	12.6	9.6	9.8	9.5	10.0	8.8	8.9
75 to 79 years	13.7	14.0	13.8	14.1	11.8	13.4	9.9	10.2	10.0	10.4	9.0	9.2
80 to 84 years	14.4	14.6	14.4	14.8	12.5	14.4	10.1	10.4	10.1	10.6	9.2	9.6
85 years and over	15.3	15.6	15.1	15.9	13.0	15.3	10.5	11.0	10.4	11.3	9.4	9.8
Men, 65 years and over	12.8	12.9	12.5	13.2	11.1	12.8	9.4	9.6	9.3	9.7	8.6	8.9
65 and 66 years	12.0	12.0	11.7	12.3	10.3	12.3	8.8	9.1	8.9	9.3	8.1	8.6
67 and 68 years	11.8	12.1	11.4	12.5	10.1	11.4	8.9	9.2	8.9	9.4	7.9	8.4
69 and 70 years	12.1	12.2	12.0	12.3	10.8	12.2	9.1	9.3	9.2	9.4	8.4	8.7
71 and 72 years	12.2	12.4	11.7	12.7	10.8	12.3	9.2	9.4	9.0	9.6	8.5	8.7
73 and 74 years	12.6	12.8	12.4	13.1	11.4	12.2	9.4	9.6	9.3	9.8	8.6	8.7
75 to 79 years	13.2	13.4	13.2	13.5	11.7	13.1	9.7	9.9	9.8	10.0	9.0	9.0
80 to 84 years	13.8	14.0	13.8	14.1	11.7	13.7	9.7	9.9	9.7	10.1	9.0	9.2
85 years and over	14.4	14.6	14.0	14.9	12.0	14.4	10.0	10.3	9.8	10.6	9.1	9.5
Women, 65 years and over	13.7	13.9	13.6	14.1	11.8	13.4	9.9	10.1	9.8	10.3	9.0	9.3
65 and 66 years	12.0	12.2	11.8	12.4	10.4	11.9	9.1	9.4	9.1	9.6	8.3	8.6
67 and 68 years	12.3	12.6	12.3	12.8	10.9	11.7	9.3	9.6	9.4	9.8	8.6	8.6
69 and 70 years	12.7	13.1	12.9	13.2	11.4	11.9	9.5	9.7	9.6	9.8	8.7	8.8
71 and 72 years	13.1	13.4	13.2	13.6	11.4	12.7	9.7	10.0	9.8	10.1	8.7	9.1
73 and 74 years	13.3	13.5	13.4	13.7	11.5	12.9	9.8	10.0	9.7	10.2	9.0	9.0
75 to 79 years	14.1	14.5	14.3	14.6	11.9	13.7	10.1	10.5	10.1	10.7	9.1	9.4
80 to 84 years	14.9	15.1	14.9	15.3	13.0	15.0	10.5	10.8	10.5	11.0	9.4	10.0
85 years and over	15.9	16.2	15.8	16.5	13.6	15.9	10.9	11.4	10.8	11.8	9.6	10.2
White												
Total, 65 years and over	13.1	13.4	13.0	13.6	11.5	12.9	9.6	9.8	9.6	9.9	8.8	8.9
65 and 66 years	11.9	12.1	11.7	12.3	10.3	11.7	8.9	9.2	9.0	9.4	8.2	8.4
67 and 68 years	11.9	12.2	11.8	12.5	10.5	11.2	9.0	9.4	9.1	9.6	8.3	8.4
69 and 70 years	12.3	12.6	12.4	12.7	11.1	11.7	9.2	9.5	9.4	9.5	8.6	8.5
71 and 72 years	12.6	12.9	12.5	13.1	11.1	12.2	9.4	9.6	9.4	9.8	8.6	8.8
73 and 74 years	12.8	13.1	12.9	13.3	11.4	12.3	9.5	9.7	9.5	9.9	8.8	8.7
75 to 79 years	13.7	13.9	13.7	14.1	11.8	13.3	9.9	10.1	9.9	10.3	9.0	9.1
80 to 84 years	14.3	14.5	14.2	14.7	12.3	14.4	10.1	10.3	10.0	10.6	9.1	9.6
85 years and over	15.2	15.4	14.9	15.7	13.1	15.3	10.4	10.9	10.3	11.2	9.4	9.8
Men, 65 years and over	12.6	12.8	12.5	13.1	11.1	12.5	9.3	9.5	9.3	9.7	8.6	8.7
65 and 66 years	11.8	12.0	11.6	12.2	10.3	11.8	8.7	9.1	8.9	9.2	8.1	8.3
67 and 68 years	11.6	12.0	11.4	12.3	10.1	10.9	8.8	9.1	8.8	9.3	7.9	8.2
69 and 70 years	12.0	12.1	11.9	12.2	10.7	11.7	9.0	9.2	9.1	9.3	8.3	8.5
71 and 72 years	12.1	12.3	11.7	12.7	10.7	11.9	9.1	9.3	9.0	9.6	8.4	8.5
73 and 74 years	12.5	12.7	12.3	13.0	11.4	11.9	9.3	9.5	9.2	9.7	8.7	8.5
75 to 79 years	13.2	13.4	13.1	13.5	11.7	13.0	9.7	9.9	9.8	9.9	8.9	8.9
80 to 84 years	13.7	13.9	13.7	14.0	11.6	13.8	9.7	9.9	9.7	10.0	8.9	9.1
85 years and over	14.3	14.5	13.8	14.9	12.0	14.6	9.9	10.1	9.7	10.5	9.0	9.4
Women, 65 years and over	13.5	13.8	13.5	14.0	11.8	13.2	9.8	10.0	9.8	10.3	8.9	9.2
65 and 66 years	11.9	12.2	11.8	12.5	10.4	11.6	9.1	9.3	9.0	9.5	8.3	8.5
67 and 68 years	12.2	12.5	12.2	12.7	10.7	11.4	9.3	9.6	9.3	9.8	8.6	8.6
69 and 70 years	12.6	13.0	12.8	13.1	11.4	11.7	9.4	9.7	9.6	9.7	8.8	8.6
71 and 72 years	13.1	13.4	13.1	13.5	11.4	12.5	9.7	9.9	9.8	10.0	8.7	9.0
73 and 74 years	13.2	13.5	13.3	13.6	11.5	12.7	9.7	9.9	9.7	10.1	8.9	9.0
75 to 79 years	14.1	14.5	14.2	14.6	11.9	13.5	10.1	10.4	10.1	10.7	9.1	9.3
80 to 84 years	14.9	15.1	14.7	15.3	12.9	15.1	10.4	10.8	10.4	11.0	9.3	9.9
85 years and over	15.9	16.1	15.7	16.4	13.8	15.9	10.9	11.4	10.8	11.8	9.6	10.1
All Other Races												
Total, 65 years and over	14.1	14.1	13.2	14.6	11.8	14.4	10.5	10.9	10.1	11.3	9.3	10.1
65 and 66 years	13.6	13.0	12.4	13.3	10.7	15.0	10.1	10.0	9.6	10.3	8.3	10.3
67 and 68 years	14.0	14.2	13.3	14.7	11.0	14.2	10.1	10.8	10.4	11.0	8.8	9.5
69 and 70 years	14.2	14.0	12.7	14.6	12.7	14.8	10.7	11.1	9.8	11.7	9.5	10.6
71 and 72 years	13.8	13.5	12.8	13.9	12.0	14.5	10.5	10.9	10.3	11.1	9.2	10.5
73 and 74 years	14.3	14.2	13.0	14.8	12.5	14.7	10.7	11.4	10.2	12.0	9.6	10.3
75 to 79 years	14.2	14.5	14.2	14.6	11.2	14.4	10.6	11.3	10.9	11.5	9.2	10.2
80 to 84 years	14.3	14.9	13.8	15.4	13.6	13.7	10.6	10.7	10.4	10.9	11.5	10.1
85 years and over	14.5	15.4	13.4	16.5	11.0	14.1	10.3	11.1	9.5	12.3	9.0	9.5
Men, 65 years and over	14.2	14.2	13.2	14.7	11.7	14.7	10.5	10.9	10.0	11.3	9.0	10.4
65 and 66 years	14.0	13.3	12.1	13.9	10.3	15.6	10.2	10.2	9.5	10.8	7.6	10.7
67 and 68 years	13.9	13.8	11.8	14.8	9.8	14.7	10.0	10.5	9.7	10.9	7.9	9.5
69 and 70 years	14.7	14.1	13.2	14.5	12.9	16.0	10.9	11.0	10.2	11.3	10.0	11.3
71 and 72 years	14.2	13.4	12.2	13.9	12.0	15.8	10.6	10.7	9.6	11.2	9.8	11.5
73 and 74 years	14.4	14.5	12.7	15.4	12.6	14.6	10.9	11.8	10.3	12.6	8.0	11.3
75 to 79 years	14.2	14.4	14.6	14.3	10.6	14.5	10.6	11.2	10.9	11.4	9.2	10.3
80 to 84 years	14.6	15.7	14.6	16.3	13.9	13.2	10.6	11.2	10.4	11.7	10.6	9.9
85 years and over	14.0	15.0	13.6	15.8	12.1	13.3	10.3	11.0	10.2	11.6	10.0	9.5
Women, 65 years and over	13.9	14.1	13.3	14.4	12.0	14.1	10.4	10.9	10.2	11.2	9.6	9.9
65 and 66 years	13.0	12.5	12.7	12.5	11.4	14.0	9.9	9.9	9.8	9.9	9.2	9.9
67 and 68 years	14.1	14.7	14.8	14.6	12.1	13.6	10.3	11.1	11.2	11.1	9.5	9.5
69 and 70 years	13.6	13.8	12.2	14.6	12.5	13.5	10.6	11.2	9.6	12.0	9.0	10.0
71 and 72 years	13.5	13.6	13.2	13.8	12.1	13.5	10.5	11.0	11.0	11.0	8.7	9.8
73 and 74 years	14.1	13.9	13.3	14.2	12.4	14.8	10.6	11.1	10.2	11.5	11.4	9.6
75 to 79 years	14.3	14.6	13.8	14.9	11.7	14.4	10.6	11.4	10.9	11.6	9.1	10.2
80 to 84 years	14.1	14.1	13.0	14.5	13.3	14.2	10.5	10.3	10.4	10.3	12.1	10.3
85 years and over	14.9	15.7	13.2	17.2	10.2	14.9	10.2	11.2	8.9	12.9	8.3	9.5

Table 4.1.10 DISCHARGES BY AGE, RACE, AND SEX: MEAN AND MEDIAN LENGTH OF STAY, BY TYPE OF HOSPITAL CONTROL FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Age, race, and sex	Mean length of stay						Median length of stay					
	All short-stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals	All short-stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals
		Total	Church	Other				Total	Church	Other		
WITH SURGERY												
All Persons												
Total, 65 years and over	14.2	14.1	13.7	14.5	12.7	15.0	10.8	10.7	10.4	10.9	10.1	10.9
65 and 66 years	12.7	12.5	12.3	12.7	11.4	13.7	9.9	9.9	9.6	10.1	8.9	10.0
67 and 68 years	12.8	12.8	12.3	13.2	11.2	13.5	10.1	10.0	9.8	10.3	9.3	10.2
69 and 70 years	13.2	13.2	12.9	13.3	12.0	13.6	10.2	10.2	10.0	10.3	9.4	10.4
71 and 72 years	13.6	13.6	12.9	14.0	12.4	14.3	10.5	10.6	10.1	10.9	9.7	10.8
73 and 74 years	14.0	13.9	13.6	14.1	13.1	14.7	10.6	10.7	10.3	10.9	10.3	10.8
75 to 79 years	14.8	14.8	14.4	15.1	13.5	15.5	11.2	11.5	11.2	11.7	10.8	11.5
80 to 84 years	16.2	16.3	15.7	16.7	14.2	16.4	12.2	12.4	11.9	12.7	11.6	12.7
85 years and over	18.0	17.7	17.1	18.1	14.7	19.9	13.6	13.6	13.1	14.0	11.5	14.6
Men, 65 years and over	13.9	13.8	13.2	14.2	12.6	14.9	10.7	10.8	10.4	11.1	9.9	11.1
65 and 66 years	13.0	12.8	12.5	13.0	11.5	14.4	10.0	9.9	9.7	10.1	9.1	10.1
67 and 68 years	12.7	12.6	11.9	13.1	11.0	13.5	9.9	9.8	9.5	10.0	9.2	9.8
69 and 70 years	13.1	13.0	12.5	13.3	11.7	14.1	10.2	10.0	9.8	10.3	9.2	10.7
71 and 72 years	13.3	13.2	12.4	13.8	12.1	14.4	10.4	10.4	9.9	10.8	9.8	10.5
73 and 74 years	13.8	13.6	13.1	13.9	13.4	14.8	10.6	10.6	10.2	10.9	10.1	11.2
75 to 79 years	14.5	14.4	13.8	14.8	13.6	15.2	11.2	11.6	11.2	11.8	10.8	11.2
80 to 84 years	15.8	15.9	15.3	16.3	14.2	15.7	12.1	12.3	11.8	12.6	11.8	12.3
85 years and over	16.9	16.6	15.6	17.2	14.1	18.8	12.8	12.8	12.1	13.3	11.0	13.8
Women, 65 years and over	14.5	14.5	14.1	14.7	12.8	15.2	10.9	11.0	10.7	11.2	10.0	11.3
65 and 66 years	12.3	12.3	12.0	12.4	11.3	13.0	9.8	9.8	9.4	10.1	8.8	9.8
67 and 68 years	13.0	13.1	12.6	13.3	11.4	13.5	10.3	10.4	10.2	10.5	9.4	10.7
69 and 70 years	13.2	13.3	13.2	13.4	12.4	13.1	10.3	10.3	10.4	10.3	9.6	10.1
71 and 72 years	13.8	13.9	13.4	14.2	12.6	14.1	10.7	10.8	10.4	11.0	9.6	11.0
73 and 74 years	14.2	14.2	14.0	14.3	12.9	14.7	10.6	10.7	10.4	10.9	10.5	10.4
75 to 79 years	15.2	15.2	15.0	15.4	13.4	15.8	11.2	11.4	11.1	11.6	10.7	11.8
80 to 84 years	16.5	16.6	16.0	17.1	14.2	17.1	12.4	12.5	12.0	12.8	11.4	13.1
85 years and over	18.8	18.6	18.3	18.9	15.2	20.8	14.3	14.3	13.9	14.6	11.9	15.4
White												
Total, 65 years and over	14.0	14.0	13.6	14.3	12.7	14.7	10.6	10.8	10.5	11.1	9.9	10.9
65 and 66 years	12.5	12.5	12.2	12.6	11.3	13.2	9.8	9.8	9.6	10.0	8.9	9.7
67 and 68 years	12.7	12.7	12.1	13.1	11.1	12.9	10.0	10.0	9.7	10.2	9.3	9.9
69 and 70 years	13.0	13.0	12.9	13.2	12.1	13.1	10.1	10.1	10.0	10.2	9.4	10.0
71 and 72 years	13.5	13.5	12.8	13.9	12.2	13.9	10.4	10.5	10.1	10.8	9.6	10.3
73 and 74 years	13.8	13.8	13.5	14.0	13.0	14.3	10.5	10.5	10.2	10.8	10.3	10.5
75 to 79 years	14.7	14.7	14.3	14.9	13.5	15.3	11.1	11.4	11.1	11.6	10.7	11.3
80 to 84 years	16.1	16.2	15.5	16.6	14.1	16.3	12.2	12.3	11.8	12.7	11.5	12.5
85 years and over	18.0	17.7	17.0	18.1	15.2	20.3	13.7	13.6	13.1	14.0	12.0	14.6
Men, 65 years and over	13.8	13.7	13.2	14.1	12.6	14.5	10.6	10.7	10.3	11.0	9.9	10.6
65 and 66 years	12.8	12.7	12.4	12.9	11.5	13.7	9.9	9.8	9.7	9.9	9.1	9.7
67 and 68 years	12.5	12.5	11.8	12.9	11.0	12.9	9.8	9.7	9.4	9.9	9.2	9.6
69 and 70 years	12.8	12.8	12.5	13.1	11.6	13.3	10.0	9.9	9.7	10.1	9.2	10.2
71 and 72 years	13.2	13.2	12.4	13.7	11.8	13.9	10.3	10.3	9.9	10.7	9.5	10.1
73 and 74 years	13.6	13.5	13.0	13.8	13.3	14.1	10.5	10.5	10.1	10.8	10.4	10.7
75 to 79 years	14.3	14.3	13.7	14.7	13.6	14.9	11.1	11.5	11.2	11.7	10.7	10.9
80 to 84 years	15.7	15.7	15.2	16.1	14.0	15.9	11.9	12.2	11.7	12.5	11.7	12.0
85 years and over	16.8	16.4	15.5	17.1	14.1	19.3	12.8	12.8	12.0	13.3	11.2	13.8
Women, 65 years and over	14.3	14.3	14.0	14.6	12.7	14.9	10.8	10.9	10.7	11.1	10.0	11.1
65 and 66 years	12.2	12.2	12.0	12.4	11.0	12.6	9.7	9.8	9.4	10.0	8.6	9.6
67 and 68 years	12.8	13.0	12.4	13.3	11.2	12.9	10.2	10.3	10.1	10.5	9.4	10.4
69 and 70 years	13.2	13.3	13.2	13.3	12.5	13.0	10.2	10.3	10.4	10.3	9.7	9.9
71 and 72 years	13.7	13.8	13.3	14.1	12.6	13.9	10.6	10.7	10.4	10.9	9.7	10.6
73 and 74 years	14.1	14.1	14.0	14.2	12.6	14.5	10.5	10.6	10.3	10.8	10.3	10.3
75 to 79 years	15.1	15.1	15.0	15.2	13.3	15.7	11.0	11.3	11.1	11.4	10.7	11.7
80 to 84 years	16.5	16.6	15.7	17.2	14.3	16.7	12.4	12.5	11.9	12.9	11.3	13.0
85 years and over	19.0	18.8	18.4	19.0	16.0	21.1	14.5	14.4	14.1	14.7	12.7	15.4
All Other Races												
Total, 65 years and over	16.2	15.7	14.7	16.2	14.4	17.3	12.6	12.4	11.6	12.8	10.7	13.7
65 and 66 years	15.5	14.5	14.1	14.7	14.2	17.4	11.9	11.8	10.7	12.3	9.8	13.1
67 and 68 years	16.2	15.6	15.6	15.6	12.5	17.9	12.0	11.7	12.1	11.5	9.8	13.7
69 and 70 years	15.7	15.3	12.5	16.5	11.8	17.3	12.5	12.2	9.9	13.1	9.4	13.3
71 and 72 years	15.6	14.5	13.3	15.2	15.5	17.4	12.4	11.7	10.4	12.3	10.8	14.2
73 and 74 years	16.3	15.4	14.8	15.7	18.4	17.6	12.7	12.7	12.8	12.7	12.0	13.6
75 to 79 years	16.9	16.9	16.2	17.3	15.0	17.0	13.3	13.2	12.6	13.5	13.0	13.7
80 to 84 years	16.8	16.8	15.8	17.4	15.8	17.0	13.5	12.9	12.2	13.2	13.3	14.6
85 years and over	17.0	17.9	14.6	19.8	13.0	16.5	13.2	13.6	11.7	15.4	8.5	13.6
Men, 65 years and over	16.6	16.2	14.9	16.8	13.4	17.7	13.0	12.9	12.0	13.3	10.2	14.1
65 and 66 years	15.8	15.1	13.5	15.7	11.7	17.9	12.2	12.3	10.3	13.1	8.7	13.5
67 and 68 years	16.0	15.4	13.5	16.1	10.3	17.8	11.8	11.9	11.6	12.0	8.8	13.1
69 and 70 years	17.3	16.4	13.4	17.6	14.0	20.0	13.5	13.0	10.9	13.8	11.1	15.2
71 and 72 years	16.2	14.6	12.7	15.6	16.5	19.1	12.8	12.1	10.6	12.8	13.3	15.6
73 and 74 years	16.8	15.8	14.6	16.4	15.4	18.7	13.5	13.5	13.1	13.8	8.1	14.7
75 to 79 years	17.1	17.2	17.1	17.2	12.3	17.6	13.3	13.3	12.9	13.6	11.6	13.8
80 to 84 years	16.7	18.1	17.2	18.7	16.0	14.7	14.2	14.4	13.9	14.7	13.5	14.2
85 years and over	16.8	18.0	16.5	19.0	12.7	15.9	13.6	14.3	14.2	14.4	8.8	14.2
Women, 65 years and over	15.7	15.2	14.5	15.5	15.9	16.7	12.2	11.7	11.0	12.0	11.4	13.1
65 and 66 years	14.9	13.7	15.0	13.2	18.3	16.5	11.4	11.2	11.4	11.1	12.5	12.5
67 and 68 years	16.6	16.0	18.1	14.8	15.1	18.0	12.4	11.5	12.6	10.4	11.3	14.5
69 and 70 years	13.5	13.7	11.4	14.8	9.2	13.7	11.0	10.8	9.2	11.9	7.5	11.0
71 and 72 years	15.0	14.5	13.8	14.8	14.3	16.1	12.1	11.3	10.2	11.8	8.3	13.3
73 and 74 years	15.8	15.0	15.1	15.0	22.1	16.4	11.8	11.9	12.4	11.7	21.5	11.6
75 to 79 years	16.6	16.6	15.2	17.3	18.1	16.3	13.2	13.0	12.1	13.5	17.5	13.5
80 to 84 years	17.0	15.2	13.7	16.0	14.0	20.4	12.5	10.8	10.3	11.1	12.5	15.4
85 years and over	17.2	17.7	12.0	20.8	13.2	17.5	12.8	12.8	9.0	16.2	7.5	13.1

Table 4.1.10 DISCHARGES BY AGE, RACE, AND SEX: MEAN AND MEDIAN LENGTH OF STAY, BY TYPE OF HOSPITAL CONTROL FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Age, race, and sex	Mean length of stay						Median length of stay					
	All short-stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals	All short-stay hospitals	Voluntary hospitals			Proprietary hospitals	Government hospitals
		Total	Church	Other				Total	Church	Other		
WITHOUT SURGERY												
All Persons												
Total, 65 years and over	12.8	13.1	12.8	13.2	11.1	12.5	9.0	9.3	9.1	9.5	8.0	8.2
65 and 66 years	11.6	11.8	11.4	12.1	9.8	11.4	8.3	8.8	8.6	9.0	7.9	8.0
67 and 68 years	11.6	12.0	11.6	12.3	10.2	10.7	8.4	9.0	8.7	9.2	7.9	7.9
69 and 70 years	12.0	12.3	12.2	12.4	10.8	11.4	8.7	9.1	9.0	9.2	8.3	8.2
71 and 72 years	12.2	12.5	12.3	12.7	10.7	11.9	8.8	9.3	9.1	9.4	8.2	8.4
73 and 74 years	12.4	12.8	12.5	13.0	10.9	11.9	9.0	9.4	9.1	9.6	8.3	8.3
75 to 79 years	13.2	13.6	13.5	13.7	11.3	12.8	9.3	9.7	9.5	9.8	8.6	8.7
80 to 84 years	13.8	13.9	13.8	14.0	12.0	13.9	9.4	9.7	9.5	9.8	8.8	9.1
85 years and over	14.5	14.8	14.3	15.1	12.6	14.3	9.7	10.0	9.6	10.4	9.0	9.2
Men, 65 years and over												
65 and 66 years	12.1	12.4	12.1	12.5	10.6	12.0	8.5	9.0	8.7	9.1	8.1	8.2
67 and 68 years	11.4	11.5	11.2	11.7	9.7	11.4	8.0	8.6	8.3	8.7	7.6	7.9
69 and 68 years	11.2	11.6	11.0	12.0	9.7	10.4	8.1	8.8	8.4	9.0	7.4	7.7
69 and 70 years	11.5	11.7	11.6	11.7	10.5	11.4	8.3	8.8	8.7	8.8	8.0	7.9
71 and 72 years	11.6	11.8	11.3	12.1	10.2	11.5	8.4	8.8	8.4	9.1	8.0	8.1
73 and 74 years	11.9	12.3	11.9	12.6	10.6	11.2	8.5	9.0	8.6	9.2	8.0	7.9
75 to 79 years	12.6	12.8	12.9	12.8	11.0	12.4	8.8	9.2	9.1	9.3	8.4	8.4
80 to 84 years	12.9	13.0	13.0	13.1	11.0	13.1	8.8	9.1	9.0	9.3	8.4	8.5
85 years and over	13.5	13.8	13.3	14.1	11.5	13.3	9.1	9.5	9.1	9.7	8.7	8.7
Women, 65 years and over												
65 and 66 years	13.3	13.6	13.4	13.8	11.5	12.9	9.4	9.8	9.5	9.9	8.7	8.8
67 and 68 years	11.8	12.1	11.7	12.4	10.0	11.3	8.6	9.1	8.8	9.3	8.1	8.1
67 and 68 years	11.9	12.3	12.1	12.5	10.6	11.0	8.8	9.2	8.9	9.5	8.4	8.1
69 and 70 years	12.4	12.9	12.7	13.1	11.1	11.5	9.0	9.5	9.3	9.6	8.5	8.4
71 and 72 years	12.7	13.1	13.0	13.2	11.0	12.2	9.2	9.6	9.6	9.7	8.4	8.7
73 and 74 years	12.9	13.2	13.0	13.4	11.1	12.4	9.4	9.7	9.4	9.9	8.6	8.7
75 to 79 years	13.7	14.2	13.9	14.3	11.4	13.1	9.7	10.1	9.8	10.3	8.8	8.9
80 to 84 years	14.4	14.6	14.4	14.7	12.8	14.5	10.0	10.2	10.0	10.3	9.1	9.6
85 years and over	15.1	15.4	15.0	15.7	13.3	14.9	10.1	10.5	9.9	11.0	9.3	9.5
White												
Total, 65 years and over	12.7	13.0	12.7	13.1	11.1	12.3	9.0	9.4	9.1	9.5	8.4	8.4
65 and 66 years	11.5	11.8	11.4	12.1	9.9	11.1	8.2	8.8	8.5	9.0	7.9	7.8
67 and 68 years	11.4	11.9	11.5	12.1	10.1	10.4	8.4	8.9	8.6	9.2	7.9	7.8
69 and 70 years	11.9	12.3	12.1	12.4	10.7	11.1	8.6	9.1	9.0	9.2	8.2	8.0
71 and 72 years	12.2	12.5	12.2	12.6	10.7	11.6	8.8	9.2	9.0	9.3	8.2	8.3
73 and 74 years	12.3	12.7	12.4	12.9	10.9	11.7	8.9	9.3	9.0	9.5	8.3	8.2
75 to 79 years	13.2	13.6	13.4	13.7	11.3	12.6	9.3	9.6	9.5	9.8	8.6	8.6
80 to 84 years	13.7	13.8	13.7	13.9	11.8	14.0	9.4	9.7	9.5	9.8	8.7	9.0
85 years and over	14.4	14.7	14.2	15.0	12.7	14.3	9.6	9.9	9.5	10.2	9.0	9.1
Men, 65 years and over												
65 and 66 years	12.0	12.3	12.0	12.5	10.6	11.8	8.5	8.9	8.7	9.1	8.1	8.1
65 and 66 years	11.2	11.5	11.1	11.7	9.7	10.9	7.9	8.5	8.3	8.7	7.7	7.6
67 and 68 years	11.1	11.6	11.0	11.9	9.7	10.0	8.0	8.7	8.4	8.9	7.4	7.6
69 and 70 years	11.4	11.7	11.5	11.7	10.3	11.0	8.2	8.8	8.6	8.8	7.9	7.7
71 and 72 years	11.5	11.7	11.2	12.0	10.2	11.1	8.2	8.7	8.4	9.0	7.9	7.9
73 and 74 years	11.8	12.2	11.8	12.5	10.6	11.1	8.4	9.0	8.6	9.2	8.0	7.7
75 to 79 years	12.6	12.8	12.8	12.8	11.0	12.3	8.8	9.2	9.1	9.2	8.4	8.3
80 to 84 years	12.8	12.9	12.9	13.0	10.9	13.1	8.7	9.1	8.9	9.2	8.3	8.5
85 years and over	13.5	13.8	13.2	14.1	11.5	13.4	9.0	9.4	9.0	9.6	8.6	8.7
Women, 65 years and over												
65 and 66 years	13.2	13.6	13.3	13.7	11.4	12.7	9.4	9.7	9.4	9.9	8.6	8.7
65 and 66 years	11.8	12.1	11.6	12.5	10.1	11.2	8.6	9.1	8.8	9.2	8.1	8.0
67 and 68 years	11.8	12.2	12.0	12.4	10.5	10.8	8.7	9.2	8.8	9.4	8.3	8.0
69 and 70 years	12.3	12.8	12.6	13.0	11.0	11.2	8.9	9.4	9.2	9.5	8.5	8.2
71 and 72 years	12.7	13.1	13.0	13.2	11.0	12.1	9.2	9.6	9.6	9.6	8.3	8.6
73 and 74 years	12.8	13.1	12.9	13.3	11.1	12.1	9.3	9.7	9.4	9.8	8.4	8.6
75 to 79 years	13.7	14.2	13.9	14.3	11.5	12.9	9.7	10.0	9.7	10.3	8.8	8.9
80 to 84 years	14.4	14.5	14.2	14.6	12.5	14.7	9.9	10.1	9.9	10.3	9.0	9.5
85 years and over	15.0	15.3	14.9	15.6	13.4	14.9	10.1	10.4	9.8	10.9	9.2	9.5
All Other Races												
Total, 65 years and over	13.2	13.3	12.5	13.7	11.1	13.3	9.6	10.1	9.6	10.5	9.0	9.2
65 and 66 years	12.5	12.1	11.5	12.4	9.0	13.8	9.2	9.4	9.2	9.4	7.6	9.3
67 and 68 years	12.9	13.5	12.1	14.2	10.5	12.6	9.3	10.3	9.6	10.7	8.5	8.5
69 and 70 years	13.4	13.1	12.8	13.3	13.0	13.8	10.0	10.3	9.8	10.6	9.6	9.6
71 and 72 years	12.9	13.0	12.5	13.2	11.0	13.3	9.8	10.4	10.2	10.5	8.8	9.4
73 and 74 years	13.3	13.6	11.9	14.3	10.9	13.4	10.0	10.8	9.1	11.7	9.3	9.3
75 to 79 years	13.1	13.2	13.0	13.3	10.0	13.5	9.7	10.3	9.9	10.4	8.6	9.4
80 to 84 years	13.5	14.1	13.0	14.6	13.3	12.8	9.9	10.0	9.8	10.1	11.3	9.3
85 years and over	13.7	14.6	12.9	15.6	10.5	13.4	9.4	10.2	8.8	11.5	9.1	8.8
Men, 65 years and over												
65 and 66 years	13.0	13.1	12.1	13.5	11.0	13.4	9.4	9.7	9.2	10.0	8.6	9.1
65 and 66 years	12.9	12.2	11.4	12.7	9.4	14.4	9.0	9.3	9.1	9.4	7.1	9.5
67 and 68 years	12.8	12.9	10.9	13.9	9.6	13.2	8.9	9.7	9.0	10.1	7.6	8.4
69 and 70 years	13.1	12.4	13.0	12.1	12.5	14.1	9.4	9.4	9.8	9.3	9.7	9.4
71 and 72 years	13.1	12.7	11.9	13.1	10.2	14.4	9.7	9.9	9.0	10.4	8.9	10.3
73 and 74 years	13.1	13.8	11.4	14.9	11.6	12.4	9.8	10.8	8.6	11.9	8.0	9.4
75 to 79 years	12.7	12.8	12.9	12.8	10.0	13.1	9.4	9.9	9.7	10.1	8.5	9.1
80 to 84 years	13.6	14.5	13.2	15.3	13.4	12.6	9.7	9.8	9.3	10.1	9.9	8.8
85 years and over	13.0	13.8	12.2	14.6	11.9	12.5	8.9	9.8	8.7	10.8	10.8	8.6
Women, 65 years and over												
65 and 66 years	13.3	13.6	12.8	13.9	11.1	13.3	9.9	10.6	9.9	10.9	9.3	9.3
65 and 66 years	12.0	11.9	11.7	12.0	8.4	12.9	9.3	9.4	9.5	9.4	8.4	9.2
67 and 68 years	13.1	14.1	13.2	14.5	11.3	12.0	9.6	11.0	10.4	11.3	9.2	8.5
69 and 70 years	13.7	13.8	12.6	14.5	13.4	13.5	10.4	11.3	9.8	12.1	9.4	9.8
71 and 72 years	12.8	13.2	12.9	13.3	11.6	12.5	9.8	10.9	11.3	10.6	8.8	8.9
73 and 74 years	13.5	13.4	12.4	13.9	10.4	14.2	10.1	10.7	9.4	11.5	10.5	9.3
75 to 79 years	13.4	13.6	13.1	13.8	10.1	13.8	10.0	10.6	10.2	10.8	8.6	9.6
80 to 84 years	13.3	13.7	12.7	14.1	13.2	12.9	10.0	10.2	10.4	10.1	12.1	9.7
85 years and over	14.3	15.3	13.4	16.3	9.6	14.2	9.7	10.8	8.9	12.0	8.4	8.9

Table 4.1.11 DISCHARGES BY TYPE OF TRAINING PROGRAM, JCAH ACCREDITATION, AND BED SIZE OF HOSPITAL: LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

[See NOTES preceding General Tables. Figures in thousands except averages]

Type of training program, accreditation, and bed size of hospital	Total	Length of stay														43 days or more	
		Mean	Median	1 day or less	2 and 3 days	4 and 5 days	6 and 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	Number	Mean		
Hospitals accredited by JCAH																	
ALL DISCHARGES																	
Total.....	1,947	13.5	9.9	89	215	240	240	297	270	268	136	71	41	79	65.2		
Less than 25 beds.....	2	10.9	8.4	—	—	—	—	—	—	—	—	—	—	—	—	56.9	
25 to 49 beds.....	66	11.1	7.8	5	10	10	9	10	8	7	3	2	1	2	65.3		
50 to 99 beds.....	279	12.1	8.6	17	38	39	37	42	36	32	15	8	5	10	67.5		
100 to 149 beds.....	274	12.7	9.3	13	34	37	35	42	37	35	17	9	5	10	65.0		
150 to 199 beds.....	229	13.0	9.6	10	26	30	30	36	32	31	15	7	4	8	65.4		
200 to 249 beds.....	217	13.5	10.1	9	22	26	27	34	31	31	15	8	5	8	63.2		
250 to 299 beds.....	199	13.7	10.1	8	21	25	25	31	29	28	14	8	4	8	64.3		
300 to 399 beds.....	273	14.0	10.5	11	26	31	33	43	39	40	21	11	6	11	63.1		
400 to 499 beds.....	168	14.5	10.8	6	15	19	20	26	25	26	13	7	4	7	64.3		
500 to 749 beds.....	131	15.7	11.6	5	11	13	14	20	19	21	12	6	4	7	64.5		
750 to 999 beds.....	68	16.2	11.7	3	6	6	7	10	10	11	6	3	2	4	69.7		
1,000 to 1,999 beds.....	25	17.9	12.6	1	2	2	2	3	3	4	2	1	1	2	70.6		
2,000 beds or more.....	14	16.4	10.7	1	1	1	1	2	2	2	1	1	—	1	69.6		
WITH SURGERY																	
Total.....	694	14.2	10.8	16	68	70	86	115	104	107	54	29	17	29	60.5		
Less than 25 beds.....	1	10.7	8.2	—	—	—	—	—	—	—	—	—	—	—	—	44.7	
25 to 49 beds.....	15	12.4	9.5	1	2	2	3	2	2	2	1	—	—	—	—	60.6	
50 to 99 beds.....	73	13.1	9.9	3	8	8	10	13	11	10	5	2	1	3	61.2		
100 to 149 beds.....	86	13.7	10.4	2	9	9	11	14	13	13	6	3	2	3	60.5		
150 to 199 beds.....	83	13.4	10.3	2	9	9	11	14	12	12	6	3	2	3	61.2		
200 to 249 beds.....	81	13.8	10.7	2	8	8	10	14	12	12	6	3	2	3	59.0		
250 to 299 beds.....	79	14.0	10.7	2	8	9	10	14	12	12	6	3	2	3	59.1		
300 to 399 beds.....	108	14.4	11.0	2	10	10	13	18	11	17	9	5	3	4	60.4		
400 to 499 beds.....	69	14.8	11.4	1	6	7	8	11	11	11	6	3	2	3	60.4		
500 to 749 beds.....	57	15.8	12.1	1	5	5	6	9	9	9	5	3	2	3	60.9		
750 to 999 beds.....	29	16.7	12.9	—	3	2	3	4	5	5	3	1	1	2	63.6		
1,000 to 1,999 beds.....	11	18.3	13.8	—	1	1	1	2	1	2	1	1	—	1	64.8		
2,000 beds or more.....	4	22.3	17.5	—	—	—	—	—	—	—	—	—	—	—	62.0		
WITHOUT SURGERY																	
Total.....	1,252	13.1	9.4	73	147	170	155	182	166	160	82	43	24	51	67.8		
Less than 25 beds.....	1	11.0	8.5	—	—	—	—	—	—	—	—	—	—	—	—	62.3	
25 to 49 beds.....	51	10.7	7.3	4	8	8	7	7	6	5	2	1	1	2	66.7		
50 to 99 beds.....	206	11.7	8.0	14	30	32	27	29	25	22	11	5	3	7	70.0		
100 to 149 beds.....	189	12.2	8.7	11	25	28	24	28	24	22	11	6	3	6	67.3		
150 to 199 beds.....	146	12.7	9.2	8	17	21	18	22	20	19	9	4	3	5	67.6		
200 to 249 beds.....	136	13.4	9.7	7	14	18	17	20	19	18	9	5	3	6	65.3		
250 to 299 beds.....	120	13.4	9.7	6	13	16	15	18	17	16	8	4	2	5	67.4		
300 to 399 beds.....	165	13.7	10.1	9	16	21	20	25	23	23	12	7	3	7	65.8		
400 to 499 beds.....	99	14.3	10.5	5	9	12	15	14	14	14	7	4	2	5	66.9		
500 to 749 beds.....	75	15.6	11.2	4	6	8	8	11	11	11	6	4	2	4	66.9		
750 to 999 beds.....	39	15.9	10.7	3	4	4	4	5	5	6	3	2	1	3	74.0		
1,000 to 1,999 beds.....	14	17.7	11.5	1	1	1	1	2	2	2	1	1	—	1	74.6		
2,000 beds or more.....	11	14.4	9.2	1	1	1	1	1	1	1	1	1	—	1	75.8		
Hospitals with major medical school affiliation																	
ALL DISCHARGES																	
Total.....	490	14.9	10.9	20	46	52	55	74	71	74	40	22	13	24	64.6		
Less than 25 beds.....	—	18.1	7.5	—	—	—	—	—	—	—	—	—	—	—	—	107.6	
25 to 49 beds.....	4	10.2	7.3	—	1	1	1	1	—	—	—	—	—	—	—	62.1	
50 to 99 beds.....	11	13.2	9.6	1	1	1	1	2	1	1	1	—	—	—	—	64.0	
100 to 149 beds.....	14	13.3	10.1	1	1	2	2	2	2	2	1	1	—	1	56.7		
150 to 199 beds.....	22	13.1	9.6	1	2	3	3	4	3	3	1	1	—	1	63.0		
200 to 249 beds.....	39	14.7	10.9	1	4	4	4	6	6	6	3	2	1	2	63.5		
250 to 299 beds.....	55	14.4	10.6	2	5	6	7	8	8	8	4	2	1	3	64.9		
300 to 399 beds.....	94	14.2	10.7	4	9	10	11	14	14	14	8	4	2	4	61.3		
400 to 499 beds.....	83	14.7	11.0	3	7	9	9	13	12	13	7	4	2	4	63.7		
500 to 749 beds.....	80	15.6	11.6	3	7	8	9	12	12	13	7	4	2	4	63.4		
750 to 999 beds.....	52	16.8	12.1	2	5	5	5	7	8	8	5	2	2	3	70.1		
1,000 to 1,999 beds.....	23	17.4	12.6	1	2	2	2	3	3	4	2	1	1	2	66.0		
2,000 beds or more.....	14	16.4	10.7	1	1	1	1	2	2	2	1	1	—	1	69.6		
WITH SURGERY																	
Total.....	206	15.3	11.7	4	18	19	23	33	32	33	18	10	6	10	60.4		
Less than 25 beds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25 to 49 beds.....	1	10.4	7.9	—	—	—	—	—	—	—	—	—	—	—	—	54.2	
50 to 99 beds.....	3	14.2	10.7	—	—	—	1	1	—	1	—	—	—	—	—	59.2	
100 to 149 beds.....	5	14.4	10.9	—	—	1	1	1	1	1	—	—	—	—	—	54.1	
150 to 199 beds.....	9	13.3	9.7	—	1	1	2	2	1	1	1	—	—	—	—	58.9	
200 to 249 beds.....	16	14.7	11.5	—	1	1	2	3	3	3	3	—	—	—	—	59.2	
250 to 299 beds.....	23	14.4	10.9	—	2	3	3	4	4	4	2	1	1	1	59.4		
300 to 399 beds.....	40	14.5	11.2	1	4	4	5	6	6	6	3	2	1	2	61.3		
400 to 499 beds.....	35	15.1	11.5	1	3	4	4	6	5	6	3	2	1	2	60.4		
500 to 749 beds.....	35	15.8	12.2	—	3	3	4	6	5	6	3	2	1	2	65.6		
750 to 999 beds.....	23	17.1	13.2	—	2	2	2	3	4	4	2	1	1	1	64.1		
1,000 to 1,999 beds.....	11	17.5	13.4	—	1	1	1	2	1	2	1	1	—	—	59.8		
2,000 beds or more.....	4	22.3	17.5	—	—	—	—	—	—	—	—	—	—	—	62.0		
WITHOUT SURGERY																	
Total.....	284	14.6	10.5	17	28	33	32	41	39	41	22	12	7	14	67.6		
Less than 25 beds.....	—	18.4	7.6	—	—	—	—	—	—	—	—	—	—	—	—	107.6	
25 to 49 beds.....	3	10.2	7.0	—	—	1	—	—	—	—	—	—	—	—	—	64.0	
50 to 99 beds.....	7	12.7	9.0	—	1	1	1	1	1	1	—	—	—	—	—	66.2	
100 to 149 beds.....	8	12.6	9.3	—	1	1	1	1	1	1	1	—	—	—	—	59.3	
150 to 199 beds.....	13	13.0	9.6	1	1	2	2	2	2	2	1	—	—	—	—	66.6	
200 to 249 beds.....	23	14.6	10.5	1	2	3	3	3	3	3	2	1	1	1	65.9		
250 to 299 beds.....	32	14.3	10.3	2	3	4	4	5	4	4	3	1	1	2	68.6		
300 to 399 beds.....	54	14.0	10.3	3	5	6	6	8	8	8	4	2	1	2	63.0		
400 to 499 beds.....	48	14.3	10.6	2	4	5	6	7	7	7	4	2	1	2	65.6		
500 to 749 beds.....	44	15.5	11.2	2	4	5	5	6	6	7	4	2	1	2	65.6		
750 to 999 beds.....	29	16.5	11.0	2	3	3	3	4	4	4	3	1	1	2	74.4		
1,000 to 1,999 beds.....	12	17.3	11.6	1	1	1	1	1	1	2	1	1	—	1	70.5		
2,000 beds or more.....	11	14.4	9.2	1	1	1	1	1	1	1	1	1	—	1	75.8		

Type of training program, accreditation, and bed size of hospital	Total	Length of stay													43 days or more	
		Mean	Median	1 day or less	2 and 3 days	4 and 5 days	6 and 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	Number	Mean	
Hospitals with approved intern program with or without resident program																
ALL DISCHARGES																
Total.....	395	14.4	10.7	16	36	44	47	60	57	60	32	17	9	17	64.5	*
Less than 25 beds.....	—	8.0	6.5	—	—	—	—	—	—	—	—	—	—	—	—	—
25 to 49 beds.....	4	11.3	9.0	—	1	1	1	1	1	—	—	—	—	—	—	56.0
50 to 99 beds.....	8	15.1	10.9	—	1	1	1	1	1	1	1	—	—	—	—	69.9
100 to 149 beds.....	12	13.1	10.0	—	1	1	1	2	2	2	1	—	—	—	—	63.7
150 to 199 beds.....	24	14.2	11.0	1	2	3	3	3	4	4	2	1	1	1	1	63.1
200 to 249 beds.....	48	13.9	10.5	2	5	5	6	7	7	7	4	2	1	2	2	61.4
250 to 299 beds.....	54	14.0	10.5	2	5	6	6	9	8	8	4	2	1	2	2	62.8
300 to 399 beds.....	108	14.3	10.8	4	9	12	13	17	16	17	9	5	3	4	3	63.0
400 to 499 beds.....	70	14.5	10.8	2	7	8	9	11	10	11	5	3	2	3	3	64.4
500 to 749 beds.....	50	15.6	11.4	2	4	5	5	7	7	8	4	2	1	3	3	65.9
750 to 999 beds.....	14	15.1	10.8	1	1	2	1	2	2	2	1	1	—	1	1	68.7
1,000 to 1,999 beds.....	2	24.1	13.2	—	—	—	—	—	—	—	—	—	—	—	—	99.9
2,000 beds or more.....	—	*	*	—	—	—	—	—	—	—	—	—	—	—	—	*
WITH SURGERY																
Total.....	153	14.9	11.5	3	14	15	18	24	23	25	13	7	4	7	59.7	*
Less than 25 beds.....	—	8.1	7.1	—	—	—	—	—	—	—	—	—	—	—	—	—
25 to 49 beds.....	1	14.6	11.6	—	—	—	—	—	—	—	—	—	—	—	—	60.0
50 to 99 beds.....	2	14.7	12.2	—	—	—	—	—	—	—	—	—	—	—	—	57.9
100 to 149 beds.....	4	14.3	11.5	—	—	—	1	1	1	1	1	—	—	—	—	56.5
150 to 199 beds.....	9	15.4	12.2	—	1	1	1	1	1	1	1	—	—	—	—	58.4
200 to 249 beds.....	18	14.4	11.0	—	2	2	2	3	3	3	1	1	—	1	1	59.2
250 to 299 beds.....	21	14.5	11.1	—	2	2	2	4	3	3	2	1	—	1	1	59.1
300 to 399 beds.....	43	14.8	11.5	1	4	4	5	7	6	7	4	2	1	2	2	57.1
400 to 499 beds.....	28	14.6	11.3	—	3	3	3	5	4	5	2	1	1	1	1	59.8
500 to 749 beds.....	21	15.6	11.8	—	2	2	2	3	3	3	2	1	1	1	1	61.7
750 to 999 beds.....	5	15.8	12.4	—	—	1	1	1	1	1	—	—	—	—	—	60.6
1,000 to 1,999 beds.....																

Table 4.1.12 DISCHARGES BY TYPE OF TRAINING PROGRAM, JCAH ACCREDITATION, AND BED SIZE OF HOSPITAL: PERCENTAGE DISTRIBUTION OF LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

(See NOTES preceding General Tables)

Type of training program, accreditation, and bed size of hospital	Total	Length of stay										
		1 day or less	2 and 3 days	4 and 5 days	6 and 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	43 days or more
Hospitals accredited by JCAH												
ALL DISCHARGES												
Total.....	100.0	4.6	11.0	12.3	12.3	15.3	13.9	13.8	7.0	3.7	2.1	4.1
Less than 25 beds.....	100.0	4.0	11.9	17.8	14.0	17.7	13.5	10.3	4.8	2.8	0.8	2.6
25 to 49 beds.....	100.0	7.6	14.9	15.3	13.8	15.0	11.5	10.2	4.9	2.4	1.3	3.1
50 to 99 beds.....	100.0	6.0	13.7	14.1	13.3	15.1	12.8	11.6	5.5	2.8	1.8	3.5
100 to 149 beds.....	100.0	4.7	12.5	13.4	12.7	15.3	13.5	12.8	6.3	3.4	1.9	3.5
150 to 199 beds.....	100.0	4.3	11.3	13.1	12.9	15.6	13.9	13.5	6.7	3.2	1.9	3.6
200 to 249 beds.....	100.0	4.1	10.4	12.0	12.6	15.5	14.5	14.2	7.1	3.7	2.1	3.9
250 to 299 beds.....	100.0	4.0	10.4	12.3	12.3	15.4	14.4	14.2	7.0	3.8	2.1	4.0
300 to 399 beds.....	100.0	3.9	9.7	11.4	12.1	15.6	14.4	14.7	7.8	4.1	2.3	4.0
400 to 499 beds.....	100.0	3.5	9.1	11.2	11.9	15.4	14.8	15.3	7.8	4.2	2.5	4.4
500 to 749 beds.....	100.0	3.8	8.4	9.8	10.8	14.9	14.6	15.8	8.8	4.8	2.8	5.6
750 to 999 beds.....	100.0	4.6	9.4	9.4	10.0	14.1	14.1	16.2	8.5	4.5	2.9	6.3
1,000 to 1,999 beds.....	100.0	6.0	8.7	8.5	8.6	13.4	12.3	16.0	9.6	5.5	3.5	8.1
2,000 beds or more.....	100.0	9.7	10.5	9.8	8.8	12.5	11.8	12.7	7.9	5.7	3.3	7.5
WITH SURGERY												
Total.....	100.0	2.3	9.8	10.1	12.3	16.6	15.0	15.4	7.8	4.1	2.4	4.1
Less than 25 beds.....	100.0	3.4	7.2	20.4	17.7	16.8	14.3	9.3	5.9	0.8	1.7	2.5
25 to 49 beds.....	100.0	4.7	11.0	11.3	13.6	18.9	13.8	12.7	5.9	3.0	2.0	3.2
50 to 99 beds.....	100.0	3.9	11.1	10.5	13.4	17.4	14.6	13.8	6.3	3.3	2.1	3.7
100 to 149 beds.....	100.0	2.9	10.6	10.7	12.4	16.7	14.7	15.1	7.3	3.9	2.1	3.8
150 to 199 beds.....	100.0	2.2	10.5	11.0	13.5	17.1	14.5	14.8	7.5	3.5	2.1	3.4
200 to 249 beds.....	100.0	2.2	10.0	10.2	12.6	16.7	15.3	15.3	7.7	4.0	2.5	3.5
250 to 299 beds.....	100.0	2.0	9.9	10.9	12.6	16.4	15.3	15.3	7.2	4.2	2.3	4.0
300 to 399 beds.....	100.0	1.8	9.6	9.6	12.3	16.6	15.1	15.6	8.4	4.3	2.5	4.1
400 to 499 beds.....	100.0	1.8	8.7	10.2	11.8	16.1	15.3	16.4	8.3	4.5	2.6	4.2
500 to 749 beds.....	100.0	1.6	8.3	9.1	11.0	15.8	15.2	16.7	9.5	4.7	2.9	5.3
750 to 999 beds.....	100.0	1.3	8.8	7.5	10.1	14.9	15.7	18.3	8.8	5.1	3.6	6.0
1,000 to 1,999 beds.....	100.0	1.2	6.5	8.1	9.1	15.9	13.4	18.0	10.5	6.1	3.8	7.5
2,000 beds or more.....	100.0	3.9	5.4	6.3	5.0	12.2	11.8	15.3	13.2	8.4	5.6	13.1
WITHOUT SURGERY												
Total.....	100.0	5.8	11.7	13.5	12.4	14.6	13.3	12.8	6.5	3.4	1.9	4.0
Less than 25 beds.....	100.0	4.2	14.0	16.6	12.3	18.1	13.1	10.8	4.2	3.6	0.4	2.6
25 to 49 beds.....	100.0	8.4	16.1	16.5	13.9	13.9	10.9	9.4	4.6	2.3	1.1	3.1
50 to 99 beds.....	100.0	6.7	14.6	15.4	13.3	14.3	12.1	10.8	5.2	2.6	1.6	3.4
100 to 149 beds.....	100.0	5.6	13.4	14.7	12.8	14.7	12.9	11.8	5.8	3.1	1.8	3.4
150 to 199 beds.....	100.0	5.5	11.7	14.3	12.6	14.8	13.6	12.7	6.3	3.0	1.8	3.6
200 to 249 beds.....	100.0	5.2	10.6	13.1	12.5	14.8	14.0	13.5	6.7	3.5	1.9	4.1
250 to 299 beds.....	100.0	5.3	10.8	13.3	12.2	14.8	13.8	13.4	6.9	3.6	2.0	4.1
300 to 399 beds.....	100.0	5.2	9.7	12.5	12.0	14.9	14.0	14.2	7.5	4.0	2.1	4.0
400 to 499 beds.....	100.0	4.7	9.4	11.8	12.0	14.8	14.4	14.5	7.4	4.0	2.4	4.5
500 to 749 beds.....	100.0	5.4	8.4	10.4	10.6	14.3	14.2	15.2	8.3	4.8	2.6	5.8
750 to 999 beds.....	100.0	7.2	9.9	10.8	10.0	13.5	12.9	14.6	8.3	4.1	2.3	6.5
1,000 to 1,999 beds.....	100.0	9.7	10.4	8.8	8.2	11.5	11.5	14.4	8.8	5.1	3.2	8.6
2,000 beds or more.....	100.0	11.7	12.2	10.9	10.1	12.6	11.8	11.8	6.0	4.8	2.5	5.5
Hospitals with major medical school affiliation												
ALL DISCHARGES												
Total.....	100.0	4.1	9.4	10.6	11.2	15.0	14.4	15.1	8.1	4.4	2.6	5.0
Less than 25 beds.....	100.0	2.5	14.9	19.2	17.5	10.1	14.2	8.9	1.3	1.3	0.0	10.1
25 to 49 beds.....	100.0	7.3	15.7	16.5	16.2	15.4	12.2	7.8	3.0	1.6	0.5	3.8
50 to 99 beds.....	100.0	5.0	12.1	12.0	13.3	14.3	13.7	12.7	7.5	3.0	2.6	3.7
100 to 149 beds.....	100.0	4.2	10.9	12.9	11.3	15.3	14.0	14.0	7.0	4.3	2.0	4.0
150 to 199 beds.....	100.0	3.5	10.5	12.5	14.6	16.5	12.9	13.9	6.5	3.5	2.2	3.5
200 to 249 beds.....	100.0	3.7	9.6	10.0	11.5	15.6	14.7	15.6	7.6	4.7	2.3	4.7
250 to 299 beds.....	100.0	4.0	9.4	11.8	12.0	14.9	14.6	14.6	7.9	3.9	2.2	4.6
300 to 399 beds.....	100.0	3.9	9.8	10.9	11.5	15.3	14.9	14.8	8.1	4.3	2.5	4.2
400 to 499 beds.....	100.0	3.5	8.7	11.2	11.4	15.4	15.0	15.3	8.1	4.4	2.8	4.4
500 to 749 beds.....	100.0	3.4	8.5	9.6	11.0	15.0	14.8	15.8	8.9	4.8	2.8	5.4
750 to 999 beds.....	100.0	4.7	8.9	8.8	9.5	14.2	14.5	16.1	8.8	4.8	3.1	6.7
1,000 to 1,999 beds.....	100.0	5.4	8.4	8.5	8.8	14.0	12.7	16.0	9.7	5.5	3.5	7.6
2,000 beds or more.....	100.0	9.7	10.4	9.8	8.8	12.5	11.8	12.7	7.9	5.7	3.3	7.5
WITH SURGERY												
Total.....	100.0	1.7	8.8	9.4	11.4	16.0	15.3	16.1	8.7	4.7	2.9	5.0
Less than 25 beds.....	100.0	5.7	13.7	11.4	20.5	17.1	14.1	8.1	2.5	3.2	1.0	2.8
25 to 49 beds.....	100.0	1.9	8.8	9.0	16.8	15.2	13.7	15.4	9.2	3.8	2.8	3.5
50 to 99 beds.....	100.0	1.8	8.7	11.3	9.8	18.6	16.2	14.8	7.0	4.2	2.3	5.3
100 to 149 beds.....	100.0	1.4	10.3	11.3	17.1	17.6	12.5	13.2	7.0	3.7	2.2	3.9
150 to 199 beds.....	100.0	1.5	9.0	8.1	12.0	17.4	16.2	16.6	7.9	4.8	2.5	4.1
200 to 249 beds.....	100.0	2.1	9.3	10.9	12.3	15.6	15.1	15.6	7.8	4.5	2.4	4.4
250 to 299 beds.....	100.0	1.7	9.8	9.7	11.6	16.1	16.1	15.7	8.3	4.0	2.8	4.2
300 to 399 beds.....	100.0	2.2	8.4	10.9	10.8	15.7	15.4	16.0	8.5	4.6	2.9	4.7
400 to 499 beds.....	100.0	1.3	8.2	8.6	11.4	16.0	15.3	16.5	9.9	4.8	2.8	5.2
500 to 749 beds.....	100.0	1.4	8.7	7.0	9.3	14.8	16.3	18.1	9.0	5.4	3.7	6.3
750 to 999 beds.....	100.0	1.2	6.7	8.1	9.2	16.4	13.6	17.9	10.6	5.8	3.7	6.9
1,000 to 1,999 beds.....	100.0	3.9	5.4	6.3	5.0	12.2	11.8	15.3	13.2	8.4	5.6	13.1
WITHOUT SURGERY												
Total.....	100.0	5.9	9.7	11.5	11.1	14.3	13.8	14.3	7.7	4.3	2.5	5.0
Less than 25 beds.....	100.0	2.7	13.3	20.2	17.2	10.6	14.9	9.3	1.3	0.0	0.0	10.6
25 to 49 beds.....	100.0	7.8	16.5	18.3	14.7	14.8	11.5	7.7	3.3	1.0	0.3	4.1
50 to 99 beds.....	100.0	6.6	13.7	13.5	11.7	13.9	13.7	11.4	6.6	2.7	2.6	3.8
100 to 149 beds.....	100.0	5.8	12.3	14.0	12.3	13.3	12.5	13.6	7.0	4.4	1.9	3.2
150 to 199 beds.....	100.0	5.0	10.6	13.4	12.8	15.7	13.2	14.4	6.1	3.4	2.3	3.3
200 to 249 beds.....	100.0	5.3	10.0	11.4	11.2	14.4	13.6	14.9	7.4	4.6	2.2	5.1
250 to 299 beds.....	100.0	5.5	9.5	12.4	11.8	14.3	14.2	13.9	8.0	3.5	2.2	4.9
300 to 399 beds.....	100.0	5.6	9.7	11.8	11.4	14.7	14.0	14.1	7.9	4.5	2.2	4.2
400 to 499 beds.....	100.0	4.6	8.9	11.4	11.7	15.2	14.7	14.7	7.7	4.2	2.7	4.2
500 to 749 beds.....	100.0	5.1	8.7	10.5	10.6	14.2	14.4	15.3	8.1	4.8	2.8	5.6
750 to 999 beds.....	100.0	7.2	9.1	10.2	9.7	13.6	13.1	14.5	8.6	4.3	2.6	7.0
1,000 to 1,999 beds.....	100.0	9.0	9.9	8.8	8.5	11.9	11.9	14.4	8.9	5.3	3.3	8.2
2,000 beds or more.....	100.0	11.7	12.2	11.0	10.1	12.7	11.8	11.8	6.0	4.8	2.5	5.5

Table 4.1.12 DISCHARGES BY TYPE OF TRAINING PROGRAM, JCAH ACCREDITATION, AND BED SIZE OF HOSPITAL: PERCENTAGE DISTRIBUTION OF LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

(See NOTES preceding General Tables)

Type of training program, accreditation, and bed size of hospital	Total	Length of stay										
		1 day or less	2 and 3 days	4 and 5 days	6 and 7 days	8 to 10 days	11 to 14 days	15 to 21 days	22 to 28 days	29 to 35 days	36 to 42 days	43 days or more
Hospitals with approved intern program with or without resident program												
ALL DISCHARGES												
Total.....	100.0	4.0	9.2	11.1	11.8	15.3	14.4	15.3	8.0	4.2	2.4	4.4
Less than 25 beds.....	100.0	20.3	13.7	11.7	17.1	12.8	11.7	4.3	2.1	4.3	2.1	0.0
25 to 49 beds.....	100.0	4.7	11.4	13.2	14.8	17.2	15.4	11.1	5.9	2.8	1.7	1.7
50 to 99 beds.....	100.0	3.2	8.1	10.3	11.1	17.8	14.8	15.0	8.7	4.0	2.3	4.8
100 to 149 beds.....	100.0	4.1	10.9	12.4	12.4	15.1	13.3	15.4	7.7	4.1	1.6	3.1
150 to 199 beds.....	100.0	4.0	8.6	11.1	11.9	14.2	16.0	15.7	8.1	4.3	2.3	3.9
200 to 249 beds.....	100.0	4.2	9.5	11.4	12.4	15.1	14.6	14.9	7.7	3.9	2.3	4.2
250 to 299 beds.....	100.0	3.8	9.9	11.8	11.3	15.9	14.6	14.5	7.7	4.1	2.2	4.1
300 to 399 beds.....	100.0	3.7	8.7	10.9	12.0	15.6	14.4	15.6	8.3	4.3	2.4	4.0
400 to 499 beds.....	100.0	3.5	9.3	11.0	12.3	15.1	14.5	15.5	7.8	4.2	2.4	4.5
500 to 749 beds.....	100.0	4.4	8.5	10.3	10.6	14.8	14.5	15.5	8.4	4.6	2.7	5.7
750 to 999 beds.....	100.0	4.8	10.1	11.3	11.0	13.6	12.1	17.5	8.0	3.9	2.3	5.4
1,000 to 1,999 beds.....	100.0	11.8	11.4	8.6	6.1	7.5	8.2	15.6	8.8	5.4	3.4	13.3
2,000 beds or more.....	100.0	11.8	11.4	8.6	6.1	7.5	8.2	15.6	8.8	5.4	3.4	13.3
WITH SURGERY												
Total.....	100.0	1.7	9.0	9.7	11.7	16.0	15.0	16.6	8.7	4.6	2.6	4.4
Less than 25 beds.....	100.0	21.7	5.4	14.9	14.5	16.3	16.3	3.6	3.6	1.8	1.8	0.0
25 to 49 beds.....	100.0	0.8	5.7	10.4	15.0	15.5	17.2	13.3	10.8	6.1	2.6	2.7
50 to 99 beds.....	100.0	1.5	8.2	7.4	10.6	17.3	16.2	18.8	10.2	4.7	1.7	3.5
100 to 149 beds.....	100.0	1.5	9.0	11.1	13.7	12.9	14.2	17.2	10.2	5.8	1.6	3.0
150 to 199 beds.....	100.0	1.4	8.6	9.6	11.9	13.8	16.4	17.2	8.9	4.9	2.4	4.9
200 to 249 beds.....	100.0	2.1	10.0	9.8	12.7	15.2	14.9	16.3	8.0	4.1	2.6	4.2
250 to 299 beds.....	100.0	1.7	9.6	10.5	11.0	16.8	15.5	16.1	7.9	4.4	2.2	4.4
300 to 399 beds.....	100.0	1.8	8.7	9.2	11.7	16.9	14.9	16.1	9.1	4.9	2.5	4.3
400 to 499 beds.....	100.0	1.3	9.1	9.6	12.3	16.4	14.9	17.0	8.4	4.6	2.6	3.9
500 to 749 beds.....	100.0	2.1	8.7	10.2	10.3	15.4	15.3	16.5	8.8	4.3	2.9	5.5
750 to 999 beds.....	100.0	1.0	9.1	9.4	12.1	14.2	12.3	20.6	8.8	4.1	3.3	5.2
1,000 to 1,999 beds.....	100.0	0.8	3.1	7.4	6.2	6.0	7.2	20.6	9.3	12.4	7.2	20.0
2,000 beds or more.....	100.0	0.8	3.1	7.4	6.2	6.0	7.2	20.6	9.3	12.4	7.2	20.0
WITHOUT SURGERY												
Total.....	100.0	5.4	9.3	12.0	11.9	14.8	14.1	14.5	7.6	3.9	2.2	4.4
Less than 25 beds.....	100.0	6.4	13.9	14.4	14.6	17.9	14.6	10.2	3.9	1.5	1.3	1.3
25 to 49 beds.....	100.0	3.9	8.1	11.6	11.3	18.0	14.2	13.3	8.0	3.7	2.6	5.3
50 to 99 beds.....	100.0	5.3	11.9	13.1	11.7	16.2	12.9	14.5	6.4	3.2	1.6	3.1
100 to 149 beds.....	100.0	5.4	8.7	11.9	11.9	14.5	15.7	14.9	7.6	4.0	2.2	3.4
150 to 199 beds.....	100.0	5.5	9.2	12.4	12.2	15.0	14.3	14.0	7.4	3.7	2.1	4.1
200 to 249 beds.....	100.0	5.2	10.1	12.5	11.6	15.4	14.0	13.5	7.6	4.0	2.1	4.0
250 to 299 beds.....	100.0	5.1	8.7	12.1	12.3	14.8	14.0	15.2	7.8	3.8	2.4	3.9
300 to 399 beds.....	100.0	4.9	9.5	11.9	12.4	14.2	14.2	14.6	7.4	4.0	2.2	4.9
400 to 499 beds.....	100.0	6.1	8.3	10.3	10.9	14.4	13.9	14.8	8.2	4.8	2.5	5.8
500 to 749 beds.....	100.0	7.4	10.8	12.6	10.2	13.3	11.9	15.5	7.5	3.8	1.6	5.5
750 to 999 beds.....	100.0	15.2	14.0	8.9	6.1	8.0	8.5	14.0	8.6	3.2	2.2	11.2
1,000 to 1,999 beds.....	100.0	15.2	14.0	8.9	6.1	8.0	8.5	14.0	8.6	3.2	2.2	11.2
2,000 beds or more.....	100.0	15.2	14.0	8.9	6.1	8.0	8.5	14.0	8.6	3.2	2.2	11.2
Hospitals with approved resident program only												
ALL DISCHARGES												
Total.....	100.0	4.1	10.4	12.6	13.6	16.0	14.1	13.4	6.8	3.3	2.1	3.7
Less than 25 beds.....	100.0	9.9	7.0	9.9	14.1	32.1	8.7	16.9	0.0	0.0	0.0	1.4
25 to 49 beds.....	100.0	7.3	6.5	12.7	32.1	15.9	8.9	8.7	3.9	1.2	1.0	1.9
50 to 99 beds.....	100.0	2.6	10.2	12.4	11.4	14.6	16.0	16.3	6.6	3.2	2.2	4.5
100 to 149 beds.....	100.0	4.0	9.5	12.1	14.1	17.5	13.7	12.9	7.9	2.7	2.1	3.4
150 to 199 beds.....	100.0	4.0	9.0	12.1	12.0	16.9	14.3	13.7	7.7	3.8	2.4	4.2
200 to 249 beds.....	100.0	3.5	10.4	12.7	12.4	14.5	15.0	14.7	6.7	4.1	2.5	3.5
250 to 299 beds.....	100.0	4.7	12.3	13.1	13.1	15.1	13.5	13.0	6.4	3.3	2.1	3.6
300 to 399 beds.....	100.0	1.6	5.6	11.3	12.5	17.0	18.5	13.6	6.2	5.2	1.9	6.7
400 to 499 beds.....	100.0	4.6	11.7	21.4	14.4	14.0	11.6	9.8	4.6	0.6	1.7	5.7
500 to 749 beds.....	100.0	2.5	14.9	10.9	16.1	16.3	16.8	9.9	5.0	3.5	1.8	2.5
1,000 to 1,999 beds.....	100.0	2.5	14.9	10.9	16.1	16.3	16.8	9.9	5.0	3.5	1.8	2.5
2,000 beds or more.....	100.0	2.5	14.9	10.9	16.1	16.3	16.8	9.9	5.0	3.5	1.8	2.5
WITH SURGERY												
Total.....	100.0	2.9	10.5	10.9	14.9	17.9	14.4	13.5	6.5	3.1	2.2	3.2
Less than 25 beds.....	100.0	9.5	6.4	9.5	9.5	36.2	9.8	17.5	0.0	0.0	0.0	1.6
25 to 49 beds.....	100.0	7.5	3.6	9.3	41.8	18.4	8.5	6.8	2.1	0.4	1.1	0.7
50 to 99 beds.....	100.0	0.8	12.0	11.2	10.5	12.6	17.0	18.4	7.3	3.2	2.6	4.4
100 to 149 beds.....	100.0	3.0	9.5	10.1	15.5	20.1	14.2	13.8	6.8	2.8	1.5	2.8
150 to 199 beds.....	100.0	2.9	10.1	11.5	10.4	18.5	14.1	14.7	8.0	3.5	2.9	3.3
200 to 249 beds.....	100.0	1.4	10.8	10.5	13.6	16.2	15.0	14.2	8.0	4.2	2.8	3.3
250 to 299 beds.....	100.0	3.4	13.3	12.2	13.1	16.9	13.9	12.8	5.7	2.9	2.2	3.6
300 to 399 beds.....	100.0	1.2	4.6	6.9	17.5	17.5	20.1	12.7	9.2	4.6	2.3	3.5
400 to 499 beds.....	100.0	3.7	13.7	19.9	19.9	10.4	13.9	7.4	2.5	1.2	1.2	6.2
500 to 749 beds.....	100.0	0.9	8.3	7.7	17.6	20.5	20.0	11.3	4.0	4.7	2.1	3.0
1,000 to 1,999 beds.....	100.0	0.9	8.3	7.7	17.6	20.5	20.0	11.3	4.0	4.7	2.1	3.0
2,000 beds or more.....	100.0	0.9	8.3	7.7	17.6	20.5	20.0	11.3	4.0	4.7	2.1	3.0
WITHOUT SURGERY												
Total.....	100.0	4.9	10.3	13.7	12.7	14.7	13.9	13.2	7.1	3.4	2.1	4.1
Less than 25 beds.....	100.0	4.9	10.3	13.7	12.7	14.7	13.9	13.2	7.1	3.4	2.1	4.1
25 to 49 beds.....	100.0	4.9	10.3	13.7	12.7	14.7	13.9	13.2	7.1	3.4	2.1	4.1
50 to 99 beds.....	100.0	6.8	12.8	19.9	11.4	10.6	9.7	12.8	7.6	3.0	0.8	4.6
100 to 149 beds.....	100.0	3.9	8.9	13.2	12.1	16.0	15.3	14.9	6.2	3.2	2.0	4.6
150 to 199 beds.....	100.0	4.9	9.5	13.7	13.0	15.4	13.4	12.2	8.9	2.7	2.5	4.0
200 to 249 beds.....	100.0	4.7	8.4	12.4	13.0	16.0	14.4	13.1	7.5	3.9	2.0	4.7
250 to 299 beds.....	100.0	4.8	10.2	14.2	11.6	13.3	15.1	15.1	5.8	4.1	2.3	3.7
300 to 399 beds.....	100.0	5.4	11.6	13.7	13.1	14.0	13.2	13.1	6.8	3.5	2.0	3.6
400 to 499 beds.....	100.0	1.8	6.1	13.5	9.9	16.7	17.7	14.1	4.7	5.5	1.8	8.3
500 to 749 beds.....	100.0	5.3	10.0	22.7	9.6	17.1	9.6	11.8	6.4	0.0	2.1	5.3
750 to 999 beds.....	100.0	4.0	21.0	13.7	14.6	12.4	13.8	8.7	5.9	2.4	1.6	2.0
1,000 to 1,999 beds.....	100.0	4.0	21.0	13.7	14.6	12.4	13.8	8.7	5.9	2.4	1.6	2.0
2,000 beds or more.....	100.0	4.0	21.0	13.7	14.6	12.4	13.8	8.7	5.9	2.4	1.6	2.0

Table 4.1.13 PERSONS DISCHARGED BY AGE, RACE, SEX, AND FINAL DISCHARGE STATUS: NUMBER OF HOSPITAL STAYS, UTILIZATION, CHARGES, AND REIMBURSEMENT

[See NOTES preceding General Tables]																				
Age, race, and sex	Persons with hospital stays (in thousands)				Mean days of care for persons with:				Total charges per person (in dollars)				Reimbursement per person (in dollars)				Percent of total charges reimbursed			
	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more
ALL DISCHARGES																				
All Persons																				
Total, 65 years and over	1,857	1,480	293	84	16.8	13.4	26.6	40.8	\$708	\$564	\$1,150	\$1,709	\$559	\$441	\$918	\$1,385	78.9	78.2	79.8	81.0
65 and 66 years	208	168	31	9	14.9	11.9	24.4	39.5	679	538	1,131	1,810	526	412	889	1,443	77.4	76.5	78.6	79.7
67 and 68 years	205	164	32	9	15.2	12.0	24.7	40.0	689	539	1,143	1,792	535	415	895	1,425	77.5	76.8	78.3	79.5
69 and 70 years	205	164	32	9	15.7	12.5	25.0	40.0	699	552	1,142	1,758	545	424	901	1,419	77.9	76.9	78.9	80.7
71 and 72 years	202	161	31	9	16.2	12.9	26.0	38.8	712	565	1,173	1,699	556	435	927	1,376	77.9	77.0	79.1	81.0
73 and 74 years	197	157	31	10	16.5	13.2	25.9	39.8	714	567	1,158	1,704	561	441	912	1,374	78.5	77.9	78.8	80.6
75 to 79 years	409	325	66	19	17.4	14.0	27.4	42.0	723	578	1,161	1,743	575	455	934	1,420	79.5	78.7	80.5	81.5
80 to 84 years	267	211	44	12	18.3	14.8	28.6	42.0	719	579	1,153	1,594	578	463	932	1,305	80.4	79.9	80.8	81.9
85 years and over	162	130	26	7	19.2	15.8	30.3	42.7	705	581	1,119	1,533	579	474	928	1,281	82.0	81.5	82.9	83.6
Men, 65 years and over																				
65 and 66 years	840	658	139	43	16.5	13.0	25.8	39.6	729	573	1,162	1,738	568	441	917	1,395	77.9	76.9	79.0	80.3
67 and 68 years	102	82	16	5	15.1	12.1	23.7	39.1	711	563	1,135	1,858	545	427	882	1,462	76.7	75.8	77.7	78.7
69 and 68 years	98	77	16	5	15.2	11.8	24.3	38.8	715	552	1,159	1,798	549	419	897	1,430	76.7	75.9	77.4	79.5
67 and 70 years	96	75	15	5	15.5	12.2	24.7	38.7	726	566	1,185	1,775	559	430	917	1,427	76.9	76.0	77.4	80.4
71 and 72 years	92	72	15	5	15.8	12.4	24.8	38.5	733	575	1,172	1,757	562	434	918	1,391	76.7	75.5	78.3	79.2
73 and 74 years	90	70	15	5	16.4	12.9	25.4	38.2	743	582	1,170	1,727	577	445	917	1,387	77.6	76.6	78.4	80.3
75 to 79 years	182	142	31	9	17.1	13.4	26.6	41.3	745	585	1,173	1,798	585	452	936	1,454	78.4	77.3	79.8	80.9
80 to 84 years	116	89	20	6	17.9	14.2	27.5	40.3	735	580	1,161	1,595	584	456	932	1,292	79.4	78.6	80.3	81.0
85 years and over	64	50	11	3	18.5	14.7	29.2	40.9	705	564	1,113	1,513	572	452	921	1,247	81.1	80.1	82.8	82.4
Women, 65 years and over																				
65 and 66 years	1,016	822	153	41	17.0	13.8	27.4	42.0	690	557	1,139	1,678	551	442	918	1,374	79.9	79.3	80.6	81.9
67 and 68 years	106	87	15	4	14.7	11.8	25.1	40.0	649	515	1,126	1,754	508	398	897	1,420	78.3	77.3	79.6	81.0
69 and 70 years	107	87	16	4	15.3	12.2	25.2	41.5	666	528	1,127	1,783	522	410	894	1,419	78.3	77.7	79.3	79.6
71 and 72 years	110	89	17	5	15.9	12.7	25.4	41.5	675	540	1,103	1,740	532	420	885	1,412	78.8	77.8	80.3	81.1
73 and 74 years	110	89	17	5	16.5	13.3	27.0	39.1	695	556	1,174	1,641	550	435	936	1,360	79.0	78.3	79.8	82.9
75 to 79 years	107	87	16	5	16.6	13.5	26.4	41.7	690	554	1,146	1,678	547	438	908	1,359	79.4	78.9	79.2	81.0
75 to 79 years	227	183	35	9	17.7	14.4	28.1	42.7	706	572	1,150	1,688	568	456	933	1,386	80.4	79.8	81.1	82.1
80 to 84 years	151	122	24	6	18.7	15.3	29.6	43.8	707	578	1,146	1,592	574	468	932	1,318	81.2	80.9	81.3	82.8
85 years and over	98	80	15	3	19.7	16.5	31.0	44.5	706	592	1,124	1,552	583	487	932	1,313	82.6	82.3	83.0	84.6
White																				
Total, 65 years and over	1,697	1,350	269	78	16.7	13.3	26.4	40.6	707	562	1,146	1,708	557	439	913	1,382	78.8	78.1	79.7	80.9
65 and 66 years	192	155	29	8	14.8	11.8	24.2	39.2	678	535	1,133	1,810	524	408	890	1,438	77.2	76.3	78.5	79.4
67 and 68 years	190	152	30	9	15.1	11.8	24.5	39.9	687	537	1,137	1,790	532	411	890	1,422	77.4	76.6	78.3	79.4
69 and 70 years	190	151	30	9	15.6	12.3	24.9	39.7	697	548	1,143	1,747	542	421	898	1,407	77.7	76.8	78.6	80.6
71 and 72 years	187	149	29	9	16.1	12.8	25.8	38.8	712	562	1,175	1,710	554	432	926	1,382	77.7	76.9	78.8	80.8
73 and 74 years	183	145	29	9	16.4	13.1	25.7	39.6	712	564	1,150	1,695	558	438	906	1,368	78.5	77.7	78.8	80.7
75 to 79 years	377	299	61	17	17.3	13.9	27.2	42.0	724	577	1,155	1,751	575	453	930	1,424	79.4	78.6	80.5	81.3
80 to 84 years	240	189	40	11	18.3	14.8	28.5	41.6	720	580	1,149	1,579	579	463	928	1,295	80.3	79.8	80.8	82.0
85 years and over	137	109	22	6	19.2	15.8	30.0	43.1	704	579	1,104	1,532	578	472	915	1,282	82.0	81.5	82.8	83.7
Men, 65 years and over																				
65 and 66 years	779	609	130	40	16.3	12.8	25.6	39.5	729	571	1,158	1,737	567	438	913	1,393	77.7	76.8	78.8	80.2
67 and 68 years	94	75	15	4	14.9	11.9	23.4	38.9	709	559	1,134	1,855	542	422	880	1,458	76.4	75.5	77.6	78.6
69 and 68 years	91	71	15	5	15.1	11.6	24.1	38.5	713	549	1,155	1,789	547	415	895	1,425	76.6	75.6	77.5	79.6
69 and 70 years	89	70	14	5	15.3	12.0	24.4	37.9	724	564	1,182	1,743	555	427	912	1,394	76.7	75.8	77.1	80.0
71 and 72 years	86	67	14	4	15.7	12.3	24.5	38.5	733	574	1,172	1,764	562	433	913	1,395	76.5	75.4	77.9	79.1
73 and 74 years	85	66	14	5	16.3	12.8	25.0	38.0	742	580	1,158	1,721	574	443	906	1,385	77.5	76.4	78.2	80.5
75 to 79 years	171	133	29	9	17.0	13.4	26.5	41.3	747	585	1,171	1,809	585	451	933	1,461	78.3	77.2	79.7	80.8
80 to 84 years	107	83	19	6	17.9	14.2	27.3	40.1	736	580	1,159	1,591	584	455	929	1,292	79.3	78.5	80.2	81.2
85 years and over	57	44	10	3	18.6	14.7	29.2	41.4	705	563	1,100	1,526	572	451	911	1,252	81.0	80.1	82.8	82.0
Women, 65 years and over																				
65 and 66 years	918	741	139	38	16.9	13.7	27.2	41.8	688	554	1,135	1,678	549	439	913	1,371	79.7	79.2	80.5	81.7
67 and 68 years	98	80	14	4	14.7	11.7	25.0	39.5	648	513	1,131	1,754	506	396	899	1,413	78.1	77.2	79.5	80.6
69 and 68 years	99	80	15	4	15.1	12.0	24.9	41.7	663	525	1,118	1,790	518	407	884	1,418	78.1	77.5	79.1	79.2
69 and 70 years	101	82	16	4	15.8	12.6	25.4	41.5	674	535	1,106	1,751	531	415	886	1,422	78.7	77.6	80.1	81.2
71 and 72 years	102	82	15	4	16.4	13.2	27.0	39.1	694	553	1,179	1,655	548	432	938	1,369	78.8	78.1	79.6	82.8
73 and 74 years	98	79	15	4	16.5	13.3	26.4	41.4	687	551	1,141	1,667	544	434	905	1,348	79.3	78.8	79.3	80.9
75 to 79 years	207	166	32	9	17.6	14.4	27.9	42.7	704	570	1,140	1,692	566	454	927	1,387	80.3	79.7	81.3	81.9
80 to 84 years	133	107	21	5	18.6	15.3	29.5	43.3	707	580	1,140	1,565	575	469	928	1,297	81.2	80.9	81.3	82.9
85 years and over	80	65	12	3	19.7	16.5	30.7	44.8	703	590	1,107	1,538	583	486	918	1,312	82.7	82.4	82.9	85.3
All Other Races																				
Total, 65 years and over	98	80	15	4	17.4	14.3	27.9	42.9	689	562	1,129	1,695	560	453	926	1,414	81.2	80.6	82.1	83.4
65 and 66 years	14	11	2	1	16.7	13.6	27.0	45.0	702	577	1,114	1,856	562	457	903	1,535	80.0	79.2	81.1	82.7
67 and 68 years	12	10	2	—	17.3	14.2	28.7	42.3	709	570	1,238	1,847	569	457	902	1,528	80.4	79.2	81.1	82.7
69 and 70 years	12	10	2	—	17.3	14.3	27.3	46.9	715	586	1,153	1,927	577	464	926	1,628	80.7	79.2	83.2	84.5
71 and 72 years	11	9	2	—	17.4	14.1	28.4	40.4	700	571	1,115	1,62								

Table 4.1.13 PERSONS DISCHARGED BY AGE, RACE, SEX, AND FINAL DISCHARGE STATUS: NUMBER OF HOSPITAL STAYS, UTILIZATION, CHARGES, AND REIMBURSEMENT—Con.

[See NOTES preceding General Tables]

Age, race, and sex	Persons with hospital stays (in thousands)				Mean days of care for persons with:				Total charges per person (in dollars)				Reimbursement per person (in dollars)				Percent of total charges reimbursed			
	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more
DISCHARGED ALIVE																				
All Persons																				
Total, 65 years and over	1,626	1,311	247	68	16.4	13.3	26.3	40.3	\$680	\$548	\$1,115	\$1,661	\$541	\$432	\$894	\$1,353	79.5	78.9	80.1	81.4
65 and 66 years	192	157	28	7	14.5	11.7	23.7	38.7	650	523	1,085	1,747	506	403	857	1,391	77.8	77.0	79.0	79.6
67 and 68 years	188	152	28	8	14.8	11.8	24.4	38.6	658	523	1,101	1,713	513	404	866	1,376	77.9	77.2	78.7	80.3
69 and 70 years	187	151	28	8	15.3	12.3	24.6	40.0	670	535	1,103	1,708	524	414	872	1,382	78.2	77.5	79.1	80.9
71 and 72 years	182	147	27	8	15.8	12.8	25.4	38.1	682	548	1,129	1,646	536	427	899	1,335	78.6	77.8	79.6	81.1
73 and 74 years	175	140	27	8	16.1	13.0	25.4	39.2	686	551	1,114	1,663	542	433	885	1,345	79.0	78.6	79.4	80.9
75 to 79 years	355	285	55	15	17.0	13.8	27.1	41.7	695	560	1,129	1,699	558	445	912	1,398	80.1	79.5	80.8	82.3
80 to 84 years	222	177	35	10	18.2	14.8	28.6	41.9	698	566	1,129	1,555	566	458	913	1,281	81.1	81.0	80.9	82.4
85 years and over	126	102	19	5	19.5	16.1	30.8	43.0	693	571	1,121	1,506	577	474	940	1,266	83.2	82.9	83.8	84.1
Men, 65 years and over																				
65 and 66 years	720	571	115	34	16.1	12.8	25.4	39.2	700	555	1,127	1,695	549	431	895	1,366	78.4	77.7	79.4	80.6
67 and 68 years	93	75	14	4	14.7	11.9	23.1	38.3	678	547	1,088	1,804	523	417	851	1,416	77.0	76.3	78.2	78.5
69 and 68 years	89	71	14	4	14.7	11.6	24.0	37.3	679	534	1,109	1,743	524	408	866	1,387	77.1	76.3	78.1	79.6
69 and 70 years	85	68	13	4	15.2	12.1	24.3	38.6	696	549	1,151	1,722	537	419	895	1,381	77.2	76.4	77.8	80.2
71 and 72 years	80	64	12	4	15.4	12.4	24.2	37.8	697	556	1,123	1,696	540	425	884	1,344	77.4	76.5	78.7	79.2
73 and 74 years	78	61	13	4	16.0	12.7	25.1	37.9	715	565	1,129	1,707	559	437	891	1,385	78.2	77.3	78.9	81.1
75 to 79 years	154	121	25	7	16.7	13.2	26.4	40.8	714	565	1,146	1,751	565	442	918	1,430	79.1	78.2	80.1	81.7
80 to 84 years	93	73	16	5	17.6	14.0	27.3	40.6	710	564	1,130	1,559	569	450	906	1,270	80.1	79.8	80.1	81.4
85 years and over	48	38	8	2	18.7	15.0	29.5	41.2	697	556	1,126	1,487	575	453	948	1,237	82.5	81.6	84.2	83.2
Women, 65 years and over																				
65 and 66 years	906	739	133	34	16.6	13.6	27.0	41.3	665	542	1,105	1,629	535	433	893	1,341	80.4	79.9	80.8	82.3
67 and 68 years	99	82	14	3	14.3	11.5	24.3	39.2	623	501	1,081	1,685	490	390	863	1,363	78.6	77.8	79.8	80.9
67 and 68 years	100	81	14	4	14.8	11.9	24.8	40.1	639	513	1,092	1,680	503	400	867	1,363	78.6	78.0	79.4	81.2
69 and 70 years	102	83	15	4	15.5	12.5	24.9	41.3	648	524	1,061	1,695	514	410	852	1,382	79.2	78.4	80.3	81.6
71 and 72 years	101	83	15	4	16.1	13.2	26.5	38.4	670	543	1,135	1,598	533	428	912	1,328	79.6	78.8	80.3	83.1
73 and 74 years	97	79	14	4	16.1	13.2	25.8	40.5	662	539	1,100	1,617	529	429	879	1,303	79.8	79.6	79.9	80.6
75 to 79 years	201	163	30	8	17.3	14.2	27.7	42.5	681	557	1,114	1,652	552	448	907	1,369	80.9	80.5	81.4	82.9
80 to 84 years	128	104	19	5	18.6	15.4	29.6	43.3	689	567	1,128	1,551	564	464	919	1,293	81.9	81.8	81.5	83.3
85 years and over	78	64	11	3	19.9	16.8	31.7	44.5	691	581	1,118	1,523	579	486	934	1,294	83.7	83.6	83.5	84.9
White																				
Total, 65 years and over	1,490	1,199	228	63	16.2	13.1	26.0	40.1	679	545	1,110	1,660	539	429	888	1,351	79.3	78.7	80.0	81.4
65 and 66 years	178	145	26	7	14.3	11.6	23.6	38.4	648	521	1,089	1,747	503	400	859	1,386	77.6	76.8	78.9	79.3
67 and 68 years	175	141	27	7	14.6	11.6	24.1	38.5	654	520	1,092	1,703	509	400	859	1,367	77.7	76.9	78.6	80.3
69 and 70 years	173	139	26	7	15.2	12.2	24.5	39.7	668	531	1,102	1,704	522	411	868	1,376	78.0	77.3	78.8	80.7
71 and 72 years	169	136	25	7	15.7	12.7	25.2	38.1	680	545	1,129	1,656	534	423	896	1,339	78.4	77.6	79.4	80.9
73 and 74 years	163	131	25	7	16.0	12.9	25.2	39.0	685	549	1,109	1,659	540	430	878	1,343	78.9	78.4	79.2	81.0
75 to 79 years	327	262	51	14	16.9	13.7	26.8	41.6	694	559	1,120	1,703	556	443	905	1,400	80.0	79.3	80.8	82.2
80 to 84 years	199	159	32	9	18.1	14.7	28.4	41.5	698	566	1,123	1,537	566	458	907	1,269	81.0	80.9	80.8	82.6
85 years and over	107	86	17	4	19.4	16.0	30.5	43.3	692	569	1,107	1,506	576	471	928	1,268	83.2	82.8	83.8	84.2
Men, 65 years and over																				
65 and 66 years	669	529	107	32	15.9	12.7	25.2	39.0	699	553	1,122	1,691	547	429	889	1,362	78.3	77.4	79.2	80.6
67 and 68 years	85	69	13	4	14.5	11.7	22.9	38.2	677	543	1,092	1,801	520	413	852	1,412	76.7	76.0	78.1	78.4
67 and 68 years	82	65	13	4	14.6	11.5	23.7	36.9	676	531	1,102	1,727	521	404	859	1,379	77.0	76.1	78.0	79.8
69 and 70 years	79	63	12	4	15.0	11.9	24.0	37.9	692	546	1,145	1,697	533	416	886	1,354	76.9	76.2	77.4	79.8
71 and 72 years	75	60	12	4	15.3	12.2	23.9	37.7	697	553	1,121	1,700	538	423	880	1,341	77.2	76.4	78.5	79.8
73 and 74 years	73	58	12	4	15.9	12.6	24.7	37.7	713	564	1,122	1,699	557	435	881	1,382	78.0	77.1	78.6	81.3
75 to 79 years	144	113	24	7	16.6	13.2	26.2	40.8	715	565	1,142	1,759	565	440	913	1,435	78.9	78.0	80.0	81.6
80 to 84 years	86	67	15	5	17.5	13.9	26.9	40.4	710	564	1,122	1,554	568	449	897	1,270	80.0	79.6	80.0	81.8
85 years and over	43	34	7	2	18.8	15.0	29.5	41.7	697	556	1,114	1,491	574	452	941	1,235	82.4	81.4	84.5	82.8
Women, 65 years and over																				
65 and 66 years	822	670	121	32	16.5	13.5	26.8	41.2	663	539	1,100	1,629	532	430	888	1,339	80.2	79.7	80.7	82.2
67 and 68 years	92	76	13	3	14.2	11.5	24.3	38.7	622	500	1,086	1,687	488	388	866	1,357	78.4	77.6	79.8	80.4
67 and 68 years	92	76	13	3	14.7	11.8	24.5	40.2	635	510	1,083	1,677	498	396	858	1,354	78.4	77.7	79.2	80.7
69 and 70 years	94	76	14	4	15.4	12.3	24.9	41.4	648	519	1,065	1,711	512	406	853	1,398	79.0	78.2	80.1	81.7
71 and 72 years	93	76	13	4	16.0	13.1	26.4	38.5	667	539	1,136	1,614	530	423	911	1,338	79.4	78.6	80.2	82.9
73 and 74 years	89	73	13	4	16.1	13.2	25.8	40.3	661	538	1,097	1,616	527	427	875	1,302	79.6	79.4	79.8	80.6
75 to 79 years	183	149	27	7	17.2	14.1	27.3	42.4	678	554	1,101	1,651	548	445	898	1,368	80.8	80.3	81.6	82.9
80 to 84 years	113	91	17	4	18.5	15.3	29.6	42.6	689	567	1,123	1,519	564	464	915	1,267	81.8	81.8	81.4	83.4
85 years and over	64	52	10	2	19.9	16.7	31.3	45.0	688	577	1,102	1,519	576	483	918	1,300	83.7	83.6	83.3	85.5
All Other Races																				
Total, 65 years and over	84	69	12	3	17.4	14.4	28.3	42.8	673	551	1,114	1,693	555	452	924	1,411	82.4	82.0	83.0	83.4
65 and 66 years	12	10	2	-	16.3	13.4	25.8	43.4	671	558	1,033	1,811	543	449	838	1,503	80.9	80.5	81.1	83.0
67 and 68 years	11	9	1	-	17.1	14.0	29.6	42.8	695	558	1,232	1,908	562	451	1,000	1,550	80.9	80.8	81.1	81.3
69 and 70 years	10	9	1	-	17.2	14.2	27.5	46.7	689	570	1,130	1,793	563	458	960	1,508	81.7	80.4	84.9	84.1
71 and 72 years	10	8	1	-	17.6	14.5	28.3	39.7	691	571	1,103	1,583	566	463	913					

Table 4.1.13 PERSONS DISCHARGED BY AGE, RACE, SEX, AND FINAL DISCHARGE STATUS: NUMBER OF HOSPITAL STAYS, UTILIZATION, CHARGES, AND REIMBURSEMENT—Con.

(See NOTES preceding General Tables)

Age, race, and sex	Persons with hospital stays (in thousands)				Mean days of care for persons with:				Total charges per person (in dollars)				Reimbursement per person (in dollars)				Percent of total charges reimbursed			
	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more	All stays	1 stay	2 stays	3 or more
DISCHARGED DEAD																				
All Persons																				
Total, 65 years and over	231	169	45	16	19.5	14.8	28.8	42.9	\$900	\$689	\$1,338	\$1,913	\$685	\$510	\$1,047	\$1,521	76.1	74.0	78.2	79.5
65 and 66 years	16	11	3	1	20.7	14.8	29.9	43.6	1,042	756	1,508	2,128	778	540	1,154	1,702	74.6	71.4	76.5	80.0
67 and 68 years	17	12	4	2	20.2	14.5	27.3	46.8	1,032	749	1,470	2,173	774	553	1,117	1,665	75.0	73.8	76.0	76.6
69 and 70 years	19	13	4	2	19.4	14.3	28.2	40.5	992	743	1,428	2,007	747	538	1,108	1,608	75.2	72.3	77.6	80.1
71 and 72 years	21	15	4	2	19.5	14.0	29.3	42.0	977	728	1,446	1,948	727	519	1,106	1,566	74.4	71.3	76.5	80.4
73 and 74 years	22	16	4	2	19.7	14.8	28.8	42.9	937	704	1,416	1,892	703	515	1,079	1,508	75.0	73.0	76.1	79.7
75 to 79 years	55	40	11	4	19.8	15.2	29.0	43.3	905	700	1,326	1,917	691	520	1,049	1,506	76.3	74.3	79.1	78.6
80 to 84 years	45	34	9	3	19.2	15.0	28.8	42.3	823	648	1,253	1,743	638	488	1,011	1,397	77.4	75.3	80.6	80.1
85 years and over	36	28	6	2	18.4	14.8	28.7	42.1	747	617	1,112	1,620	583	473	889	1,327	78.0	76.7	79.9	81.9
Men, 65 years and over	120	87	24	9	18.8	14.0	27.6	41.2	908	687	1,325	1,900	685	502	1,026	1,504	75.3	73.1	77.4	79.2
65 and 66 years	9	6	2	1	19.7	13.9	27.7	42.5	1,037	756	1,449	2,083	769	540	1,090	1,652	74.2	71.5	75.2	79.3
67 and 68 years	10	7	2	1	19.2	13.1	26.2	44.5	1,035	742	1,464	2,019	771	538	1,087	1,601	74.4	72.6	74.3	79.3
69 and 70 years	11	7	2	1	18.2	12.8	26.8	39.2	974	720	1,388	1,988	733	524	1,051	1,611	75.2	72.8	75.7	81.0
71 and 72 years	11	8	2	1	18.6	13.0	27.9	41.1	988	734	1,430	2,003	724	509	1,095	1,586	73.3	69.4	76.5	79.2
73 and 74 years	12	9	2	1	18.7	13.9	27.2	39.4	923	694	1,386	1,803	688	504	1,057	1,397	74.5	72.7	76.3	77.5
75 to 79 years	29	21	6	2	19.2	14.5	27.5	42.7	914	703	1,297	1,954	692	516	1,018	1,533	75.6	73.3	78.5	78.5
80 to 84 years	23	17	5	1	19.1	15.0	28.2	39.2	838	651	1,270	1,727	645	484	1,023	1,373	76.8	74.3	80.6	79.5
85 years and over	16	12	3	1	17.9	13.9	28.5	39.9	728	590	1,075	1,590	561	447	844	1,278	77.0	75.8	78.5	80.4
Women, 65 years and over	110	83	21	7	20.2	15.6	30.2	45.2	891	691	1,353	1,931	685	518	1,071	1,543	76.9	75.0	79.2	79.9
65 and 66 years	6	5	1	1	22.1	16.1	33.3	45.5	1,049	756	1,600	2,206	790	539	1,254	1,791	75.3	71.4	78.4	81.2
67 and 68 years	7	5	1	1	21.5	16.3	29.1	50.7	1,027	758	1,480	2,438	779	570	1,166	1,775	75.8	75.3	78.7	72.8
69 and 70 years	8	6	2	1	21.1	16.2	30.0	42.5	1,016	773	1,480	2,035	765	555	1,183	1,603	75.3	71.8	79.9	78.8
71 and 72 years	9	7	2	1	20.6	15.2	30.8	43.1	965	720	1,465	1,878	731	529	1,119	1,539	75.7	73.5	76.4	82.0
73 and 74 years	10	7	2	1	21.0	15.8	30.7	48.2	952	717	1,452	2,028	720	527	1,103	1,680	75.6	73.5	76.0	82.8
75 to 79 years	26	20	5	2	20.5	16.0	30.7	44.0	895	697	1,359	1,867	690	525	1,084	1,470	77.1	75.3	79.7	78.7
80 to 84 years	23	18	4	1	19.2	15.0	29.6	45.9	808	645	1,235	1,762	631	492	996	1,424	78.0	76.3	80.7	80.8
85 years and over	20	16	3	1	18.8	15.4	28.9	44.3	762	638	1,144	1,650	601	493	928	1,378	78.8	77.3	81.1	83.5
White																				
Total, 65 years and over	207	151	41	15	19.6	14.8	28.8	42.8	909	693	1,343	1,918	692	513	1,051	1,521	76.1	74.1	78.3	79.3
65 and 66 years	14	10	3	1	20.6	14.7	29.4	42.9	1,046	753	1,493	2,122	779	537	1,137	1,695	74.5	71.3	76.1	79.9
67 and 68 years	16	11	3	1	20.2	14.2	27.5	46.8	1,052	758	1,482	2,207	789	556	1,132	1,685	74.9	73.4	76.4	76.3
69 and 70 years	17	12	4	1	19.5	14.3	28.4	39.7	996	745	1,436	1,965	751	540	1,117	1,567	75.4	72.5	77.8	79.8
71 and 72 years	19	13	4	2	19.7	14.2	29.4	42.2	996	741	1,470	1,970	740	529	1,117	1,588	74.3	71.4	76.0	80.6
73 and 74 years	20	15	4	2	19.5	14.5	28.6	42.3	932	699	1,398	1,865	701	510	1,073	1,481	75.2	73.0	76.8	79.4
75 to 79 years	50	37	10	4	20.1	15.4	29.2	43.5	916	705	1,337	1,940	699	525	1,057	1,517	76.3	74.5	79.0	78.2
80 to 84 years	41	31	8	2	19.3	15.1	28.9	42.0	829	651	1,258	1,740	642	489	1,018	1,394	77.4	75.2	80.9	80.1
85 years and over	30	23	5	1	18.5	14.8	28.5	42.1	748	618	1,095	1,616	587	477	873	1,325	78.3	77.2	79.7	82.0
Men, 65 years and over	111	79	23	9	18.9	14.0	27.5	41.2	915	689	1,328	1,905	689	503	1,028	1,506	75.3	73.0	77.5	79.0
65 and 66 years	8	6	2	1	19.5	13.5	27.1	41.6	1,035	750	1,416	2,077	768	536	1,065	1,644	74.2	71.4	75.2	79.2
67 and 68 years	9	6	2	1	19.5	12.9	26.7	44.5	1,054	746	1,483	2,032	786	538	1,117	1,603	74.6	72.2	75.3	78.9
69 and 70 years	10	7	2	1	18.2	12.8	26.8	38.2	983	730	1,400	1,928	740	532	1,064	1,556	75.3	72.9	76.0	80.7
71 and 72 years	11	8	2	1	18.6	13.1	27.8	41.9	1,000	744	1,442	2,038	730	515	1,092	1,621	73.0	69.3	75.7	79.6
73 and 74 years	10	7	2	1	18.6	13.9	26.7	38.9	925	699	1,357	1,804	688	505	1,040	1,396	74.4	72.3	76.6	77.4
75 to 79 years	27	19	5	2	19.3	14.6	27.4	43.2	921	705	1,302	1,976	697	517	1,021	1,548	75.6	73.4	78.4	78.3
80 to 84 years	21	15	4	1	19.3	15.1	28.6	39.0	843	649	1,290	1,723	647	480	1,042	1,370	76.7	73.9	80.8	79.5
85 years and over	14	11	3	1	17.9	13.8	28.2	40.4	729	587	1,061	1,628	563	448	827	1,301	77.2	76.3	77.9	79.9
Women, 65 years and over	96	72	18	6	20.4	15.8	30.4	45.1	902	697	1,361	1,936	695	525	1,079	1,542	77.0	75.2	79.2	79.7
65 and 66 years	6	4	1	—	22.3	16.3	32.9	45.1	1,062	757	1,614	2,203	796	539	1,249	1,788	74.9	71.1	77.4	81.1
67 and 68 years	7	5	1	1	21.3	15.9	29.0	51.1	1,050	773	1,480	2,528	792	579	1,158	1,834	75.4	75.0	78.3	72.6
69 and 70 years	7	5	2	1	21.2	16.2	30.5	42.2	1,013	764	1,484	2,024	764	550	1,188	1,585	75.5	72.0	80.0	78.3
71 and 72 years	8	6	2	1	21.1	15.7	31.4	42.5	990	737	1,505	1,883	752	545	1,149	1,546	75.9	73.9	76.3	82.1
73 and 74 years	9	7	2	1	20.7	15.2	30.8	47.7	941	699	1,445	1,961	717	517	1,112	1,616	76.2	74.0	77.0	82.4
75 to 79 years	23	17	4	1	20.9	16.3	31.3	43.9	909	705	1,378	1,891	702	533	1,099	1,475	77.1	75.6	79.7	78.0
80 to 84 years	20	15	4	1	19.3	15.1	29.3	45.9	814	653	1,222	1,761	637	499	990	1,425	78.2	76.5	81.0	80.9
85 years and over	16	13	3	1	19.1	15.7	28.7	44.1	765	644	1,127	1,602	607	502	917	1,354	79.3	77.9	81.3	84.5
All Other Races																				
Total, 65 years and over	15	11	3	1	17.5	13.9	26.4	43.2	780	631	1,198	1,704	589	460	934	1,425	75.4	73.0	77.9	83.6
65 and 66 years	1	1	—	—	20.5	15.1	—	—	976	748	—	—	732	531	—	—	74.9	71.0	—	—
67 and 68 years	1	1	—	—	18.9	16.3	—	—	823	668	—	—	624	511	—	—	75.7	76.4	—	—
69 and 70 years	1	1	—	—	18.5	14.8	—	—	914	714	—	—	682	514	—	—	74.6	71.9	—	—
71 and 72 years	1	1	—	—	16.3	11.1	—	—	763	569	—	—	562	386	—	—	73.7	67.8	—	—
73 and 74 years	2	1	—	—	20.1	15.9	30.6	—	930	749	1,493	—	689	547	1,108	—	74.1	72.9	74.2	—
75 to 79 years	3	2	1	—																

Table 4.1.14 PERSONS DISCHARGED BY AGE, RACE, AND SEX: NUMBER OF HOSPITAL STAYS AND NONREIMBURSABLE CHARGES

[See NOTES preceding General Tables]

Number of stays, age, race, and sex	Persons (in thousands)	Annual rate per 1,000 enrolled population	Noncovered charges (in thousands)				
			Total amount	Inpatient hospital deductible	Coinsurance	Blood deductible	Other
Persons with one or more stays							
ALL PERSONS							
Total, 65 years and over	1,857	192.2	\$121,801	\$79,974	\$2,198	\$4,533	\$35,096
65 and 66 years	208	150.4	13,317	8,917	184	421	3,796
67 and 68 years	205	161.2	13,330	8,859	187	478	3,806
69 and 70 years	205	167.9	13,501	8,865	198	467	3,970
71 and 72 years	202	176.9	13,476	8,729	205	497	4,045
73 and 74 years	197	192.9	12,702	8,518	240	463	3,481
75 to 79 years	409	214.0	26,848	17,607	527	1,036	7,678
80 to 84 years	267	244.4	17,768	11,496	370	719	5,182
85 years and over	162	266.0	10,860	6,983	288	452	3,138
Men, 65 years and over	840	204.6	55,604	36,272	921	2,312	16,100
65 and 66 years	102	162.2	6,702	4,385	90	229	1,997
67 and 68 years	98	172.6	6,526	4,274	81	259	1,913
69 and 70 years	96	177.8	6,375	4,121	93	246	1,915
71 and 72 years	92	185.4	6,051	3,960	102	259	1,730
73 and 74 years	90	206.3	5,961	3,905	104	230	1,722
75 to 79 years	182	230.7	12,056	7,858	218	542	3,438
80 to 84 years	116	268.4	7,657	4,996	132	352	2,176
85 years and over	64	296.7	4,276	2,772	101	194	1,208
Women, 65 years and over	1,016	183.0	66,197	43,702	1,278	2,221	18,997
65 and 66 years	106	140.4	6,615	4,531	94	192	1,799
67 and 68 years	107	151.9	6,803	4,586	106	219	1,893
69 and 70 years	110	160.2	7,126	4,744	106	221	2,055
71 and 72 years	110	170.5	7,425	4,769	103	238	2,315
73 and 74 years	107	182.8	6,741	4,613	136	233	1,759
75 to 79 years	227	202.3	14,792	9,749	309	494	4,240
80 to 84 years	151	228.8	10,111	6,500	238	367	3,006
85 years and over	98	249.1	6,584	4,211	187	257	1,929
WHITE							
Total, 65 years and over	1,697	196.7	111,389	73,127	1,972	4,032	32,259
65 and 66 years	192	154.8	12,349	8,216	167	375	3,592
67 and 68 years	190	165.6	12,358	8,209	162	418	3,569
69 and 70 years	190	172.9	12,561	8,212	177	422	3,750
71 and 72 years	187	181.4	12,544	8,083	180	448	3,834
73 and 74 years	183	197.8	11,800	7,909	216	416	3,258
75 to 79 years	377	219.2	24,797	16,243	488	937	7,128
80 to 84 years	240	250.2	15,905	10,341	328	640	4,595
85 years and over	137	273.3	9,075	5,913	255	375	2,532
Men, 65 years and over	779	209.7	51,719	33,638	834	2,091	15,156
65 and 66 years	94	166.4	6,180	4,022	81	203	1,874
67 and 68 years	91	177.0	6,057	3,967	67	228	1,795
69 and 70 years	89	183.1	5,944	3,826	84	226	1,808
71 and 72 years	86	190.8	5,681	3,699	87	237	1,658
73 and 74 years	85	212.0	5,612	3,667	91	212	1,642
75 to 79 years	171	236.1	11,362	7,362	208	497	3,295
80 to 84 years	107	274.3	7,085	4,632	124	320	2,009
85 years and over	57	302.8	3,797	2,463	92	168	1,074
Women, 65 years and over	918	186.8	59,670	39,489	1,138	1,940	17,103
65 and 66 years	98	145.1	6,169	4,194	86	171	1,717
67 and 68 years	99	156.3	6,301	4,243	95	190	1,774
69 and 70 years	101	164.8	6,617	4,386	93	196	1,942
71 and 72 years	102	174.2	6,863	4,384	93	211	2,176
73 and 74 years	98	187.0	6,188	4,242	125	204	1,616
75 to 79 years	207	207.0	13,435	8,881	280	441	3,834
80 to 84 years	133	233.7	8,820	5,709	203	320	2,587
85 years and over	80	255.5	5,278	3,450	163	207	1,458
ALL OTHER RACES							
Total, 65 years and over	98	134.5	5,527	4,244	146	333	804
65 and 66 years	14	114.2	751	583	14	39	114
67 and 68 years	12	115.6	711	523	24	51	112
69 and 70 years	12	116.7	678	505	17	37	120
71 and 72 years	11	124.5	632	488	23	41	80
73 and 74 years	10	133.6	582	426	19	35	101
75 to 79 years	19	150.0	1,043	827	16	63	137
80 to 84 years	13	174.6	693	542	19	44	88
85 years and over	8	186.7	438	350	14	23	51
Men, 65 years and over	49	147.8	2,845	2,107	74	179	486
65 and 66 years	8	134.3	442	334	7	23	77
67 and 68 years	6	130.6	396	276	14	28	79
69 and 70 years	6	125.8	357	255	9	19	74
71 and 72 years	5	125.1	294	219	15	20	40
73 and 74 years	5	137.8	270	194	10	17	50
75 to 79 years	9	166.3	518	397	6	35	79
80 to 84 years	6	198.7	343	262	5	24	52
85 years and over	4	219.5	225	170	7	13	34
Women, 65 years and over	49	123.5	2,682	2,137	73	154	318
65 and 66 years	6	95.1	310	249	7	16	37
67 and 68 years	6	102.3	314	247	10	23	34
69 and 70 years	6	108.8	321	250	7	18	46
71 and 72 years	6	123.9	338	269	8	21	40
73 and 74 years	5	130.3	311	232	10	18	51
75 to 79 years	10	137.4	525	430	9	28	58
80 to 84 years	6	156.5	349	280	14	20	36
85 years and over	4	163.9	213	180	7	10	17

Table 4.1.14 PERSONS DISCHARGED BY AGE, RACE, AND SEX: NUMBER OF HOSPITAL STAYS AND NONREIMBURSABLE CHARGES—Con.

[See NOTES preceding General Tables]

Number of stays, age, race, and sex	Persons (in thousands)	Annual rate per 1,000 enrolled population	Noncovered charges (in thousands)				
			Total amount	Inpatient hospital deductible	Coinsurance	Blood deductible	Other
Persons with one stay							
ALL PERSONS							
Total, 65 years and over	1,480	153.2	\$82,604	\$58,441	\$807	\$2,757	\$20,600
65 and 66 years	168	121.6	9,300	6,647	61	266	2,327
67 and 68 years	164	128.7	9,030	6,486	60	279	2,206
69 and 70 years	164	134.0	9,187	6,473	70	284	2,360
71 and 72 years	161	141.1	9,201	6,373	67	294	2,466
73 and 74 years	157	153.1	8,604	6,197	80	278	2,048
75 to 79 years	325	170.0	18,057	12,838	193	623	4,404
80 to 84 years	211	193.2	11,797	8,317	148	440	2,891
85 years and over	130	213.0	7,428	5,110	128	293	1,897
Men, 65 years and over	658	160.2	36,976	25,965	302	1,348	9,361
65 and 66 years	82	129.6	4,641	3,224	36	145	1,236
67 and 68 years	77	135.4	4,280	3,053	23	144	1,059
69 and 70 years	75	140.1	4,291	2,972	36	146	1,138
71 and 72 years	72	145.7	4,098	2,844	27	147	1,079
73 and 74 years	70	160.2	3,976	2,771	32	135	1,038
75 to 79 years	142	180.0	7,985	5,610	71	315	1,988
80 to 84 years	89	207.3	4,871	3,518	51	203	1,100
85 years and over	50	231.4	2,834	1,972	26	113	723
Women, 65 years and over	822	148.0	45,627	32,475	505	1,408	11,239
65 and 66 years	87	114.9	4,659	3,423	25	120	1,091
67 and 68 years	87	123.3	4,750	3,432	36	134	1,147
69 and 70 years	89	129.2	4,896	3,501	35	138	1,222
71 and 72 years	89	137.6	5,103	3,529	40	147	1,387
73 and 74 years	87	147.8	4,628	3,427	48	143	1,010
75 to 79 years	183	163.0	10,072	7,227	122	307	2,416
80 to 84 years	122	184.0	6,926	4,799	97	238	1,792
85 years and over	80	202.8	4,594	3,137	102	181	1,174
WHITE							
Total, 65 years and over	1,350	156.4	75,338	53,313	707	2,433	18,886
65 and 66 years	155	125.1	8,614	6,120	56	233	2,205
67 and 68 years	152	132.0	8,375	6,001	48	243	2,082
69 and 70 years	151	137.6	8,507	5,981	57	252	2,217
71 and 72 years	149	144.5	8,525	5,902	57	264	2,302
73 and 74 years	145	156.7	7,996	5,742	71	248	1,936
75 to 79 years	299	173.8	16,657	11,815	177	560	4,105
80 to 84 years	189	197.2	10,503	7,454	134	393	2,521
85 years and over	109	217.7	6,161	4,299	106	239	1,517
Men, 65 years and over	609	163.8	34,297	24,016	265	1,205	8,811
65 and 66 years	75	132.7	4,267	2,951	32	127	1,157
67 and 68 years	71	138.3	3,972	2,822	15	126	1,009
69 and 70 years	70	144.0	3,994	2,756	33	132	1,072
71 and 72 years	67	149.7	3,833	2,654	20	134	1,025
73 and 74 years	66	164.4	3,746	2,596	28	125	998
75 to 79 years	133	183.7	7,484	5,238	66	285	1,895
80 to 84 years	83	211.3	4,493	3,250	50	182	1,011
85 years and over	44	235.3	2,508	1,748	22	94	644
Women, 65 years and over	741	150.9	41,041	29,297	441	1,227	10,074
65 and 66 years	80	118.8	4,347	3,169	25	106	1,048
67 and 68 years	80	126.9	4,402	3,179	33	117	1,073
69 and 70 years	82	132.5	4,514	3,224	24	120	1,145
71 and 72 years	82	140.6	4,692	3,248	36	130	1,278
73 and 74 years	79	150.9	4,250	3,146	43	123	938
75 to 79 years	166	166.6	9,174	6,577	111	275	2,210
80 to 84 years	107	187.5	6,010	4,204	85	211	1,510
85 years and over	65	207.1	3,652	2,551	84	145	872
ALL OTHER RACES							
Total, 65 years and over	80	109.4	3,900	3,157	66	219	457
65 and 66 years	11	93.6	534	439	3	28	65
67 and 68 years	10	95.3	486	393	11	32	50
69 and 70 years	10	95.6	479	378	9	26	65
71 and 72 years	9	100.0	436	352	9	24	51
73 and 74 years	8	108.0	396	317	10	23	47
75 to 79 years	16	121.7	768	617	11	42	98
80 to 84 years	10	140.9	479	401	6	27	45
85 years and over	7	151.3	322	260	8	17	37
Men, 65 years and over	40	120.0	1,999	1,565	33	118	283
65 and 66 years	6	109.7	315	250	2	17	46
67 and 68 years	5	109.0	270	210	8	17	34
69 and 70 years	5	101.2	246	187	3	13	43
71 and 72 years	4	101.9	206	161	7	12	27
73 and 74 years	4	110.0	182	143	4	10	25
75 to 79 years	8	135.1	385	297	5	24	58
80 to 84 years	5	158.7	236	193	1	16	26
85 years and over	3	177.5	160	124	2	9	24
Women, 65 years and over	40	100.6	1,901	1,592	33	101	174
65 and 66 years	5	78.2	219	189	—	11	19
67 and 68 years	5	83.1	216	183	3	14	16
69 and 70 years	5	90.7	233	191	6	14	22
71 and 72 years	5	98.5	230	191	2	13	24
73 and 74 years	4	106.4	214	174	5	13	22
75 to 79 years	8	111.4	383	320	6	17	40
80 to 84 years	5	127.6	242	208	5	11	18
85 years and over	3	133.2	162	136	6	8	13

Table 4.1.14 PERSONS DISCHARGED BY AGE, RACE, AND SEX: NUMBER OF HOSPITAL STAYS AND NONREIMBURSABLE CHARGES—Con.

[See NOTES preceding General Tables]

Number of stays, age, race, and sex	Persons (in thousands)	Annual rate per 1,000 enrolled population	Noncovered charges (in thousands)				
			Total amount	Inpatient hospital deductible	Coinsurance	Blood deductible	Other
Persons with two stays							
ALL PERSONS							
Total, 65 years and over	293	30.3	\$28,399	\$16,627	\$726	\$1,215	\$9,832
65 and 66 years	31	22.5	2,893	1,769	59	109	956
67 and 68 years	32	25.2	3,036	1,837	62	138	1,000
69 and 70 years	32	26.2	3,086	1,829	53	119	1,085
71 and 72 years	31	27.5	3,148	1,789	74	137	1,149
73 and 74 years	31	30.4	2,940	1,772	75	128	965
75 to 79 years	66	34.3	6,346	3,688	166	279	2,212
80 to 84 years	44	40.0	4,338	2,466	126	198	1,548
85 years and over	26	42.0	2,612	1,478	111	106	917
Men, 65 years and over	139	33.9	13,290	7,827	311	645	4,507
65 and 66 years	16	25.1	1,475	892	25	61	498
67 and 68 years	16	28.5	1,549	933	25	79	511
69 and 70 years	15	28.7	1,518	867	26	63	563
71 and 72 years	15	30.1	1,365	832	41	76	416
73 and 74 years	15	34.6	1,404	849	35	63	457
75 to 79 years	31	39.0	2,924	1,716	73	148	987
80 to 84 years	20	46.6	2,007	1,122	38	106	740
85 years and over	11	50.2	1,048	615	50	49	334
Women, 65 years and over	153	27.6	15,110	8,800	415	570	5,325
65 and 66 years	15	20.2	1,418	877	34	48	458
67 and 68 years	16	22.6	1,488	904	37	58	488
69 and 70 years	17	24.3	1,567	961	27	57	523
71 and 72 years	17	25.6	1,784	957	34	61	732
73 and 74 years	16	27.3	1,536	923	40	65	508
75 to 79 years	35	30.9	3,422	1,972	94	131	1,225
80 to 84 years	24	35.7	2,332	1,343	88	92	808
85 years and over	15	37.5	1,564	862	61	57	583
WHITE							
Total, 65 years and over	269	31.2	26,020	15,255	645	1,085	9,035
65 and 66 years	29	23.2	2,690	1,632	51	100	908
67 and 68 years	30	26.1	2,829	1,706	53	120	950
69 and 70 years	30	27.2	2,904	1,700	52	109	1,043
71 and 72 years	29	28.3	2,970	1,658	66	127	1,119
73 and 74 years	29	31.3	2,713	1,645	62	114	892
75 to 79 years	61	35.3	5,807	3,414	152	253	1,988
80 to 84 years	40	41.3	3,904	2,233	109	173	1,390
85 years and over	22	43.8	2,203	1,268	102	89	744
Men, 65 years and over	130	35.0	12,409	7,289	285	590	4,246
65 and 66 years	15	25.9	1,365	819	23	55	468
67 and 68 years	15	29.7	1,458	875	23	71	490
69 and 70 years	14	29.6	1,423	803	26	58	536
71 and 72 years	14	31.2	1,292	779	36	71	406
73 and 74 years	14	35.6	1,309	797	26	57	428
75 to 79 years	29	40.3	2,772	1,618	70	138	946
80 to 84 years	19	48.0	1,862	1,047	36	96	683
85 years and over	10	51.6	927	549	46	44	289
Women, 65 years and over	139	28.3	13,611	7,966	360	495	4,789
65 and 66 years	14	21.0	1,325	813	28	45	440
67 and 68 years	15	23.1	1,370	831	30	50	460
69 and 70 years	16	25.3	1,481	896	26	51	507
71 and 72 years	15	26.1	1,677	878	30	55	714
73 and 74 years	15	28.0	1,405	848	36	57	464
75 to 79 years	32	31.7	3,035	1,796	82	115	1,043
80 to 84 years	21	36.6	2,042	1,186	72	77	707
85 years and over	12	39.1	1,276	719	57	45	455
ALL OTHER RACES							
Total, 65 years and over	15	20.1	1,180	861	47	81	191
65 and 66 years	2	16.2	156	112	8	9	27
67 and 68 years	2	16.0	148	103	9	14	22
69 and 70 years	2	17.1	138	103	—	9	25
71 and 72 years	2	19.1	136	103	8	8	17
73 and 74 years	2	21.4	139	91	9	10	29
75 to 79 years	3	23.1	220	171	2	15	32
80 to 84 years	2	26.1	153	108	7	13	24
85 years and over	1	27.9	92	70	4	5	13
Men, 65 years and over	7	21.9	589	424	18	43	103
65 and 66 years	1	19.6	91	67	2	6	17
67 and 68 years	1	16.1	65	49	2	7	6
69 and 70 years	1	19.4	77	54	—	5	18
71 and 72 years	1	17.8	59	44	5	4	7
73 and 74 years	1	23.0	68	42	5	5	16
75 to 79 years	1	25.3	103	80	—	7	15
80 to 84 years	1	30.8	73	53	1	7	12
85 years and over	1	33.1	52	35	4	2	10
Women, 65 years and over	7	18.5	591	437	29	38	88
65 and 66 years	1	12.9	65	46	6	3	10
67 and 68 years	1	15.9	83	53	8	6	16
69 and 70 years	1	15.1	60	49	—	4	7
71 and 72 years	1	20.1	76	59	3	4	10
73 and 74 years	1	20.2	70	49	4	4	12
75 to 79 years	2	21.5	117	90	2	8	16
80 to 84 years	1	22.6	80	55	6	7	12
85 years and over	1	24.3	40	34	—	2	3

Table 4.1.14 PERSONS DISCHARGED BY AGE, RACE, AND SEX: NUMBER OF HOSPITAL STAYS AND NONREIMBURSABLE CHARGES—Con.

[See NOTES preceding General Tables]								
Number of stays, age, race, and sex	Persons (in thousands)	Annual rate per 1,000 enrolled population	Noncovered charges (in thousands)					
			Total amount	Inpatient hospital deductible	Coinurance	8load deductible	Other	
Persons with three or more stays								
ALL PERSONS								
Total, 65 years and over	84	8.7	\$10,798	\$4,907	\$665	\$561	\$4,665	
65 and 66 years	9	6.3	1,124	501	65	46	512	
67 and 68 years	9	7.2	1,263	537	65	62	600	
69 and 70 years	9	7.8	1,228	564	75	64	525	
71 and 72 years	9	8.3	1,127	567	64	66	430	
73 and 74 years	10	9.3	1,159	549	85	57	468	
75 to 79 years	19	9.7	2,444	1,081	168	134	1,062	
80 to 84 years	12	11.2	1,633	714	96	81	743	
85 years and over	7	11.1	820	395	48	52	324	
Men, 65 years and over								
65 and 66 years	43	10.5	5,338	2,480	308	318	2,232	
67 and 68 years	5	7.5	586	270	30	23	263	
69 and 68 years	5	8.7	698	288	33	35	342	
69 and 70 years	5	9.0	566	282	31	38	215	
71 and 72 years	5	9.6	589	283	34	36	235	
73 and 74 years	5	11.5	581	285	37	32	227	
75 to 79 years	9	11.6	1,147	531	75	78	463	
80 to 84 years	6	14.5	779	356	43	44	337	
85 years and over	3	15.1	393	184	25	33	151	
Women, 65 years and over								
65 and 66 years	41	7.4	5,460	2,427	357	243	2,433	
67 and 68 years	4	5.3	539	231	35	23	249	
67 and 68 years	4	5.9	565	249	32	26	258	
69 and 70 years	5	6.8	662	282	44	26	310	
71 and 72 years	5	7.3	538	283	29	30	196	
73 and 74 years	5	7.7	578	264	48	25	241	
75 to 79 years	9	8.4	1,297	549	93	55	599	
80 to 84 years	6	9.2	854	358	53	37	406	
85 years and over	3	8.8	427	211	23	19	173	
WHITE								
Total, 65 years and over	78	9.0	10,031	4,559	620	514	4,338	
65 and 66 years	8	6.5	1,045	464	60	42	479	
67 and 68 years	9	7.4	1,155	502	61	54	537	
69 and 70 years	9	8.1	1,149	531	68	61	489	
71 and 72 years	9	8.6	1,050	524	57	57	412	
73 and 74 years	9	9.8	1,090	522	83	54	430	
75 to 79 years	17	10.1	2,333	1,015	159	124	1,035	
80 to 84 years	11	11.8	1,498	654	85	74	684	
85 years and over	6	11.8	711	347	46	47	271	
Men, 65 years and over								
65 and 66 years	40	10.9	5,012	2,333	284	297	2,099	
65 and 66 years	4	7.8	548	251	26	21	249	
67 and 68 years	5	9.0	626	269	29	32	296	
69 and 70 years	5	9.4	527	266	25	36	200	
71 and 72 years	4	10.0	556	266	31	32	228	
73 and 74 years	5	12.1	557	273	36	31	216	
75 to 79 years	9	12.1	1,106	506	73	73	455	
80 to 84 years	6	15.0	731	335	39	43	315	
85 years and over	3	15.8	361	167	24	30	141	
Women, 65 years and over								
65 and 66 years	38	7.6	5,019	2,226	336	217	2,240	
65 and 66 years	4	5.4	497	212	34	21	230	
67 and 68 years	4	6.2	529	233	32	23	241	
69 and 70 years	4	7.1	622	265	42	25	290	
71 and 72 years	4	7.5	494	258	26	25	185	
73 and 74 years	4	8.1	533	249	47	24	214	
75 to 79 years	9	8.7	1,227	509	86	51	581	
80 to 84 years	5	9.5	767	320	46	32	369	
85 years and over	3	9.3	350	180	22	17	130	
ALL OTHER RACES								
Total, 65 years and over	4	5.1	447	226	33	33	156	
65 and 66 years	1	4.5	61	32	4	3	22	
67 and 68 years	—	4.3	77	27	4	6	40	
69 and 70 years	—	4.1	62	23	8	2	29	
71 and 72 years	—	5.4	60	32	7	9	12	
73 and 74 years	—	4.2	47	18	1	2	26	
75 to 79 years	1	5.2	56	40	3	6	7	
80 to 84 years	1	7.6	61	33	6	3	19	
85 years and over	—	7.4	24	20	2	2	1	
Men, 65 years and over								
65 and 66 years	2	5.9	257	118	22	18	100	
65 and 66 years	—	5.0	36	17	3	1	14	
67 and 68 years	—	5.5	62	16	4	4	38	
69 and 70 years	—	5.2	34	14	6	2	13	
71 and 72 years	—	5.5	29	14	4	4	6	
73 and 74 years	—	4.8	20	9	1	1	8	
75 to 79 years	—	5.9	31	20	1	4	6	
80 to 84 years	—	9.3	34	17	3	1	13	
85 years and over	—	8.9	13	11	1	1	—	
Women, 65 years and over								
65 and 66 years	2	4.4	189	108	11	15	56	
65 and 66 years	—	3.9	25	15	1	2	7	
67 and 68 years	—	3.3	15	11	—	2	2	
69 and 70 years	—	3.1	27	10	1	—	16	
71 and 72 years	—	5.3	31	18	3	4	6	
73 and 74 years	—	3.7	27	9	—	1	17	
75 to 79 years	—	4.6	25	20	1	2	2	
80 to 84 years	—	6.3	27	17	3	2	5	
85 years and over	—	6.4	11	10	1	—	1	

Table 4.1.15 DISCHARGES BY MONTH: MONTH OF ADMISSION, TOTAL STAY, TOTAL AND DAILY USAGE RATES, AND LENGTH OF STAY FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

(See NOTES preceding General Tables)

Month	Admissions		Discharges		Total days of care for discharges			Length of stay per discharge	
	Number (in thousands)	Annual rate per 1,000 enrolled population ¹	Number (in thousands)	Annual rate per 1,000 enrolled population ¹	Number (in thousands)	Days per 1,000 enrolled population	Daily bed usage per 1,000 enrolled population	Mean days	Median days
ALL DISCHARGES									
Total.....	2,350	243.2	2,350	243.2	31,112	3,220.4	8.8	13.2	9.7
Events before July 1.....	126	—	—	—	1	—	—	*	*
July.....	405	249.9	364	224.6	4,467	2,756.2	7.6	12.3	9.2
August.....	394	242.8	393	242.1	5,170	3,185.4	8.7	13.2	9.6
September.....	385	244.8	381	242.2	5,145	3,271.0	9.0	13.5	9.6
October.....	409	251.3	408	250.7	5,460	3,354.5	9.2	13.4	9.7
November.....	385	244.2	399	253.0	5,383	3,413.8	9.4	13.5	9.8
December.....	245	150.2	406	248.9	5,487	3,363.8	9.2	13.5	9.7
WITH SURGERY									
Total.....	767	79.4	767	79.4	10,892	1,127.5	3.1	14.2	10.8
Events before July 1.....	24	—	—	—	1	—	—	*	*
July.....	140	86.4	103	63.6	1,175	725.0	2.0	11.4	9.3
August.....	133	81.9	131	80.7	1,869	1,151.6	3.2	14.2	11.1
September.....	131	83.3	129	82.0	1,900	1,208.0	3.3	14.7	11.1
October.....	140	86.0	137	84.2	1,987	1,220.8	3.3	14.5	11.1
November.....	130	82.4	137	86.9	1,995	1,265.2	3.5	14.6	11.2
December.....	69	42.3	129	79.1	1,965	1,204.6	3.3	15.2	11.7
WITHOUT SURGERY									
Total.....	1,583	163.8	1,583	163.8	20,220	2,092.9	5.7	12.8	9.0
Events before July 1.....	102	—	—	—	—	—	—	*	*
July.....	265	163.5	261	161.0	3,292	2,031.2	5.6	12.6	9.1
August.....	261	160.8	261	160.8	3,301	2,033.9	5.6	12.6	9.0
September.....	254	161.5	252	160.2	3,244	2,062.4	5.7	12.9	9.0
October.....	269	165.3	271	166.5	3,473	2,133.8	5.8	12.8	9.2
November.....	255	161.7	262	166.2	3,388	2,148.6	5.9	12.9	9.2
December.....	175	107.3	276	169.2	3,522	2,159.2	5.9	12.8	9.1

¹Rates on an annual basis using monthly enrollment figures. Rates adjusted for length of month.

Table 4.1.16 DISCHARGES BY POPULATION SIZE GROUPS OF SMSA'S, AND FOR EACH AREA OF 500,000 POPULATION OR MORE IN 1960: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY

[See NOTES preceding General Tables]

SMSA of residence	Discharges		Days of care					Hospital charges					
	Number (in thousands)	Annual rate per 1,000 enrolled popu- lation	Total (in thousands)	Annual rate per 1,000 enrolled popu- lation	Covered days			Amount			Reimbursed by hospital insurance		
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges	
ALL DISCHARGES													
All SMSA's													
Total.....	1,354	226.4	19,011	3,179.4	17,554	13.0	92.3	\$900,636	\$665	\$47	\$711,403	79.0	
1960 population of—													
3,000,000 or more.....	384	214.9	5,866	3,282.7	5,364	14.0	91.4	315,814	823	54	245,884	77.9	
1,000,000 to 3,000,000.....	306	228.6	4,330	3,232.1	4,001	13.1	92.4	204,746	669	47	162,602	79.4	
500,000 to 1,000,000.....	279	222.1	3,752	2,982.1	3,493	12.5	93.1	178,503	639	48	143,130	80.2	
250,000 to 500,000.....	193	236.4	2,616	3,210.4	2,423	12.6	92.7	105,913	550	40	83,612	78.9	
100,000 to 250,000.....	168	242.8	2,173	3,144.1	2,016	12.0	92.7	85,657	510	39	68,441	79.9	
50,000 to 100,000.....	24	265.1	274	3,092.9	257	10.9	93.6	10,004	425	36	7,734	77.3	
SMSA's of 500,000 or more													
Akron, Ohio.....	7	237.5	103	3,614.5	96	14.2	93.2	4,829	714	47	3,932	81.4	
Albany-Schenectady-Tray, N.Y.....	9	213.6	131	3,268.6	120	14.1	91.8	6,205	727	48	4,593	74.0	
Anaheim-Santa Ana-Garden Grove, Calif.....	9	208.2	99	2,413.9	90	10.5	90.8	6,078	711	61	5,344	87.9	
Atlanta, Ga.....	8	197.1	96	2,322.8	93	11.3	96.2	3,920	480	41	2,901	74.0	
Baltimore, Md.....	14	176.7	212	2,729.0	200	14.5	94.2	11,836	863	56	8,819	74.5	
Birmingham, Ala.....	5	181.1	67	2,234.1	65	11.9	96.3	3,184	586	48	2,193	68.9	
Boston-Lowell-Lawrence, Mass., SEA.....	39	214.2	593	3,217.8	542	13.7	91.4	30,724	779	52	25,177	81.9	
Bridgeport-Stamford-Norwalk, Conn., SEA.....	8	231.5	116	3,317.2	108	13.3	93.1	6,594	816	57	4,983	75.6	
Buffalo, N.Y.....	14	216.3	263	4,010.5	233	16.4	88.7	11,080	782	42	8,227	74.3	
Chicago, Ill.....	67	221.9	1,041	3,457.5	956	14.3	91.8	49,105	735	47	41,007	83.5	
Cincinnati, Ohio-Ky., Ind.....	12	189.7	195	3,024.2	180	14.7	92.2	7,401	605	38	6,114	82.6	
Cleveland, Ohio.....	21	225.2	316	3,443.0	290	14.0	91.6	14,995	725	47	11,662	77.8	
Columbus, Ohio.....	7	196.1	96	2,865.0	88	13.4	91.6	3,913	597	41	2,977	76.1	
Dallas, Tex.....	13	263.0	142	2,934.8	136	10.7	95.4	6,848	538	48	5,659	82.6	
Dayton, Ohio.....	7	221.0	104	3,434.8	94	14.0	90.1	3,828	571	37	3,371	88.1	
Denver, Colo.....	13	301.9	176	3,942.1	164	12.2	93.2	9,043	671	51	6,919	76.5	
Detroit, Mich.....	37	225.5	532	3,261.1	506	13.8	95.1	28,199	767	53	21,987	78.0	
Fair Worth, Tex.....	7	269.0	79	3,005.0	74	10.5	94.4	3,156	449	40	2,481	78.6	
Gary-Hammond-East Chicago, Ind.....	4	208.6	63	3,054.6	58	13.7	93.4	2,508	587	40	2,026	80.8	
Hartford-New Britain-Bristol, Conn., SEA.....	8	204.6	108	2,936.1	102	13.5	94.3	5,599	741	52	4,550	81.3	
Honolulu, Hawaii.....	3	247.3	42	3,174.8	39	12.1	93.9	2,039	623	49	1,626	79.8	
Houston, Tex.....	14	280.0	169	3,296.3	162	11.3	95.7	7,272	506	43	5,756	79.2	
Indianapolis, Ind.....	8	182.8	125	2,842.6	116	14.5	93.4	5,353	668	43	4,475	83.6	
Jersey City, N.J.....	6	189.7	105	3,107.1	96	15.0	91.6	4,905	763	47	3,647	74.4	
Kansas City, Mo.-Kans.....	14	243.2	194	3,486.0	182	13.4	93.6	7,800	576	40	6,384	81.8	
Los Angeles-Long Beach, Calif.....	70	227.8	829	2,710.9	774	11.1	93.5	51,737	743	62	44,371	85.8	
Louisville, Ky.-Ind.....	8	226.4	100	2,863.4	94	11.9	93.9	3,928	495	39	3,181	81.0	
Memphis, Tenn.-Ark.....	6	210.0	80	2,726.2	75	12.2	94.0	3,516	568	44	2,557	72.7	
Miami, Fla.....	18	286.0	237	3,673.4	226	12.2	95.3	12,256	664	52	10,201	83.2	
Milwaukee, Wis.....	17	267.9	238	3,822.1	214	12.8	90.0	11,511	691	48	9,596	83.4	
Minneapolis-St. Paul, Minn.....	25	322.2	345	4,476.8	320	12.9	92.7	16,551	667	48	14,304	86.4	
New Haven-Meriden-Waterbury, Conn., SEA.....	8	205.8	106	2,866.8	100	13.2	94.4	6,135	805	58	4,569	74.5	
New Orleans, La.....	6	155.1	84	2,143.2	78	12.9	93.3	3,274	538	39	2,815	86.0	
New York, N.Y.....	122	201.4	2,068	3,401.1	1,851	15.1	89.5	120,025	980	58	88,570	73.8	
Newark, N.J.....	19	208.1	271	3,028.4	255	13.7	94.0	14,130	758	52	10,441	73.9	
Norfolk-Portsmouth, Va.....	4	221.6	54	2,966.8	51	12.6	93.8	2,437	603	45	1,612	66.1	
Oklahoma City, Okla.....	6	236.4	63	2,624.2	61	10.6	95.6	2,938	514	46	2,365	80.5	
Patterson-Clifton-Passaic, N.J.....	11	181.9	160	2,558.2	151	13.3	94.5	8,312	729	52	5,969	71.8	
Philadelphia, Pa.-N.J.....	49	217.2	804	3,574.6	736	15.1	91.5	36,023	738	45	24,772	68.8	
Phoenix, Ariz.....	9	260.2	113	3,211.6	108	11.8	95.8	6,012	656	53	4,941	82.2	
Pittsburgh, Pa.....	29	233.7	462	3,738.4	427	14.8	92.5	19,888	689	43	14,773	74.3	
Portland, Oreg.-Wash.....	12	233.2	136	2,629.2	129	10.7	95.1	6,742	558	49	5,600	83.1	
Providence-Pawtucket-Warwick, R.I., SEA.....	8	192.1	125	2,831.0	119	14.1	95.7	6,470	765	52	5,259	81.3	
Rochester, N.Y.....	8	191.4	118	2,763.1	109	13.3	92.2	6,405	785	54	4,822	75.3	
Sacramento, Calif.....	6	208.7	84	2,941.9	66	11.1	78.4	3,646	613	43	3,092	84.8	
St. Louis, Mo.-Ill.....	27	248.6	395	3,578.6	371	13.5	94.1	15,878	579	40	12,247	77.1	
San Antonio, Tex.....	6	209.2	69	2,303.6	65	10.5	95.3	2,857	459	42	2,083	72.9	
San Bernadina-Riverside-Ontario, Calif.....	13	232.3	141	2,616.6	132	10.5	93.4	7,809	622	55	6,898	88.3	
San Diego, Calif.....	11	207.6	118	2,324.7	110	10.4	92.7	6,721	637	57	5,772	85.9	
San Francisco-Oakland, Calif.....	30	218.9	397	2,873.5	349	11.5	87.8	21,942	724	55	19,092	87.0	
San Jose, Calif.....	6	215.4	77	2,613.9	69	11.0	90.5	4,818	764	63	4,310	89.5	
Seattle-Everett, Wash.....	14	238.6	145	2,467.3	135	9.7	93.5	8,002	572	55	6,717	83.9	
Springfield-Chicopee-Holyoke, Mass., SEA.....	7	231.4	112	3,644.3	99	13.9	88.3	4,559	638	41	3,724	81.7	
Syracuse, N.Y.....	6	187.4	78	2,600.4	72	12.9	93.3	3,895	696	50	2,998	77.0	
Tampa-St. Petersburg, Fla.....	19	218.6	233	2,739.0	221	11.9	94.7	9,745	524	42	7,682	78.8	
Toledo, Ohio-Mich.....	8	255.0	110	3,453.4	103	12.7	93.8	4,654	575	42	3,897	83.7	
Washington, D.C.-Md.-Va.....	14	199.1	212	3,011.6	195	13.9	91.9	10,658	760	50	8,168	76.6	
Worcester, Mass., SEA.....	9	247.8	133	3,710.8	125	14.0	93.6	5,718	641	43	4,811	84.1	
Youngstown-Warren, Ohio.....	5	224.0	86	3,499.4	78	14.3	91.2	3,457	632	40	2,594	75.0	

Table 4.1.16 DISCHARGES BY POPULATION SIZE GROUPS OF SMSA'S, AND FOR EACH AREA OF 500,000 POPULATION OR MORE IN 1960: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.


(See NOTES preceding General Tables)

SMSA of residence	Discharges		Days of care					Hospital charges				
	Number (in thousands)	Annual rate per 1,000 enrolled popu- lation	Total (in thousands)	Annual rate per 1,000 enrolled popu- lation	Covered days			Amount			Reimbursed by hospital insurance	
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges
WITH SURGERY												
All SMSA's												
Total.....	493	82.5	7,214	1,206.5	6,951	14.1	96.4	\$393,910	\$798	\$55	\$305,865	77.6
1960 population of—												
3,000,000 or more.....	145	81.3	2,265	1,267.7	2,168	14.9	95.7	138,446	953	61	106,324	76.8
1,000,000 to 3,000,000.....	114	85.1	1,679	1,253.2	1,618	14.2	96.4	91,248	800	54	71,077	77.9
500,000 to 1,000,000.....	104	82.8	1,460	1,160.1	1,415	13.6	96.9	79,690	765	55	62,611	78.6
250,000 to 500,000.....	66	81.4	933	1,145.8	906	13.7	97.0	44,259	667	47	34,267	77.4
100,000 to 250,000.....	57	81.9	787	1,138.1	757	13.4	96.3	36,306	641	46	28,488	78.5
50,000 to 100,000.....	7	78.5	90	1,015.0	87	12.6	97.1	3,940	566	44	3,098	78.6
SMSA's of 500,000 or more												
Akron, Ohio.....	3	90.3	42	1,488.0	41	15.9	96.6	2,208	860	52	1,717	77.8
Albany-Schenectady-Troy, N.Y.....	3	76.7	52	1,296.6	49	15.9	93.9	2,768	903	53	1,904	68.8
Anaheim-Santa Ana-Garden Grove, Calif.....	4	87.1	39	951.4	38	10.6	97.0	2,933	820	75	2,575	87.8
Atlanta, Ga.....	3	71.5	38	926.2	37	12.6	97.5	1,797	607	47	1,345	74.9
Baltimore, Md.....	6	82.3	101	1,305.5	99	15.5	97.6	6,226	974	61	4,617	74.1
Birmingham, Ala.....	2	63.1	27	885.3	26	13.8	98.6	1,417	748	53	914	64.5
Boston-Lowell-Lawrence, Mass., SEA.....	13	73.1	219	1,188.4	208	15.4	95.0	12,822	952	59	10,617	82.8
Bridgeport-Stamford-Norwalk, Conn., SEA.....	3	89.9	46	1,323.8	45	14.3	97.0	2,926	933	63	2,095	71.6
Buffalo, N.Y.....	5	75.0	94	1,437.1	89	18.0	94.1	4,526	921	48	3,162	69.9
Chicago, Ill.....	25	83.5	419	1,390.7	398	15.8	95.1	22,384	891	53	18,984	84.8
Cincinnati, Ohio-Ky., Ind.....	5	73.5	78	1,213.1	76	16.0	97.1	3,393	716	43	2,688	79.2
Cleveland, Ohio.....	8	86.7	130	1,418.9	126	15.8	96.5	6,748	848	52	5,112	75.8
Columbus, Ohio.....	2	74.2	39	1,175.6	38	15.4	97.0	1,853	747	47	1,370	73.9
Dallas, Tex.....	5	94.1	57	1,172.1	55	12.1	97.1	3,005	660	53	2,500	83.2
Dayton, Ohio.....	2	74.1	35	1,153.8	34	15.0	96.3	1,511	673	43	1,250	82.8
Denver, Colo.....	5	109.3	68	1,517.0	67	13.6	98.3	3,967	812	59	2,814	70.9
Detroit, Mich.....	14	86.9	216	1,326.7	213	15.0	98.3	12,908	911	60	10,186	78.9
Fort Worth, Tex.....	2	80.1	27	1,049.1	27	12.7	96.7	1,276	609	47	1,028	80.5
Gary-Hammond-East Chicago, Ind.....	2	79.5	26	1,254.5	25	15.3	97.1	1,181	725	46	979	82.9
Hartford-New Britain-Bristol, Conn., SEA.....	3	88.4	49	1,340.9	47	14.4	94.9	2,772	850	56	2,235	80.6
Honolulu, Hawaii.....	1	93.2	17	1,295.6	17	13.8	99.1	1,003	813	58	815	81.2
Houston, Tex.....	5	90.8	61	1,184.1	60	12.8	98.0	2,994	643	49	2,422	80.9
Indianapolis, Ind.....	4	81.6	55	1,243.7	53	14.8	97.3	2,615	731	48	2,202	84.2
Jersey City, N.J.....	2	62.4	34	1,012.5	34	15.9	97.7	1,879	889	55	1,312	69.8
Kansas City, Mo.-Kans.....	4	79.3	67	1,209.1	64	14.6	95.5	3,144	712	47	2,613	83.1
Los Angeles-Long Beach, Calif.....	27	89.9	339	1,109.3	328	11.9	96.7	24,221	882	71	20,927	86.4
Louisville, Ky.-Ind.....	3	78.6	37	1,051.5	36	13.2	98.8	1,638	595	44	1,339	81.7
Memphis, Tenn.-Ark.....	2	73.8	34	1,137.6	31	14.5	93.9	1,569	722	47	1,082	69.0
Miami, Fla.....	7	108.9	98	1,522.3	96	13.6	97.5	5,547	790	56	4,671	84.2
Milwaukee, Wis.....	6	94.9	87	1,406.5	86	14.6	98.3	5,133	870	59	4,374	85.2
Minneapolis-St. Paul, Minn.....	8	104.6	122	1,585.1	116	14.4	94.9	6,782	842	56	5,939	87.6
New Haven-Meriden-Waterbury, Conn., SEA.....	3	78.8	42	1,134.9	41	14.1	98.1	2,770	949	66	1,939	70.0
New Orleans, La.....	2	52.1	30	775.9	29	14.4	96.5	1,329	649	44	1,069	80.4
New York, N.Y.....	46	76.3	768	1,263.0	729	15.7	95.0	50,746	1,093	66	35,707	70.4
Newark, N.J.....	6	70.3	94	1,050.0	91	14.4	96.7	5,452	866	58	3,792	69.6
Norfolk-Portsmouth, Va.....	1	76.4	20	1,087.8	19	13.8	96.7	1,054	756	53	633	60.0
Oklahoma City, Okla.....	2	88.1	24	1,010.2	24	11.1	97.0	1,277	600	52	1,032	80.8
Patterson-Clifton-Passaic, N.J.....	5	73.7	63	1,008.7	62	13.4	97.6	3,629	786	57	2,499	68.9
Philadelphia, Pa.-N.J.....	19	82.6	304	1,353.5	292	15.7	95.9	15,366	827	50	9,903	64.4
Phoenix, Ariz.....	3	94.4	40	1,140.7	40	11.9	98.5	2,501	753	62	1,861	74.4
Pittsburgh, Pa.....	12	94.0	190	1,540.1	183	15.8	96.3	9,430	812	50	6,444	68.3
Portland, Ore.-Wash.....	5	88.8	56	1,081.0	55	12.0	98.4	3,147	684	56	2,653	84.3
Providence-Pawtucket-Warwick, R.I., SEA.....	3	78.0	50	1,125.1	49	14.3	99.1	2,837	826	57	2,324	81.9
Rochester, N.Y.....	3	79.3	48	1,134.9	47	13.9	97.2	3,066	906	63	2,151	70.2
Sacramento, Calif.....	2	80.1	30	1,063.1	26	11.5	86.4	1,654	724	55	1,403	84.8
St. Louis, Mo.-Ill.....	10	89.6	152	1,374.5	148	15.0	97.5	7,093	717	47	5,140	72.5
San Antonio, Tex.....	2	75.4	26	873.9	26	11.5	98.9	1,298	578	50	968	74.6
San Bernardino-Riverside-Ontario, Calif.....	5	93.0	58	1,065.5	56	11.2	97.5	3,701	736	64	3,308	89.4
San Diego, Calif.....	5	92.2	55	1,081.5	53	11.3	96.2	3,543	755	64	3,078	86.9
San Francisco-Oakland, Calif.....	11	82.9	147	1,059.6	139	12.1	94.7	9,741	850	66	8,575	88.0
San Jose, Calif.....	2	81.7	28	957.1	27	11.2	95.3	2,112	883	75	1,884	89.2
Seattle-Everett, Wash.....	5	91.8	57	972.8	54	10.1	94.9	3,715	691	65	3,146	84.7
Springfield-Chicopee-Holyoke, Mass., SEA.....	2	77.5	37	1,207.4	35	14.6	93.4	1,772	741	48	1,483	83.7
Syracuse, N.Y.....	2	60.8	27	905.0	27	14.6	98.4	1,586	874	59	1,174	74.0
Tampa-St. Petersburg, Fla.....	7	85.4	98	1,147.0	95	13.1	97.4	4,655	641	48	3,696	79.4
Toledo, Ohio-Mich.....	3	88.3	40	1,267.9	40	14.1	98.4	1,959	699	49	1,674	85.4
Washington, O.C.-Md.-Va.....	6	79.2	85	1,200.2	81	14.5	95.8	4,917	882	58	3,631	73.8
Worcester, Mass., SEA.....	3	87.2	50	1,386.1	48	15.5	97.3	2,494	795	50	2,084	83.6
Youngstown-Warren, Ohio.....	2	74.6	30	1,218.8	29	16.0	97.6	1,414	776	47	975	68.9

Table 4.1.16 DISCHARGES BY POPULATION SIZE GROUPS OF SMSA'S, AND FOR EACH AREA OF 500,000 POPULATION OR MORE IN 1960: UTILIZATION, CHARGES, AND REIMBURSEMENT FOR PATIENTS WITH SURGERY AND WITHOUT SURGERY—Con.

[See NOTES preceding General Tables]

SMSA of residence	Discharges		Days of core					Hospital charges					
	Number (in thousands)	Annual rate per 1,000 enrolled popu- lation	Total (in thousands)	Annual rate per 1,000 enrolled popu- lation	Covered days			Amount			Reimbursed by hospital insurance		
					Total (in thousands)	Per dis- charge	Percent of total days	Total (in thousands)	Per discharge	Per day	Amount (in thousands)	Percent of total charges	
WITHOUT SURGERY													
All SMSA's													
Total.....	860	143.9	11,797	1,973.0	10,603	12.3	89.9	\$506,726	\$589	\$43	\$405,537	80.0	
1960 population of—													
3,000,000 or more.....	239	133.6	3,601	2,015.0	3,197	13.4	88.8	177,367	743	49	139,560	78.7	
1,000,000 to 3,000,000.....	192	143.4	2,651	1,978.9	2,383	12.4	89.9	113,477	590	43	91,524	80.7	
500,000 to 1,000,000.....	175	139.3	2,292	1,822.0	2,078	11.9	90.6	98,813	564	43	80,519	81.5	
250,000 to 500,000.....	126	155.0	1,682	2,064.6	1,517	12.0	90.2	61,654	488	37	49,344	80.0	
100,000 to 250,000.....	111	160.9	1,387	2,006.1	1,258	11.3	90.7	49,351	444	36	39,953	81.0	
50,000 to 100,000.....	17	186.6	184	2,078.0	169	10.2	91.9	6,064	366	33	4,636	76.5	
SMSA's of 500,000 or more													
Akron, Ohio.....	4	147.2	61	2,126.6	55	13.1	90.8	2,621	626	43	2,214	84.5	
Albany-Schenectady-Troy, N.Y.....	5	136.9	79	1,972.0	71	13.0	90.5	3,437	628	44	2,689	78.2	
Anaheim-Santa Ana-Garden Grove, Calif.....	5	121.1	60	1,462.6	52	10.5	86.7	3,145	633	52	2,769	88.0	
Atlanta, Ga.....	5	125.6	58	1,396.6	55	10.6	95.3	2,124	408	37	1,556	73.3	
Baltimore, Md.....	7	94.4	111	1,423.5	101	13.7	91.1	5,610	765	51	4,203	74.9	
Birmingham, Ala.....	4	118.0	40	1,348.8	38	10.8	94.8	1,767	499	44	1,279	72.4	
Boston-Lowell-Lawrence, Mass., SEA.....	26	141.1	374	2,029.4	334	12.8	89.3	17,901	689	48	14,560	81.3	
Bridgeport-Stamford-Norwalk, Conn., SEA.....	5	141.6	70	1,993.4	63	12.8	90.6	3,667	742	53	2,889	78.8	
Buffalo, N.Y.....	9	141.3	169	2,573.5	144	15.6	85.6	6,554	708	39	5,065	77.3	
Chicago, Ill.....	42	138.4	622	2,066.8	558	13.4	89.7	26,722	641	43	22,022	82.4	
Cincinnati, Ohio-Ky., Ind.....	7	116.2	117	1,811.1	104	13.8	88.8	4,008	535	34	3,426	85.5	
Cleveland, Ohio.....	13	138.5	186	2,024.1	164	12.9	88.2	8,246	648	44	6,549	79.4	
Columbus, Ohio.....	4	121.9	56	1,689.3	50	12.2	87.9	2,060	505	36	1,607	78.0	
Dallas, Tex.....	8	168.9	85	1,762.7	81	9.8	94.3	3,843	470	45	3,159	82.2	
Dayton, Ohio.....	4	146.9	69	2,280.9	60	13.5	86.9	2,317	520	34	2,121	91.5	
Denver, Colo.....	9	192.6	108	2,425.1	97	11.3	90.0	5,076	590	47	4,105	80.9	
Detroit, Mich.....	23	138.6	315	1,934.5	293	13.0	93.0	15,292	677	48	11,801	77.2	
Fort Worth, Tex.....	5	188.9	51	1,955.9	48	9.6	93.2	1,880	381	37	1,454	77.3	
Gary-Hammond-East Chicago, Ind.....	3	129.1	37	1,800.1	33	12.7	90.9	1,327	502	36	1,047	78.9	
Hartford-New Britain-Bristol, Conn., SEA.....	4	116.3	59	1,595.2	55	12.9	93.8	2,827	659	48	2,315	81.9	
Honolulu, Hawaii.....	2	154.1	25	1,879.2	22	11.0	90.4	1,036	508	42	811	78.3	
Houston, Tex.....	10	189.2	108	2,112.1	102	10.5	94.4	4,278	441	39	3,334	77.9	
Indianapolis, Ind.....	4	101.3	70	1,598.9	63	14.3	90.3	2,738	616	39	2,273	83.0	
Jersey City, N.J.....	4	127.4	71	2,094.7	63	14.6	88.6	3,026	701	43	2,335	77.2	
Kansas City, Mo.-Kans.....	9	164.0	127	2,276.9	117	12.9	92.6	4,656	510	37	3,771	81.0	
Los Angeles-Long Beach, Calif.....	42	137.9	490	1,601.6	447	10.6	91.2	27,516	653	56	23,445	85.2	
Louisville, Ky.-Ind.....	5	147.8	63	1,811.9	58	11.2	91.1	2,290	442	36	1,843	80.5	
Memphis, Tenn.-Ark.....	4	136.2	47	1,588.6	44	11.0	94.0	1,947	485	42	1,475	75.8	
Miami, Fla.....	11	177.1	139	2,151.1	130	11.4	93.8	6,709	587	48	5,530	82.4	
Milwaukee, Wis.....	11	173.0	150	2,415.6	128	11.9	85.2	6,378	593	42	5,222	81.9	
Minneapolis-St. Paul, Minn.....	17	217.6	223	2,891.7	204	12.2	91.5	9,769	583	44	8,365	85.6	
New Haven-Meriden-Waterbury, Conn., SEA.....	5	127.0	64	1,731.9	59	12.5	92.0	3,365	715	52	2,631	78.2	
New Orleans, La.....	4	103.0	54	1,367.3	49	12.2	91.5	1,945	481	36	1,747	89.8	
New York, N.Y.....	76	125.1	1,300	2,138.1	1,122	14.7	86.3	69,279	911	53	52,863	76.3	
Newark, N.J.....	12	137.8	177	1,978.4	164	13.3	92.6	8,678	703	49	6,649	76.6	
Norfolk-Portsmouth, Va.....	3	145.2	34	1,878.9	32	11.9	92.1	1,383	522	40	979	70.8	
Oklaoma City, Okla.....	4	148.3	39	1,614.0	37	10.3	94.8	1,661	463	43	1,333	80.3	
Patterson-Clifton-Passaic, N.J.....	7	108.2	97	1,549.6	90	13.2	92.4	4,682	691	48	3,470	74.1	
Philadelphia, Pa.-N.J.....	30	134.6	500	2,221.2	444	14.7	88.8	20,657	683	41	14,869	72.0	
Phoenix, Ariz.....	6	165.8	73	2,070.9	69	11.8	94.3	3,510	601	48	3,080	87.7	
Pittsburgh, Pa.....	17	139.7	271	2,198.3	244	14.1	89.8	10,458	606	39	8,329	79.6	
Portland, Oreg.-Wash.....	7	144.4	80	1,548.3	74	9.9	92.7	3,594	480	45	2,947	82.0	
Providence-Pawtucket-Warwick, R.I., SEA.....	5	114.1	75	1,705.9	70	14.0	93.5	3,633	723	48	2,935	80.8	
Rochester, N.Y.....	5	112.1	69	1,628.2	62	12.9	88.8	3,339	699	48	2,671	80.0	
Sacramento, Calif.....	4	128.6	54	1,878.8	40	10.8	73.9	1,992	544	37	1,690	84.8	
St. Louis, Mo.-Ill.....	18	159.0	243	2,204.1	224	12.7	91.9	8,785	501	36	7,107	80.9	
San Antonio, Tex.....	4	133.8	43	1,429.8	40	10.0	93.1	1,560	392	37	1,115	71.5	
San Bernardino-Riverside-Ontario, Calif.....	8	139.3	84	1,551.1	76	10.1	90.6	4,107	545	49	3,590	87.4	
San Diego, Calif.....	6	115.3	63	1,243.1	57	9.7	89.6	3,178	542	50	2,694	84.8	
San Francisco-Oakland, Calif.....	19	136.1	251	1,813.9	210	11.2	83.8	12,201	648	49	10,517	86.2	
San Jose, Calif.....	4	133.7	48	1,656.8	43	10.9	87.8	2,706	692	56	2,426	89.7	
Seattle-Everett, Wash.....	9	146.8	88	1,494.5	81	9.4	92.7	4,287	498	49	3,570	83.3	
Springfield-Chicopee-Holyoke, Mass., SEA.....	5	153.9	75	2,436.9	65	13.6	85.8	2,787	587	37	2,241	80.4	
Syracuse, N.Y.....	4	126.6	51	1,695.4	46	12.1	90.6	2,309	611	46	1,824	79.0	
Tampa-St. Petersburg, Fla.....	11	133.2	135	1,592.0	126	11.1	92.8	5,090	449	38	3,986	78.3	
Toledo, Ohio-Mich.....	5	166.6	69	2,185.5	63	12.0	91.1	2,695	510	39	2,223	82.5	
Washington, D.C.-Md.-Va.....	8	119.9	128	1,811.5	114	13.5	89.3	5,741	680	45	4,537	79.0	
Worcester, Mass., SEA.....	6	160.6	84	2,324.7	76	13.2	91.3	3,223	558	39	2,726	84.6	
Youngstown-Warren, Ohio.....	4	149.4	56	2,280.6	49	13.4	87.8	2,044	560	37	1,619	79.2	



Other Data Sources on the Health Insurance for the Aged Program

The *Health Insurance Statistics* series is designed to present current, quick-release data from the Medicare Program. Two report series are issued in this format:

The *Health Insurance* (HI) series has included numerous releases since 1967. Issues released prior to 1970 are out of print, but available in many libraries.

The *Current Medicare Survey* (CMS) series is based on data from the continuing Current Medicare Survey.

Future releases in the HI and CMS series may be obtained upon request to the Publications Staff, Office of Research and Statistics, Social Security Administration, Room 1120 Universal North Building, 1875 Connecticut Avenue, N.W., Washington, D.C. 20009.

The *Social Security Bulletin*, published monthly, presents authoritative articles and analyses of medical care expenditures, prices, and utilization as well as current operating statistics from the Medicare program. The *Annual Statistical Supplement* to the *Bulletin* includes summary data on trust funds, services, claims, enrollment, average charges and participating providers of service under Medicare. The *Bulletin*, including the *Supplement*, is available in most libraries and by subscription at \$7 a year from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402

The *Research and Statistics Note* series reports on-going research, preliminary findings or provides addenda to material already published on the old-age, survivors, disability, and health insurance program. Designed to get information quickly into the hands of users, the series includes data on medical care prices, outlays, and expenditures. The series is available in many libraries. Future releases may be obtained upon request to the Publications Staff, Office of Research and Statistics, Social Security Administration, Room 1120, Universal North Building, 1875 Connecticut Avenue, N.W., Washington, D.C. 20009.

U.S. Department of
HEALTH, EDUCATION, AND WELFARE
Social Security Administration
Washington, D.C. 20201

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300



POSTAGE AND FEES PAID
U.S. DEPARTMENT OF H.E.W.
HEW 397

